

Samlet liste over euforiserende stoffer opført på bilag 1 til bekendtgørelsen om euforiserende stoffer nr. 405 af 26. marts 2026 og stoffer reguleret herefter via ændringsbekendtgørelser

Denne liste indeholder stoffer, der er opført på bilag 1 til [Bekendtgørelse om euforiserende stoffer nr. 405 af 26 marts 2026](#).

Alle euforiserende stoffer på bilag 1, samt mulige salte og simple derivater, hvorved forstås estere og ethere, er omfattet af denne bekendtgørelse. For så vidt de anførte euforiserende stoffer kan omfatte flere stereoisomere former, er hver enkelt af disse former at betragte som optaget på listen.

Liste A omfatter stoffer, der ikke må forefindes her i landet, medmindre Lægemedelstyrelsen under ganske særlige omstændigheder og på nærmere fastsatte vilkår meddeler tilladelse dertil.

Liste B, D og E omfatter stoffer, der kun må benyttes til medicinsk og videnskabelig brug.

Liste C omfatter stoffer, der i utilberedt stand falder ind under lovens § 2, men som i farmaceutiske præparater i almindelighed ikke er omfattet af loven, jf. bekendtgørelsens § 1, stk. 3, nr. 3.

Listerne A, B, C, D og E er opdelt i fire kolonner.

- Kolonne 1 angiver det euforiserende stofs navn. Tilføjelsen INN betyder, at det pågældende navn af WHO har været offentliggjort som *Proposed International Non-Proprietary Name* og eventuelt tillige som *Recommended International Non-Proprietary Name*. Tilføjelsen NFN betyder, at det pågældende navn er fastsat af Det Nordiske Farmakopénævn.
- Kolonne 2 angiver det nummer, det enkelte euforiserende stof har på bekendtgørelsens liste.
- Kolonne 3 angiver andre navne, herunder kaldenavne, trivialnavne og kemiske navne, som det euforiserende stof måtte have. Navnene er adskilt ved semikolon. Når bortses fra planter og droger er det sidste navn i hvert tilfælde et dansk systematisk kemisk navn konstrueret efter nomenklaturregler fastsat af *International Union of Pure and Applied Chemistry (IUPAC)*. For yderligere information om navne og strukturer for euforiserende stoffer henvises til "*Multilingual Dictionary of Narcotic Drugs and Psychotropic Substances under International Control*" på www.unodc.org.
- Kolonne 4 angiver baggrunden for at stoffet er opført på listen. Enten med henvisning til listerne i de to FN-konventioner eller med henvisning til at stoffet er optaget på baggrund af en afgørelse i Rådet. Henvisning til FN's Enkeltkonvention af 30. marts 1961 om kontrol med narkotiske midler angives med N og henvisning til FN's Konvention af 21. februar 1971 om psykotrope stoffer angives med P. Henvisning til Rådets afgørelse angives med EU.

Såfremt der må fremgå uoverensstemmelser mellem denne liste og bekendtgørelsen om euforiserende stoffer, er det til enhver tid bestemmelserne i bekendtgørelserne, der gælder.

Indhold

Liste A	2
Liste B	3
Gruppevise forbud omfattet af liste B	20
Liste C	26
Liste D	26
Liste E	27
Eksempler på simple derivater af stoffer omfattet af bekendtgørelsen	31
Eksempler på stoffer omfattet af de gruppevise forbud på liste B	32

Liste A

Navn	Nr.	Andre navne; IUPAC-navn	FN / EU
<i>Catha edulis</i> ¹⁾	A001	khat	
Diacetylmorfin	A002	heroin; [7,8-didehydro-4,5 α -epoxy-17-methylmorphinan3,6 α -diyl]diacetat	N I + IV
Lysergid INN	A003	LSD; 9,10-didehydro- <i>N,N</i> -diethyl-6-methylergolin-8 β carboxamid	P I
Opium, præpareret ²⁾	A004		N I
Affald og residua, der bliver tilbage ved rygning af opium ³⁾	A005		N I
<i>Papaver somniferum</i> L. ⁴⁾	A006	opiumvalmue	

¹⁾ Herved forstås alle dele af planter tilhørende arten *Catha edulis*.

²⁾ Herved forstås ethvert produkt af råopium, som udvindes ved en række særlige operationer, navnlig opløsning, kogning, ristning og gæring, der har til formål at omdanne det til et ekstrakt, der egner sig til at nydes.

³⁾ Herved forstås opiumsaffald og residua, der bliver tilbage ved rygning.

⁴⁾ Herved forstås alle dele af planter tilhørende arten *Papaver somniferum* L. med undtagelse af frøene.

Liste B

Navn	Nr.	Andre navne; IUPAC-navn	FN / EU
5,3-AB-CHMFUPPYCA	B001	N-(1-amino-3-methyl-1-oxobutan-2-yl)-1-(cyclohexylmethyl)-5-(4-fluorophenyl)-1H-pyrazol-3-carboxamid	
AB-CHMINACA	B002	N-(1-aminocarbonyl-2-methylpropyl)-1-(cyclohexylmethyl)-1H-indazol-3-carboxamid	P II
AB-FUBINACA	B003	N-[1-amino-3-methyl-1-oxobutan-2-yl]-1-[(4-fluorophenyl)methyl]-1H-indazole-3-carboxamid	P II
AB-PINACA	B004	N-[(2S)-1-amino-3-methyl-1-oxobutan-2-yl]-1-pentyl-1H-indazole-3-carboxamide	P II
Acetorphin INN	B005	(R)-[4,5 α -epoxy-7 α -(2-hydroxypentan-2-yl)-6-methoxy-17methyl-6,14-endo-ethenomorphinan-3-yl]acetat	N I + IV
Acetyl- α -methylfentanyl	B006	N-phenyl-N-[1-(1-phenylpropan-2-yl)-piperidin-4-yl]acetamid	N I + IV
Acetylfentanyl	B007	N-(1-Phenethylpiperidin-4-yl)-N-phenylacetamid	N I + IV
Acetylmethadol INN	B008	[6-(dimethylamino)-4,4-diphenylheptan-3-yl]acetat	N I
4-AcO-DIPT	B009	4-acetoxy-DIPT; [3-[2-(diisopropylamino)ethyl]-1H-indol-4-yl]acetat	
Acryloylfentanyl	B010	Acrylfentanyl; N-(1-phenethylpiperidin-4-yl)-N-phenylacrylamid	N I
3-(1-Adamantoyl)-1-pentylindol	B011	(adamantan-1-yl)(1-pentyl-1H-indol-3-yl)methanon; (1pentyl-1H-indol-3-yl)(tricyclo[3.3.1.1 ^{3,7}]decan-1-yl)methanon	
ADB-B-5Br-INACA	B012	N-(1-amino-3,3-dimethyl-1-oxobutan-2-yl)-5-bromo-1-butyl-1H-indazol-3-carboxamid	
ADB-5Br-INACA	B013	N-(1-amino-3,3-dimethyl-1-oxobutan-2-yl)-5-bromo-1H-indazol-3-carboxamid	
ADB-BUTINACA	B014	N-(1-amino-3,3-dimethyl-1-oxobutan-2-yl)-1-butyl-1H-indazol-3-carboxamid	
ADB-CHMINACA	B015	MAB-CHMINACA; N-[(2S)-1-amino-3,3-dimethyl-1-oxobutan-2-yl]-1-(cyclohexylmethyl)indazole-3-carboxamid; N-(1-amino-3,3-dimethyl-1-oxobutan-2-yl)-1-(cyclohexylmethyl)-1H-indazole-3-carboxamid	P II
ADB-D-5Br-INACA	B016	N-(1-amino-3,3-dimethyl-1-oxobutan-2-yl)-5-bromo-1-decyl-1H-indazol-3-carboxamid	
3,5-ADB-4en-PFUPPYCA	B017	N-(1-carbamoyl-2,2-dimethyl-propyl)-5-(4-fluorophenyl)-2-pent-4-enyl-pyrazol-3-carboxamid	
ADB-4en-PINACA	B018	N-(1-amino-3,3-dimethyl-1-oxobutan-2-yl)-1-(pent-4-en-1-yl)-1H-indazol-3-carboxamid	
ADB-FUBIACA	B019	N-(1-amino-3,3-dimethyl-1-oxobutan-2-yl)-1-(4-fluorobenzyl)-1H-indol-3-acetamid	
ADB-FUBINACA	B020	N-[1-(aminocarbonyl)-2,2-dimethylpropyl]-1-[(4fluorophenyl)methyl]-1H-indazol-3-carboxamid	P II
ADB-HEXINACA	B021	(N-(1-amino-3,3-dimethyl-1-oxobutan-2-yl)-1-hexyl-1H-indazol-3-carboxamid)	
ADB-P-5Br-INACA	B022	N-(1-amino-3,3-dimethyl-1-oxobutan-2-yl) -5-bromo-1-pentyl-1H-indazol-3-carboxamid	

Navn	Nr.	Andre navne; IUPAC-navn	FN / EU
ADB-PINACA	B023	N-(1-amino-3,3-dimethyl-1-oxobutan-2-yl)-1-pentyl-1H-indazol-3-carboxamid	
ADMB-5en-HEXINACA	B024	N-(1-amino-3,3-dimethyl-1-oxobutan-2-yl)-1-(hex-5en-1-yl)-1H-indazol-3-carboxamid	
ADMB-INACA	B025	N-(1-amino-3,3-dimethyl-1-oxobutan-2-yl)-1H-indazol-3-carboxamid	
ADMB-3TMS-PRINACA	B026	N-(1-amino-3,3-dimethyl-1-oxobutan-2-yl)-1-(3-(trimethylsilyl)propyl)-1H-indazol-3-carboxamid	
A-FUBIACA	B027	N-(1-adamantyl)-2-[1-[(4-fluorophenyl)methyl]indol-3-yl]acetamid	
AH-7921	B028	3,4-dichlor-N-[[1-(dimethylamino)cyclohexyl]methyl]benzamid	N I
AKB-57	B029	1-adamantyl 1-pentylindazol-3-carboxylat	
ALD-52	B030	4-acetyl-N,N-diethyl-7-methyl-4,6,6a,7,8,9-hexahydroindolo[4,3-fg]quinolin-9-carboxamid	
Alfentanil INN	B031	N-[1-[2-(4-ethyl-4,5-dihydro-5-oxo-1H-tetrazol-1-yl)ethyl]-4(methoxymethyl)piperidin-4-yl]-N-phenylpropanamid	N I
AL-LAD	B032	6-allylnorlysergid	
Allylprodin INN	B033	[1-methyl-4-phenyl-3-(prop-2-en-1-yl)piperidin-4-yl]propanoat	N I
Alphacetylmethadol INN	B034	(3R,6R)-[6-(dimethylamino)-4,4-diphenylheptan-3-yl]acetat	N I
Alphameprodin INN	B035	[(3R*,4S*)-3-ethyl-1-methyl-4-phenyl(piperidin-4-yl)]propanoat	N I
Alphamethadol INN	B036	(3R,6R)-6-(dimethylamino)-4,4-diphenylheptan-3-ol	N I
Alpha-methylfentanyl	B037	N-phenyl-N-[1-(1-phenylpropan-2-yl)piperidin-4-yl]propanamid	N I + IV
Alpha-methylthiofentanyl	B038	N-phenyl-N-[1-[1-(thiophen-2-yl)propan-2-yl]piperidin-4-yl]propanamid	N I + IV
Alpha-PHP	B039	1-phenyl-2-(pyrrolidine-1-yl)hexan-1-one	P II
Alpha-PiHP	B040	4-Methyl-1-phenyl-2-(pyrrolidin-1-yl)pentan-1-on	
Alphaprodin INN	B041	[(3R*,4S*)-(1,3-dimethyl-4-phenylpiperidin-4-yl)]propanoat	N I
α-Pyrrolidinovalerophenone	B042	α-PVP	P II
AM-694	B043	[1-(5-fluoropentyl)-1H-indol-3-yl](2-iodphenyl)methanon	
AM-2201	B044	[1-(5-fluoropentyl)-1H-indol-3-yl](naphthalen-1-yl)methanon	P II
AM-2233	B045	(2-iodphenyl)[1-((1-methylpiperidin-2-yl)methyl)-1H-indol-3-yl]methanon	
AMB-CHMICA	B046	methyl 2-((1-(cyclohexylmethyl)-1H-indol-3-yl)formamido)-3-methylbutanoat	
AMB-4en-PICA	B047	methyl 3-methyl-2-[1-(pent-4-en-1-yl)-1H-indol-3-carboxamido]butanoat	
AMB-FUBINACA	B048	FUB-AMB; MMB-FUBINACA; N-(1-methoxycarbonyl-2-methylpropyl)-1-(p-fluorobenzyl)1H-indazol-3-carboxamid	P II
Amfetamin INN	B049	amfetamin; 1-phenylpropan-2-amin	P II
Amfetaminil INN	B050	AN 1; aponeuron; 2-phenyl-2-[(1-phenylpropan-2-yl)amino]acetonitril	
AM-6527 5-fluoropentyl derivat	B051	1-(5-fluoropentyl)-N-(naphthalen-1-yl)-1H-indol-3-carboxamid	
Amineptin	B052	7-[(10,11-dihydro-5H-dibenzo[a,d]cyclohepten-5yl)amino]heptansyre	P II
2-Aminoindan	B053	2,3-dihydro-1H-inden-2-amin	

Navn	Nr.	Andre navne; IUPAC-navn	FN / EU
AMT	B054	<i>α</i> MT; <i>α</i> -methyltryptamin; 1-(1 <i>H</i> -indol-3-yl)propan-2-amin	
Anileridin INN	B055	ethyl[1-[2-(4-aminophenyl)ethyl]-4-phenylpiperidin-4-carboxylat]	N I
6-APB samt isomererne 4- og 5-APB	B056	1-(1-benzofuran-6-yl)propan-2-amin samt "4-yl" og "5-yl" isomererne	
A-PBITMO	B057	adamantan-1-yl(3-pentyl-2-thio-2,3-dihydro-1 <i>H</i> -benzo[d]imidazol-1-yl)methanon	
Apinaca	B058	N-(1-adamantyl)-1-pentyl-1 <i>H</i> -indazol-3-carboxamid	
A-PONASA	B059	N-(adamantan-1-yl)-4-(pentyloxy)naphthalen-1-sulfonamid	
BB-22	B060	8-quinolinyl 1-(cyclohexylmethyl)-1 <i>H</i> -indol-3-carboxylat	
BDB	B061	1-(1,3-benzodioxol-5-yl)butan-2-amin	
Benzethidin INN	B062	ethyl[1-[2-(benzyloxy)ethyl]-4-phenylpiperidin-4-carboxylat]	N I
Benzodioxole-fentanyl	B063	N-phenyl-N-[1-(2-phenylethyl)piperidin-4-yl]-2 <i>H</i> -1,3-benzodioxole-5-carboxamid	
Benzoylbenzylfentanyl	B064	N-(1-benzyl-4-piperidyl)-N-phenyl-benzamid	
Benzoylfentanyl	B065	N-phenyl-N-[1-(2-phenylethyl)piperidin-4-yl]-benzamid	
Benzylmorphin	B066	peronin; 3-benzyloxy-7,8-didehydro-4,5 <i>α</i> -epoxy-17methylmorphinan-6 <i>α</i> -ol	N I
Betacetylmethadol INN	B067	[(3 <i>S</i> ,6 <i>R</i>)-6-(dimethylamino)-4,4-diphenylheptan-3-yl]acetat	N I
<i>Beta</i> -hydroxyfentanyl	B068	<i>N</i> -[1-(2-hydroxy-2-phenylethyl)piperidin-4-yl]- <i>N</i> phenylpropanamid	N I + IV
<i>Beta</i> -hydroxy-3-methylfentanyl	B069	ohmefentanyl; <i>N</i> -[1-(2-hydroxy-2-phenylethyl)-3methylpiperidin-4-yl]- <i>N</i> -phenylpropanamid	N I + IV
Betameprodin INN	B070	(3 <i>R</i> *,4 <i>R</i> *)-[(3-ethyl-1-methyl-4-phenylpiperidin-4yl)]propanoat	N I
Betamethadol INN	B071	racemethadol; (3 <i>S</i> *,6 <i>R</i> *)-6-(dimethylamino)-4,4diphenylheptan-3-ol	N I
Betaprodin INN	B072	(3 <i>R</i> *,4 <i>R</i> *)-[(1,3-dimethyl-4-phenylpiperidin-4-yl)]propanoat	N I
Bezitramid INN	B073	4-[4-(2,3-dihydro-2-oxo-3-propanoyl-1 <i>H</i> -benzimidazol-1yl)piperidin-1-yl]-2,2-diphenylbutannitril	N I
bk-MBDB	B074	butylon; 1-(1,3-benzodioxol-5-yl)-2-(methylamino)butan-1on	
1B-LSD	B075	4-butyryl-N,N-diethyl-7-methyl-4,6,6 <i>a</i> ,7,8,9-hexahydroindolo[4,3- <i>fg</i>]quinolin-9-carboxamid	
Brolamfetamin INN	B076	brom-DMA; DOB; 1-(4-brom-2,5-dimethoxyphenyl)propan-2-amin	P I
1-(8-bromobenzo[1,2- <i>b</i> ; 4,5- <i>b'</i>]difuran-4-yl)-2-aminopropane	B077	brombenzodifuranylisopropylamin; (<i>R</i>)-1-(4-bromfuro[2,3- <i>f</i>][1]benzofuran-8-yl)propan-2-amin	
Brorphin	B078	1-(1-(1-(4-bromophenyl)ethyl)piperidin-4-yl)-1,3-dihydro-2 <i>H</i> -benzo[d]imidazol-2-on	
Bufotenin	B079	5-OH-DMT; 3-[2-(dimethylamino)ethyl]-1 <i>H</i> -indol-5-ol	
Butonitazen	B080	2-(2-(4-butoxybenzyl)-5-nitro-1 <i>H</i> -benzo[d]imidazol-1-yl)-N,N-diethylethan-1-amine	N I
Butyrylfentanyl	B081	Butyrfentanyl; N-phenyl-N-[1-(2-phenylethyl)-4-piperidinyl]-butanamid	N I
BZP	B082	1-benzylpiperazin; N-Benzylpiperazin	P II
Cannabis	B083	hash; marihuana	N I
5C-APINACA	B084	N-(1-adamantyl)-1-(5-chloropentyl)-1 <i>H</i> -indazol-3carboxamid	

Navn	Nr.	Andre navne; IUPAC-navn	FN / EU
Carfentanil	B085	4-((1-oxopropyl)-phenylamino)-1-(2-phenylethyl)-4piperidincarboxylsyremethylester	N I + IV
Cathinon INN	B086	benzoylethanamin; (S)-2-amino-1-phenylpropan-1-on	P I
2C-B	B087	2-(4-brom-2,5-dimethoxyphenyl)ethan-1-amin	P II
2C-D	B088	2-(2,5-dimethoxy-4-methylphenyl)ethan-1-amin	
2C-E	B089	2-(4-ethyl-2,5-dimethoxyphenyl)ethan-1-amin	
CH-BINACA	B090	1-butyl-N-cyclohexyl-1H-indazol-3-carboxamid	
CH-FUBBMPDORA	B091	N-{5-bromo-1-[(4-fluorophenyl)methyl]-4-methyl-2-oxo-1,2-dihydropyridin-3-yl}cyclohexancarboxamid	
CH-FUBIACA	B092	N-cyclohexyl-2-(1-(4-fluorobenzyl)-1H-indol-3-yl)acetamid	
Chloro-isobutyrylfentanyl	B093	N-(2-chlorophenyl)-2-methyl-N-[1-(2-phenylethyl)-4-piperidyl]propanamid N-(3-chlorophenyl)-2-methyl-N-[1-(2-phenylethyl)-4-piperidyl]propanamid N-(4-chlorophenyl)-2-methyl-N-[1-(2-phenylethyl)-4-piperidyl]propanamid	
3-chloromethcathinone	B094	1-(3-chlorophenyl)-2-(methylamino)propan-1-on	P II
CHM-MDA-19	B095	N-[(Z)-[1-(cyclohexylmethyl)-2-oxo-indolin-3-ylidene]amino]benzamid	
CH-PIACA	B096	N-cyclohexyl-2-(1-pentyl-1H-indol-3-yl)acetamid	
2C-I	B097	2-(4-iod-2,5-dimethoxyphenyl)ethan-1-amin	EU
5CI-MDMB-PINACA	B098	methyl 2-(1-(5-chloropentyl)-1H-indazol-3-carboxamido)-3,3-dimethylbutanoat	
Clonitazen INN	B099	2-[2-[(4-chlorophenyl)methyl]-5-nitro-1H-benzimidazol-1-yl]-N,N-diethylethan-1-amin	N I
4-CMC	B100	1-(4-chlorophenyl)-2-(methylamino)propan-1-one	P II
Cocain	B101	Kokain; benzoylmethylecgonin; methyl[(1R,2R,3S,5S)-3benzoyloxy-8-methyl-8-azabicyclo[3.2.1]octan-2-carboxylat]	N I + III
Codoxim INN	B102	dihydrocodeinon-6-carboxymethyloxim; [[[4,5a-epoxy-3methoxy-17-methylmorphinan-6yliden]aminooxy]eddikesyre	N I
2C-P	B103	2-(2,5-dimethoxy-4-propylphenyl)ethan-1-amin	
CP 47,497	B104	2-[(1R*,3S*)-3-hydroxycyclohexyl]-5-(2-methyloctan-2yl)phenol samt homologerne 2-[(1R*,3S*)-3hydroxycyclohexyl]-5-(2-methylheptan-2-yl)phenol, 2[(1R*,3S*)-3-hydroxycyclohexyl]-5-(2-methylnonan-2yl)phenol og 2-[(1R*,3S*)-3-hydroxycyclohexyl]-5-(2methyldecan-2-yl)phenol	
CP 55,940	B105	2-[(1R,2R,5R)-5-hydroxy-2-(3-hydroxypropyl)cyclohexyl]-5-(2-methyloctan-2-yl)phenol	
1-cP-AL-LAD	B106	7-allyl-4-(cyclopropancarbonyl)-N,N-diethyl-4,6,6a,7,8,9-hexahydroindolo[4,3-fg]quinolin-9-carboxamid	
1-cP-LSD	B107	4-(cyclopropancarbonyl)-N,N-diethyl-7-methyl-4,6,6a,7,8,9-hexahydroindolo[4,3-fg]quinolin-9-carboxamid	
CRA-13	B108	naphthalen-1-yl-[4-(pentyloxy)naphthalen-1-yl]methanon	
Crotonylfentanyl	B109	(2E)-N-phenyl-N-[1-(2-phenylethyl)piperidin-4-yl]but-2-enamide	N I
2C-T-2	B110	2-[4-(ethylsulfanyl)-2,5-dimethoxyphenyl]ethan-1-amin	EU
2C-T-4	B111	2-[4-(isopropylsulfanyl)-2,5-dimethoxyphenyl]ethan-1-amin	



Navn	Nr.	Andre navne; IUPAC-navn	FN / EU
2C-T-7	B112	2-[2,5-dimethoxy-4-(propylsulfanyl)phenyl]ethan-1-amin	EU
Cumyl-CB-MeGaClone	B113	5-(cyclobutylmethyl)-2-(2-phenylpropan-2-yl)-2,5-dihydro-1H-pyrido[4,3-b]indol-1-on	
CUMYL-CBMICA	B114	1-(Cyclobutylmethyl)-N-(2-phenylpropan-2-yl)-1H-indol-3-carboxamid	
CUMYL-4CN-BINACA	B115	N-(1-methyl-1-phenylethyl)-1-(4-cyanobutyl)-1H-indazol-3carboxamid	P II
CUMYL-EINACA	B116	1-Ethyl-N-(2-phenylpropan-2-yl)-1H-indazol-3-carboxamid	
CUMYL-5F-P7AICA	B117	N-(2-phenylpropan-2-yl)-1-(5-fluoropentyl)-7-azaindol-3carboxamid	
CUMYL-5F-PINACA	B118	N-(2-phenylpropan-2-yl)-1-(5-fluoropentyl)-1H-indazol-3carboxamid	
CUMYL-FUBINACA	B119	1-[(4-fluorophenyl)methyl]-N-(2-phenylpropan-2-yl)-1H-indazol-3-carboxamid	
CUMYL-INACA	B120	N-(2-Phenylpropan-2-yl)-1H-indazol-3-carboxamid	
CUMYL-NBMINACA	B121	1-(bicyclo[2.2.1]heptan-2-ylmethyl)-N-(2-phenylpropan-2-yl)-1H-indazol-3-carboxamid	
CUMYL-PEGACLONE	B122	5-pentyl-2-(2-phenylpropan-2-yl)- 2,5-dihydro-1H-pyrido[4,3-b]indol-1-on	P II
CUMYL-PINACA	B123	1-pentyl-N-(2-phenylpropan-2-yl)-1H-indazol-3-carboxamid	
CUMYL-PMINACA	B124	1-pentyl-N-(2-phenylpropan-2-yl)-4,5,6,7-tetrahydro-1H-4,7-methanoindazol-3-carboxamid	
CUMYL-3TMS-PRINACA	B125	N-(2-phenylpropan-2-yl)-1-(3-(trimethylsilyl)propyl)-1H-indazol-3-carboxamid	
Cychlorphin	B126	(3-(3-(1-(1-(4-chlorophenyl)ethyl)piperidin-4-yl)-2-oxo-2,3-dihydro-1H-benzo[d]imidazol-1-yl)propanenitriil)	
Cyclopentylfentanyl	B127	N-phenyl-N-[1-(2-phenylethyl)-4-piperidyl]cyclopentanecarboxamid	
Cyclopropylfentanyl	B128	N-phenyl-N-[1-(2-phenylethyl)piperidin-4-yl]cyclopropanecarboxamid	N I
Desnitroclonitazen	B129	(2-[2-[(4-chlorophenyl)methyl]benzimidazol-1-yl]-N,N-diethyl-ethanamin)	
Desomorphin INN	B130	dihydrodeoxymorphin; 4,5 α -epoxy-17-methylmorphinan-3ol	N I + IV
Despropionylfluorofentanyl	B131	N-(2-Fluorophenyl)-1-(2-phenylethyl)piperidin-4-amin N-(3-Fluorophenyl)-1-(2-phenylethyl)piperidin-4-amin N-(4-Fluorophenyl)-1-(2-phenylethyl)piperidin-4-amin	
DET	B132	<i>N,N</i> -diethyltryptamin; <i>Diethyl-tryptamin</i> (3-(2-diethylaminoethyl)-indol)	P I
Dexamfetamin INN	B133	dextroamfetamin; dexamfetamin; (<i>S</i>)-1-phenylpropan-2amin	P II
Dextromoramid INN	B134	(<i>S</i>)-1[3-methyl-4-(morpholin-4-yl)-2,2diphenylbutanoyl]pyrrolidin	N I
Dextropropoxyphen INN	B135	[(2 <i>S</i> ,3 <i>R</i>)-4-(dimethylamino)-3-methyl-1,2-diphenylbutan-2yl]propanoat	N II + III
Diampromid INN	B136	<i>N</i> -[2-[methyl(2-phenylethyl)amino]propyl]- <i>N</i> phenylpropanamid	N I
3,4-Dichlormethylphenidat	B137	Methyl- (3,4-dichlorphenyl)(piperidin-2-yl)acetat	
Diethylthiambuten INN	B138	themalon, thiambuten; <i>N,N</i> -diethyl-4,4-di(thiophen-2-yl)but-3-en-2-amin	N I
Difenoxin INN	B139	1-(3-cyan-3,3-diphenylpropyl)-4-phenylpiperidin-4carboxylsyre	N I + III

Navn	Nr.	Andre navne; IUPAC-navn	FN / EU
Dihydroetorpin	B140	18,19-dihydroetorpin; (5 <i>R</i> ,6 <i>R</i> ,7 <i>R</i> ,14 <i>R</i>)-4,5-epoxy-7-[(<i>R</i>)-2hydroxypentan-2-yl]-6-methoxy-17-methyl-6,14ethanomorphinan-3-ol	N I
Dihydromorfin	B141	4,5 <i>α</i> -epoxy-17-methylmorphinan-3,6 <i>α</i> -diol	N I
Dimenoxadol INN	B142	[2-(dimethylamino)ethyl][ethoxydiphenylacetat]	N I
Dimepheptanol INN	B143	bimethadol NFN; 6-(dimethylamino)-4,4-diphenylheptan-3-ol	N I
Dimethylthiambuten INN	B144	<i>N,N</i> -dimethyl-4,4-di(thiophen-2-yl)but-3-en-2-amin	N I
Dioxaphetylbutyrat INN	B145	ethyl[4-(morpholin-4-yl)-2,2-diphenylbutanoat]; ethyl-4-morpholino-2,2-diphenylbutyrat	N I
Dipentylone	B146	(1-(benzo[d][1,3]dioxol-5-yl)-2-(di-methylamino)pentan-1-on)	P II
Diphenidin	B147	1-(1,2-diphenylethyl)piperidin	P II
Diphenoxylat INN	B148	ethyl[1-(3-cyan-3,3-diphenylpropyl)-4-phenylpiperidin-4carboxylat]	N I + III
Dipipanon INN	B149	4,4-diphenyl-6-(piperidin-1-yl)heptan-3-on	N I
DMA	B150	2,5-dimethoxyamphetamin; 1-(2,5dimethoxyphenyl)propan-2-amin	P I
4,4'-DMAR	B151	4-methyl-5-(4-methylphenyl)-4,5-dihydrooxazol-2-amin	P II
DMHP	B152	dimethylheptylpyran; 7,8,9,10-tetrahydro-6,6,9-trimethyl-3-(3-methyloctan-2-yl)-6 <i>H</i> -dibenzo[<i>b,d</i>]pyran-1-ol	P I
DMT	B153	dimethyltryptamin; 2-(1 <i>H</i> -indol-3-yl)- <i>N,N</i> -dimethylethan-1amin	P I
DOC	B154	4-chlor-2,5-dimethoxyamphetamin; 1-(4-chlor-2,5dimethoxyphenyl)propan-2-amin	P I
DOET	B155	4-ethyl-2,5-dimethoxyamphetamin; 1-(4-ethyl-2,5dimethoxyphenyl)propan-2-amin	P I
DOI	B156	4-iod-2,5-dimethoxyamphetamin; 1-(4-iod-2,5dimethoxyphenyl)propan-2-amin	
DPT	B157	dipropyltryptamin; <i>N</i> -[2-(1 <i>H</i> -indol-3-yl)ethyl]- <i>N</i> propylpropan-1-amin	
Drotebanol INN	B158	oxymethebanol; 3,4-dimethoxy-17-methylmorphinan6 <i>β</i> ,14-diol	N I
Ecgonin	B159	3 <i>β</i> -hydroxy-1 <i>αH</i> ,5 <i>αH</i> -tropan-2 <i>β</i> -carboxylsyre; (1 <i>R</i> ,2 <i>R</i> ,3 <i>S</i> ,5 <i>S</i>)-3-hydroxy-8-methyl-8-azabicyclo[3.2.1]octan-2-carboxylsyre	N I
EDMB-4en-PINACA	B160	ethyl 3,3-dimethyl-2-{{[1-(pent-4-en-1-yl)-1 <i>H</i> -indazol-3-carbonyl]amino}}butanoat	
EDMB-PINACA	B161	Ethyl 3,3-dimethyl-2-(1-pentyl-1 <i>H</i> -indazol-3-carboxamido)butanoat	
EG-018	B162	Naphthalen-1-yl(9-pentyl-9 <i>H</i> -carbazol-3-yl)methanon	
4en-PDMB-4en-PINACA	B163	pent-4-en-1-yl 3,3-dimethyl-2-(1-(pent-4-en-1-yl)-1 <i>H</i> -indazol-3-carboxamido)-butanoat	
Ephenidin	B164	<i>N</i> -ethyl-1,2-diphenylethylamin	
ETH-LAD	B165	<i>N,N</i> ,7-triethyl-4,6,6 <i>a</i> ,7,8,9-hexahydroindolo[4,3- <i>fg</i>]quinolin-9-carboxamid	
Ethylcathinon	B166	ethcathinon; <i>N</i> -ethylcathinon, ethylpropion; 2-(ethylamino)1-phenylpropan-1-on	
Ethyleneoxynitazen	B167	2-(2-((2,3-dihydrobenzofu-ran-5-yl)methyl)-5-nitro-1 <i>H</i> -benzo[<i>d</i>]imidazol-1-yl)- <i>N,N</i> -diethylethan-1-amine	
Ethylmethylthiambuten INN	B168	<i>N</i> -ethyl- <i>N</i> -methyl-4,4-di(thiophen-2-yl)but-3-en-2-amin	N I
Ethylnaphthidat	B169	HDEP-28) (Ethyl-(naphthalen-2-yl)(piperidin-2-yl)acetat	
Ethylon	B170	1-(benzo[<i>d</i>][1,3]dioxol-5-yl)-2-(ethylamino)propan-1-on	P II
Ethylphenidat	B171	ethyl[[2-phenyl-2-(piperidin-2-yl)]acetat]	P II

Navn	Nr.	Andre navne; IUPAC-navn	FN / EU
Eticyclidin INN	B172	PCE; <i>N</i> -ethyl-1-phenylcyclohexan-1-amin	P I
Etodesnitazen	B173	<i>N,N</i> -Diethyl-2-[(4-ethoxyphenyl)methyl]-1 <i>H</i> -benzimidazol-1-ethanamin	
Etomethazen	B174	2-(2-(4-ethoxybenzyl)-5-methyl-1 <i>H</i> -benzo[d]imidazol-1-yl)- <i>N,N</i> -diethylethan-1-amin	
Etonitazen INN	B175	1-[2-(diethylamino)ethyl]-2-[(4-ethoxyphenyl)methyl]-5-nitro-1 <i>H</i> -benzimidazol	N I
Etonitazepipne	B176	2-(4-ethoxybenzyl)-5-nitro-1-(2-(piperidin-1-yl)ethyl)-1 <i>H</i> -benzo[d]imidazole	
Etonitazepyne	B177	2-(4-ethoxybenzyl)-5-nitro-1-(2-(pyrrolidin-1-yl)ethyl)-1 <i>H</i> -benzo[d]imidazol	
Etorphin INN	B178	(5 <i>R</i> ,6 <i>R</i> ,7 <i>R</i> ,14 <i>R</i>)-4,5-epoxy-7-[(<i>R</i>)-2-hydroxypentan-2-yl]-6-methoxy-17-methyl-6,14-ethenomorphinan-3-ol	N I + IV
Etoxeridin INN	B179	ethyl[1-[2-(2-hydroxyethoxy)ethyl]-4-phenylpiperidin-4-carboxylat]	N I
Etryptamin	B180	AET, αET, Monase; 3-(2-aminobutyl)indole; 1-(1 <i>H</i> -indol-3-yl)butan-2-amin	P I
Eutylon	B181	1-(1,3-benzodioxol-5-yl)-2-(ethylamino)butan-1-on	P II
4F-ABINACA	B182	<i>N</i> -(adamantan-1-yl)-1-(4-fluorobutyl)-1 <i>H</i> -indazol-3-carboxamid	
5F-AB-PINACA	B183	<i>N</i> -(1-amino-3-methyl-1-oxobutan-2-yl)-1-(5-fluoropentyl)1 <i>H</i> -Indazol-3-carboxamid	
5F-ADB-PINACA	B184	<i>N</i> -(1-amino-3,3-dimethyl-1-oxobutan-2-yl)-1-(5-fluoropentyl)-1 <i>H</i> -indazol-3-carboxamid	
4F-ADMB-BINACA	B185	<i>N</i> -(1-amino-3,3-dimethyl-1-oxobutan-2-yl)-1-(4-fluorobutyl)-1 <i>H</i> -indazol-3-carboxamid	
5F-AMB-PICA	B186	<i>N</i> -(1-methoxycarbonyl-2-methylpropyl)-1-(5-fluoropentyl)1 <i>H</i> -indol-3-carboxamid	
5F-AMB-PINACA	B187	5F-AMB, 5F-MMB-PINACA; methyl 2-{[1-(5-fluoropentyl)-1 <i>H</i> -indazol-3-carbonyl]amino}-3-methylbutanoate	P II
5F-Apinaca	B188	<i>N</i> -(1-adamantyl)-1-(5-fluoropentyl)-1 <i>H</i> -indazol-3-carboxamid	P II
5F-BZO-POXIZID	B189	(<i>Z</i>)- <i>N'</i> -(1-(5-fluoropentyl)-2-oxoindolin-3-yliden)benzohydrazid	
5F-Cumyl-PeGaClone	B190	5-(5-fluoropentyl)-2-(2-phenylpropan-2-yl)-2,5-dihydro-1 <i>H</i> -pyrido[4,3- <i>b</i>]indol-1-on	
5F-EDMB-PINACA	B191	ethyl-2-[1-(5-fluoropentyl)-1 <i>H</i> -indazol-3-carboxamido]-3,3-dimethylbutanoat	
5F-EMB-PINACA (5F-AEB)	B192	Ethyl (1-(5-fluoropentyl)-1 <i>H</i> -indazol-3-carbonyl)valinat	
Fenetyllin INN	B193	captagon; 1,3-dimethyl-7-[[2-(1-phenylpropan-2-yl)amino]ethyl]-7 <i>H</i> -purin-2,6-dion	P II
Fentanyl INN	B194	fentanil; <i>N</i> -phenyl- <i>N</i> -(1-(2-phenylethyl)piperidin-4-yl)propanamid	N I
Flephedron	B195	4-fluormethcathinon; 1-(4-fluorphenyl)-2-(methylamino)propan-1-on	
Fluetonitazen	B196	(<i>N,N</i> -diethyl-2-(2-(4-(2-fluoroethoxy)benzyl)-5-nitro-1 <i>H</i> -benzo[d]imidazol-1-yl)ethan-1-amin)	
Fluetonitazepyn	B197	(2-(4-(2-fluoroethoxy)benzyl)-5-nitro-1-(2-(pyrrolidin-1-yl)ethyl)-1 <i>H</i> -benzo[d]imidazol)	
Fluonitazen	B198	<i>N,N</i> -Diethyl-2-[(4-fluorophenyl)methyl]-5-nitro-1 <i>H</i> -benzimidazol-1-ethanamin	
Fluoramphetamin (alle isomererne, <i>o</i> -, <i>m</i> - og <i>p</i> fluoramfetamin)	B199	2-FA; 1-(2-fluorphenyl)propan-2-amin 3-FA; 1-(3-fluorphenyl)propan-2-amin 4-FA; 1-(4-fluorphenyl)propan-2-amin	P II
4-Fluorethylphenidat	B200	Ethyl-(4-fluorphenyl)(piperidin-2-yl)acetat	

Navn	Nr.	Andre navne; IUPAC-navn	FN / EU
4-Fluormethylphenidat (4F-MPH)	B201	Methyl-(4-fluorphenyl)(piperidin-2-yl)acetat	
Fluorobutyrylfentanyl	B202	N-(2-fluorophenyl)- N-[(1-(2-phenylethyl)-4piperidiny)]butanamid N-(3-fluorophenyl)- N-[(1-(2-phenylethyl)-4piperidiny)]butanamid N-(4-fluorophenyl)-N-[(1-(2-phenylethyl)-4piperidiny)]butanamid	N I
2-fluorodeschloroketamin	B203	2-FDCK) (2-(2-fluo-rophenyl)-2-(methylamino)cyclohexan-1-on	P II
Fluoro-isobutyrylfentanyl	B204	N-(2-fluorophenyl)- 2-methyl-N-[1-(2-phenylethyl)piperidin-4-yl]propanamid N-(3-fluorophenyl)- 2-methyl-N-[1-(2-phenylethyl)piperidin-4-yl]propanamid N-(4-fluorophenyl)- 2-methyl-N-[1-(2-phenylethyl)piperidin-4-yl]propanamid	N I
4F-MDMB-BICA	B205	N-(1-methoxycarbonyl-2,2-dimethylpropyl)-1-(4-fluorobutyl)-1H-indol-3-carboxamid	
4-F-MDMB-BINACA	B206	methyl 2- {[1-(4-fluorobutyl)-1H-indazole-3-carbonyl]amino}-3,3-dimethylbutanoate	P II
5F-MDMB-P7AICA	B207	methyl 2- {[1-(5-fluoropentyl)-1H-pyrrolo[2,3-b]pyridin-3-yl]formamido}-3,3-dimethylbutanoat	
5F-MDMB-PICA	B208	N-(1-methoxycarbonyl-2,2-dimethylpropyl)-1-(5fluoropentyl)-1H-indol-3-carboxamid	P II
4F-MDMB-PINACA	B209	methyl 2-[1-(4-fluoropentyl)-1H-indazol-3-carboxamido]-3,3-dimethylbutanoat	
5F-MDMB-PINACA	B210	5F-ADB; N-(1-methoxycarbonyl-2,2-dimethylpropyl)-1-(5fluoropentyl)-1H-indazol-3-carboxamid	P II
2F-2-Oxo-PCM	B211	2-(2-fluorphenyl)-2-(methylamino)-cyclohexan-1-on	
5F-PB-22	B212	8-quinolinyl-1-(5-fluoropentyl)-1H-indol-3-carboxylat	P II
5F-SDB-005	B213	naphthalen-1-yl 1-(5-fluoropentyl)-1H-indazol-3-carboxylat	
FUB-NPB-22	B214	8-quinolyl 1-[(4-fluorophenyl)methyl]indazol-3-carboxylat	
5FUR-144 (XLR-11)	B215	[1-(5-fluoropentyl)-1H-indol-3-yl](2,2,3,3-tetramethylcyclopropyl)methanon	P II
Furanylfentanyl	B216	N-phenyl-N-[1-(2-phenylethyl)piperidin-4-yl]-furan-2carboxamid	N I
Furethidin INN	B217	ethyl[1-[2-[(oxolan-2-yl)methoxy]ethyl]-4-phenylpiperidin-4carboxylat]	N I
Gammahydroxybutansyre	B218	GHB; gamma-hydroxysmørsyre, 4-hydroxybutansyre	P II
Hexahydrocannabinol	B219	HHC; 6,6,9-trimethyl-3-pentyl-6a,7,8,9,10,10a-hexahydro-6H-benzo[c]chromen-1-ol	
H4-CBD (tetrahydrocannabinol)	B220	(2-(2-isopropyl-5-methylcyclohexyl)-5-pentylbenzene-1,3-diol)	
HHCP (hexahydrocannabiphorol)	B221	(3-heptyl-6,6,9-trimethyl-6a,7,8,9,10,10a-hexahydro-6H-dibenzo[b,d]pyran-1-ol)	
4-HO-DIPT	B222	4-hydroxy-N,N-diisopropyltryptamin; 3-[2-(diisopropylamino)ethyl]-1H-indol-4-ol	
3-HO-PCE	B223	3-Hydroxyeticyclidin; 3-(1-(ethylamino)cyclohexyl)phenol	
HU-210	B224	(6aR)-trans-3-(1,1-dimethylheptyl)-6a,7,10,10a-tetrahydro-1-hydroxy-6,6-dimethyl-6H-dibenzo[b,d]pyran-9-methanol; (6aR,10aR)-9-(hydroxymethyl)-6,6-dimethyl-3-(2-methyloctan-2-yl)-6a,7,10,10a-tetrahydrobenzo[c]chromen-1-ol	

Navn	Nr.	Andre navne; IUPAC-navn	FN / EU
HU-308	B225	(1 <i>R</i> ,2 <i>R</i> ,5 <i>R</i>)-2-[2,6-dimethoxy-7,7-dimethyl-4-(2methyloctan-2-yl)phenyl]-4-bicyclo[3.1.1]hept-3-en-1yl]methanol	
HU-331	B226	3-hydroxy-2-(6-isopropenyl-3-methyl-cyclohex-2-en-1-yl)-5-pentyl-1,4-benzoquinon	
Hydrocodon INN	B227	dihydrocodeinon; 4,5 <i>a</i> -epoxy-3-methoxy-17methylmorphinan-6-on	N I
Hydromorphinol INN	B228	14-hydroxydihydromorphin; 4,5 <i>a</i> -epoxy-17methylmorphinan-3,6 <i>a</i> ,14-triol	N I
Hydromorphon INN	B229	dihydromorphinon; 4,5 <i>a</i> -epoxy-3-hydroxy-17methylmorphinan-6-on	N I
3-(4-Hydroxymethylbenzoyl)-1-pentylindol	B230	[4-(hydroxymethyl)phenyl](1-pentyl-1 <i>H</i> -indol-3yl)methanon	
7-Hydroxymitragynin	B231	methyl[2-[(2 <i>S</i> ,3 <i>S</i> ,7 <i>aS</i> ,12 <i>bS</i>)-3-ethyl-1,2,3,4,6,7,7 <i>a</i> ,12 <i>b</i> -octahydro-7 <i>a</i> -hydroxy-8-methoxyindolo[2,3- <i>a</i>]quinolizin-2-yl]-3-methoxyprop-2-enoat]	
Hydroxypethidin INN	B232	oxipethidin NFN; ethyl[4-(3-hydroxyphenyl)-1methylpiperidin-4-carboxylat]	N I
Ibogain	B233	12-methoxyibogamin	
Isobutonitazen	B234	(<i>N,N</i> -diethyl-2-(2-(4-isobutoxybenzyl)-5-nitro-1 <i>H</i> -benzo[<i>d</i>]imidazol-1-yl)ethan-1-amin)	
Isomethadon INN	B235	5-methyl-6-(dimethylamino)-4,4-diphenylhexan-3-on	N I
Isopropylphenidat	B236	Propan- 2-yl -phenyl(piperidin-2-yl)acetat	
Isotonitazen	B237	<i>N,N</i> -Diethyl-2-[[4-(1-methylethoxy)phenyl]methyl]-5-nitro-1 <i>H</i> -benzimidazol-1-ethanamin	N I
Isotonitazepyn	B238	(2-[[4-isopropoxyphenyl]methyl]-5-nitro-1-(2-pyrrolidin-1-ylethyl)benzimidazol)	
5-IT	B239	1-(1 <i>H</i> -indol-5-yl)propan-2-amin	
JWH-007	B240	(2-methyl-1-pentyl-1 <i>H</i> -indol-3-yl)(naphthalen-1yl)methanon	
JWH-015	B241	(2-methyl-1-propyl-1 <i>H</i> -indol-3-yl)(naphthalen-1yl)methanon	
JWH-018	B242	(naphthalen-1-yl)(1-pentyl-1 <i>H</i> -indol-3-yl)methanon	P II
JWH-019	B243	(1-hexyl-1 <i>H</i> -indol-3-yl)(naphthalen-1-yl)methanon	
JWH-020	B244	(1-heptyl-1 <i>H</i> -indol-3-yl)(naphthalen-1-yl)methanon	
JWH-073	B245	(1-butyl-1 <i>H</i> -indol-3-yl)(naphthalen-1-yl)methanon	
JWH-081	B246	(4-methoxynaphthalen-1-yl)(1-pentyl-1 <i>H</i> -indol-3yl)methanon	
JWH-098	B247	(4-methoxynaphthalen-1-yl)(2-methyl-1-pentyl-1 <i>H</i> -indol-3yl)methanon	
JWH-122	B248	(4-methylnaphthalen-1-yl)(1-pentyl-1 <i>H</i> -indol-3-yl)methanon	
JWH-147	B249	(naphthalen-1-yl)(2-phenyl-1-hexylpyrrol-4-yl)methanon	
JWH-182	B250	(1-pentyl-1 <i>H</i> -indol-3-yl)(4-propylnaphthalen-1-yl)methanon	
JWH-200	B251	[1-[2-(morpholin-4-yl)ethyl]-1 <i>H</i> -indol-3-yl](naphthalen-1yl)methanon	
JWH-203	B252	2-(2-chlorphenyl)-1-(1-pentyl-1 <i>H</i> -indol-3-yl)ethan-1-on	

Navn	Nr.	Andre navne; IUPAC-navn	FN / EU
JWH-210	B253	(4-ethylnaphthalen-1-yl)(1-pentyl-1 <i>H</i> -indol-3-yl)methanon	
JWH-250	B254	2-(2-methoxyphenyl)-1-(1-pentyl-1 <i>H</i> -indol-3-yl)ethan-1-on	
JWH-251	B255	2-(2-methylphenyl)-1-(1-pentyl-1 <i>H</i> -indol-3-yl)ethan-1-on	
JWH-398	B256	(4-chlornaphthalen-1-yl)(1-pentyl-1 <i>H</i> -indol-3-yl)methanon	
JWH-018 indazol analog	B257	naphthalen-1-yl(1-pentyl-1 <i>H</i> -indazol-3-yl)methanon	
Kaktus og frø af arterne <i>Echinopsis pachanoi</i> og <i>Echinopsis peruviana</i> eller andre, der indeholder stoffet meskalin (3,4,5-trimethoxyphenethylamin)	B258		
Ketamin	B259	2-(2-chlorphenyl)-2-(methylamino)cyclohexan-1-on	
Ketobemidon INN	B260	1-[4-(3-hydroxyphenyl)-1-methylpiperidin-4-yl]propan-1-on	N I + IV
Kokablاد	B261	Cocae folium	N I
Kratom	B262	<i>Mitragyna speciosa</i>	
Levamfetamin INN	B263	<i>l</i> -amfetamin; (-)-(<i>R</i>)- <i>α</i> -methylphenethylamin, amfetamin(-)-isomer; (<i>R</i>)-1-phenylpropan-2-amin	P II
Levometamfetamin	B264	(-)- <i>N,α</i> -dimethylphenethylamin; (<i>R</i>)- <i>N</i> -methyl-1-phenylpropan-2-amin	P II
Levomethorphan INN	B265	(-)-3-methoxy- <i>N</i> -methylmorphinan; 3-methoxy-17methylmorphinan	N I
Levomoramid INN	B266	(<i>R</i>)-3-methyl-4-(morpholin-4-yl)-2,2-diphenyl-1-(pyrrolidin-1-yl)butan-1-on	N I
Levophenacylmorphan INN	B267	(-)-3-hydroxy- <i>N</i> -phenacylmorphinan; 2-(3hydroxymorphinan-17-yl)-1-phenylethan-1-on	N I
Levorphanol INN	B268	(-)-3-hydroxy- <i>N</i> -methylmorphinan; 17-methylmorphinan-3ol	N I
Lofentanil	B269	methyl (3 <i>S</i> ,4 <i>R</i>)-3-methyl-1-(2-phenylethyl)-4-[phenyl(propionyl)amino]piperidin-4-carboxylat	
LSZ	B270	8b-(2,4-dimethylazetidid-1-yl)carbonyl-9,10-didehydro-6methylergolin	
MADMB-4en-PINACA	B271	N-(3,3-dimethyl-1-(methylamino)-1-oxobutan-2-yl)-1-(pent-4-en-1-yl)-1 <i>H</i> -indazol-3-carboxamid	
MBDB	B272	1-(1,3-benzodioxol-5-yl)- <i>N</i> -methylbutan-2-amin	
mCPP	B273	1-(3-chlorphenyl)piperazin	
MDA-19 4en-pentyl analog	B274	N-[(<i>Z</i>)-(2-oxo-1-pent-4-enyl-indolin-3-yliden)amino]benzamid	
MDAI	B275	5,6-methylenedioxy-2-aminoindan	
MDA-19 pentyl analog	B276	N-[(<i>Z</i>)-(2-oxo-1-pentyl-indolin-3-ylidene)amino]benzamid	
MDMA	B277	ecstasy; 3,4-methylendioxyamfetamin; 1-(1,3benzodioxol-5-yl)- <i>N</i> -methylpropan-2-amin	P I
MDMB-BINACA	B278	methyl 2-(1-butyl-1 <i>H</i> -indazol-3-carboxamido)-3,3-dimethylbutanoat	
MDMB-5Br-INACA	B279	methyl 2-(5-Bromo-1 <i>H</i> -indazol-3-carboxamido)-3,3-dimethylbutanoat	
MDMB-7Br-INACA	B280	methyl 2-(7-bromo-1 <i>H</i> -indazol-3-carboxamido)-3,3-dimethylbutanoat	
MDMB-CHMCZCA	B281	Methyl 2-(9-(cyclohexylmethyl)-9 <i>H</i> -carbazol-3-carboxamido)-3,3-dimethylbutanoat	

Navn	Nr.	Andre navne; IUPAC-navn	FN / EU
MDMB-CHMICA	B282	methyl-2-(1-(cyclohexylmethyl)-1H-indol-3-carboxamido)-3,3-dimethylbutanoat	
MDMB-CHMINACA	B283	methyl 2-(1-(cyclohexylmethyl)-1H-indazol-3-carboxamido)-3,3-dimethylbutanoat	
MDMB-5en-HEXINACA	B284	methyl 2-(1-(hex-5-en-1-yl)-1H-indazol-3-carboxamido)-3,3-dimethylbutanoat	
MDMB-4en-P-5Br-INACA	B285	methyl 2-{[5-bromo-1-(pent-4-en-1-yl)-1H-indazol-3-carbonyl]amino}-3,3-dimethylbutanoat	
MDMB-4en-PINACA	B286	N-(1-methoxycarbonyl-2,2-dimethylpropyl)-1-(pent-4-enyl)-1H-indazol-3-carboxamid	P II
MDMB-FUBINACA	B287	methyl 2-(1-(4-fluorobenzyl)-1H-indazol-3-carboxamido)-3,3-dimethylbutanoat	
MDMB-INACA	B288	methyl 2-(1H-indazole-3-carboxamido)-3,3-dimethylbutanoat	
MDMB-PINACA	B289	methyl 3,3-dimethyl-2-(1-pentyl-1H-indazol-3-carboxamido)butanoat	
MDPPP	B290	3,4-methylenedioxy- α -pyrrolidinopropiophenon; 1-(1,3-benzodioxol-5-yl)-2-(pyrrolidin-1-yl)propan-1-on	
MDPV	B291	methylenedioxypropylvaleron; 1-(3,4-methylenedioxyphenyl)-2-pyrrolidin-1-yl-pentan-1-on; 1-(1,3-benzodioxol-5-yl)-2-(pyrrolidin-1-yl)pentan-1-on	P II
4-MEC (alle isomererne 2-, 3- og 4methyl-N-ethylcathinon)	B292	2-MEC; 2-(ethylamino)-1-(2-methylphenyl)propan-1-on 3-MEC; 2-(ethylamino)-1-(3-methylphenyl)propan-1-on 4-MEC; 2-(ethylamino)-1-(4-methylphenyl)propan-1-on	P II
Mecloqualon INN	B293	3-(2-chlorphenyl)-2-methylquinazolin-4(3H)-on	P II
5-MeO-DALT	B294	<i>N,N</i> -diallyl-5-methoxytryptamin	
MeO-diphenidin (omfattende isomererne 2-MeO-diphenidin (1-(1-(2-methoxyphenyl)-2-phenylethyl)piperidin), 3-MeO-diphenidin (1-(1-(3-methoxyphenyl)-2-phenylethyl)piperidin) og 4-MeOdiphenidin(1-(1-(4-methoxyphenyl)-2-phenylethyl)piperidin))	B295	1-(1-(2-methoxyphenyl)-2-phenylethyl)piperidin; 1-(1-(3-methoxyphenyl)-2-phenylethyl)piperidin; 1-(1-(4-methoxyphenyl)-2-phenylethyl)piperidin	
5-MeO-DIPT	B296	5-methoxy- <i>N,N</i> -diisopropyltryptamin; <i>N</i> -isopropyl- <i>N</i> -[(5methoxy-1 <i>H</i> -indol-3-yl)ethyl]propan-2-amin	
5-MeO-DMT	B297	5-methoxy- <i>N,N</i> -dimethyltryptamin; 2-(5-methoxy-1 <i>H</i> -indol-3-yl)- <i>N,N</i> -dimethylethan-1-amin	
3-MeO-PCE	B298	<i>N</i> -Ethyl-1-(3-methoxyphenyl)cyclohexan-1-amin	
3-MeO-PCMo	B299	4-(1-(3-Methoxyphenyl)cyclohexyl)morpholin	
MeO-PCP (omfattende isomererne 2-MeO-PCP (1-(1-(2-methoxyphenyl)cyclohexyl)piperidin),3-MeO-PCP (1-(1-(3-methoxyphenyl)cyclohexyl)piperidin) og 4-MeO-PCP (1-(1-(4-methoxyphenyl)cyclohexyl)piperidin))	B300	1-(1-(2-methoxyphenyl)cyclohexyl)piperidin; 1-(1-(3-methoxyphenyl)cyclohexyl)piperidin; 1-(1-(4-methoxyphenyl)cyclohexyl)piperidin	P II
MeOPP	B301	1-(4-methoxyphenyl)piperazin	
3-Me-2-oxo-PCE	B302	Deoxymethoxetamin; 2-(ethylamino)-2-(m-tolyl)cyclohexan-1-on	

Navn	Nr.	Andre navne; IUPAC-navn	FN / EU
Mephedron	B303	4-MMC; 4-methylmethcathinon; 2-(methylamino)-1-(4methylphenyl)propan-1-on	P II
Meskalin	B304	mescalin; 3,4,5-trimethoxy-phenethylamin; 2-(3,4,5trimethoxyphenyl)ethan-1-amin	P I
Metamfepramon	B305	<i>N,N</i> -dimethylcathinon; 2-(dimethylamino)-1-phenylpropan-1-on	
Metamfetamin INN	B306	methamfetamin; (+)-(<i>S</i>)- <i>N</i> , <i>α</i> -dimethylphenethylamin; (<i>S</i>) <i>N</i> -methyl-1-phenylpropan-2-amin	P II
Metamfetamin, racemisk INN	B307	(±)- <i>N</i> , <i>α</i> -dimethylphenethylamin; (<i>RS</i>)- <i>N</i> -methyl-1phenylpropan-2-amin	P II
Metazocin INN	B308	2'-hydroxy-2,5,9-trimethyl-6,7-benzomorphan; 1,2,3,4,5,6hexahydro-3,6,11-trimethyl-2,6-methano-3-benzazocin-8-ol	N I
Methadon INN	B309	6-(dimethylamino)-4,4-diphenylheptan-3-on	N I
Methadon-intermediat	B310	2-(dimethylamino)-4-cyan-4,4-diphenylbutan; 4-(dimethylamino)-2,2-diphenylpentannitril	N I
Methaqualon INN	B311	2-methyl-3-(2-methylphenyl)quinazolin-4(3 <i>H</i>)-on	P II
Methcathinon	B312	2-(methylamino)-1-phenylpropan-1-on	P I
Methiodon	B313	(4-(ethylsulfonyl)- <i>N,N</i> -dimethyl-4,4- diphenylbutan-2-amin)	
Methoxyacetylfentanyl	B314	2-methoxy- <i>N</i> -phenyl- <i>N</i> -[1-(2-phenylethyl)piperidin-4-yl]acetamid	N I
Methoxybutyrylfentanyl	B315	<i>N</i> -(2-methoxyphenyl)- <i>N</i> -[1-(2-phenylethyl)piperidin-4yl]butanamid <i>N</i> -(3-methoxyphenyl)- <i>N</i> -[1-(2-phenylethyl)piperidin-4yl]butanamid <i>N</i> -(4-methoxyphenyl)- <i>N</i> -[1-(2-phenylethyl)piperidin-4yl]butanamid	
Methylamfetamin (omfattende isomererne 2-, 3- og 4methylamphetamin)	B316	1-(2-methylphenyl)propan-2-amin 1-(3-methylphenyl)propan-2-amin 1-(4-methylphenyl)propan-2-amin	
4-Methylaminorex	B317	(±)- <i>cis</i> -2-amino-4-methyl-5-phenyl-2-oxazolin; (±)- <i>cis</i> -2amino-4,5-dihydro-4-methyl-5-phenyloxazol	P I
2-Methyl-AP-237	B318	(1-(2-methyl-4-(3-phenylallyl)piperazin-1-yl)butan-1-on)	N I
6-methyl-desnitroetonitazen	B319	(2-(2-(4-ethoxybenzyl)-6-methyl-1 <i>H</i> -benzo[<i>d</i>]imidazol-1-yl)- <i>N,N</i> -diethyl-ethan-1-amin)	
Methyl-desorfin INN	B320	6-methyl-Δ6-deoxymorfin; 6,7-didehydro-4,5 <i>α</i> -epoxy-6,17-dimethylmorphinan-3-ol	N I
Methyldihydromorfin INN	B321	6-methyldihydromorfin; 4,5 <i>α</i> -epoxy-6 <i>α</i> -methoxy-17methylmorphinan-3-ol	N I
3-Methylfentanyl	B322	<i>N</i> -[3-methyl-1-(2-phenylethyl)piperidin-4-yl]- <i>N</i> phenylpropanamid	N I + IV
3-Methylmethcathinon	B323	2-(methylamino)-1-(3-methylphenyl)propan-1-on	
4-Methylmethylphenidat (4Me-TMP)	B324	Methyl-(4-methylphenyl)(piperidin-2-yl)acetat	
Methylnaphthidat (HDMP-28)	B325	Methyl-(naphthalen-2-yl)(piperidin-2-yl)acetat	
Methylon	B326	3,4-methylendioxymethcathinon; 2-(methylamino)-1-(1,3benzodioxol-5-yl)propan-1-on	P II
Methylphenidat INN	B327	methyl[phenyl(piperidin-2-yl)acetat]	P II
3-Methylthiofentanyl	B328	<i>N</i> -[3-methyl-1-[2-(thiophen-2-yl)ethyl]piperidin-4-yl]- <i>N</i> phenylpropanamid	N I + IV
Metodesnitazen	B329	<i>N,N</i> -Diethyl-2-[(4-methoxyphenyl)methyl]-1 <i>H</i> -benzimidazol-1-ethanamin	

Navn	Nr.	Andre navne; IUPAC-navn	FN / EU
Metonitazen	B330	N,N-Diethyl-2-[(4-methoxyphenyl)methyl]-5-nitro-1H-benzimidazol-1-ethanamin	
Metonitazepyn	B331	2-(4-methoxybenzyl)-5-nitro-1-(2-(pyrrolidin-1-yl)ethyl)-1H-benzo[d]imidazole	
Metopon INN	B332	5-methyldihydromorfinon; 4,5 α -epoxy-3-hydroxy-5,17dimethylmorphinan-6-on	N I
Metoxetamin	B333	2-(ethylamino)-2(3-methoxyphenyl)cyclohexan-1-on	P II
Mitragynin	B334	methyl[(E)-16,17-didehydro-9,17-dimethoxy-17,18-seco20 α -yohimban-16-carboxylat]	
MMB-PINACA	B335	methyl 3-methyl-2-[(1-pentyl-1H-indazol-3-carbonyl)amino]butanoat	
MMDA	B336	5-methoxy-3,4-methylendioxyamphetamin; 1-(7-methoxy-1,3-benzodioxol-5-yl)propan-2-amin	P I
Moramid-intermediat	B337	2-methyl-3-(morpholin-4-yl)-1,1-diphenylpropansyre	N I
Morpheridin INN	B338	ethyl[1-[2-(morpholin-4-yl)ethyl]-4-phenylpiperidin-4-carboxylat]	N I
Morphin	B339	morphinbase; 7,8-didehydro-4,5 α -epoxy-17methylmorphinan-3,6 α -diol	N I + III
Morphinmethylbromid (3,6dihydroxy-N,N-dimethyl-4,5epoxymorphinen-7-bromid) og andre morphinderivater med kvaternært nitrogen (herunder Codein-N-oxid)	B340	7,8-didehydro-4,5 α -epoxy-3,6 α -dihydroxy-17,17dimethylmorphinan-17-iumbromid	N I
Morphin-N-oxid	B341	7,8-didehydro-4,5 α -epoxy-3,6 α -dihydroxy-17methylmorphinan-17-oxid	N I
MPA	B342	N-methyl-1-(thiophen-2-yl)propan-2-amin	P II
MPhP-2201	B343	methyl 2-(1-(5-fluoropentyl)-1H-indol-3-carboxamido)-3-phenylpropanoat	
MPPP (alle isomererne, 2-, 3- og 4-methyl- α -pyrrolidinopropiophenon)	B344	1-(2-methylphenyl)-2-(pyrrolidin-1-yl)propan-1-on; 1-(3-methylphenyl)-2-(pyrrolidin-1-yl)propan-1-on; 1-(4-methylphenyl)-2-(pyrrolidin-1-yl)propan-1-on	
MPPP (1-Methyl-4-phenyl-4-piperidinolpropionat(ester))	B345	Desmethylprodin; 1-methyl-4-phenyl-4-propionoxypiperidine	N I + IV
MT-45	B346	1-cyclohexyl-4-(1,2-diphenylethyl)-piperazin	N I
4-MTA	B347	4-methyltioamfetamin; 1-[4-(methylsulfanyl)phenyl]propan-2-amin	P I
MXiPr	B348	Methoxisopropamin; 2-(isopropylamino)-2-(3-methoxyphenyl)cyclohexan-1-on	
MXPr	B349	Methoxpropamin; 2-(3-methoxyphenyl)-2-(propylamino)cyclohexan-1-on	
Myrophin INN	B350	myristylbenzylmorphin; [7,8-didehydro-4,5 α -epoxy-17methyl-3-(phenylmethoxy)morphinan-6 α -yl]tetradecanoat	N I
N-desethyletonitazen	B351	2-(2-(4-ethoxybenzyl)-5-nitro-1H-benzo[d]imidazol-1-yl)-N-ethylethan-1-amine	
N-desethylisotonitazen	B352	N-ethyl-2-(2-(4-iso-propoxybenzyl)-5-nitro-1H-benzo[d]imidazol-1-yl)ethan-1-amine	
N-desethylprotonitazen	B353	(N-ethyl-2-(5-nitro-4-propoxybenzyl)-1H-benzo[d]imidazol-1-yl)ethan-1-amin	
N-Ethyl MDA	B354	MDE; MDEA; N-ethyl- α -methyl-3,4-(methylendioxy)phenethylamin; 1-(7-methoxy-1,3benzodioxol-5-yl)-N-ethylpropan-2-amin	P I
N-Ethylbuphedron	B355	NEB; 2-(ethylamino)-1-phenylbutan-1-on	

Navn	Nr.	Andre navne; IUPAC-navn	FN / EU
<i>N</i> -ethylhexedrone	B356	2-(ethylamino)-1-phenylhexan-1-one	P II
<i>N</i> -ethylnorpentylon	B357	Ephylone; 1-(2 <i>H</i> -1,3-benzodioxol-5-yl)-2-(ethylamino)pentan-1-one	P II
<i>N</i> -Hydroxy MDA	B358	<i>N</i> -[<i>α</i> -methyl-3,4-(methylenedioxy)phenethyl]hydroxylamin; <i>N</i> -[1-(1,3-benzodioxol-5-yl)propan-2-yl]hydroxylamin	P I
Nicomorphin INN	B359	3,6-dinicotinoylmorphin; [7,8-didehydro-4,5 <i>α</i> -epoxy-17methylmorphinan-3,6 <i>α</i> -diyl]di(pyridin-3-carboxylat)	N I
NMDMSB	B360	1-naphthyl 4-methyl-3-(dimethylsulfamoyl)-benzoat	
<i>N</i> -Methyl-2-AI	B361	<i>N</i> -methyl-2-aminoindan	
<i>N,N</i> -dimethyletonitazen	B362	(2-[2-[(4-ethoxyphenyl)methyl] -5-nitro-benzimidazol-1-yl]- <i>N,N</i> -dimethyl-etha-namin)	
Noracymethadol INN	B363	[(6-(methylamino)-4,4-diphenylheptan-3-yl]acetat	N I
Norlevorphanol INN	B364	morphinan-3-ol	N I
Normethadon INN	B365	6-(dimethylamino)-4,4-diphenylhexan-3-on	N I
Normorphin INN	B366	demethylmorphin; 7,8-didehydro-4,5 <i>α</i> -epoxymorphinan-3,6 <i>α</i> -diol	N I
Norpipanon INN	B367	4,4-diphenyl-6-(piperidin-1-yl)hexan-3-on	N I
Ocfentanil	B368	<i>N</i> -(2-fluorophenyl)-2-methoxy- <i>N</i> -(1-phenethylpiperidin-4yl)acetamid	N I
3-OH-PCP	B369	3-(1-(piperidin-1-yl)cyclohexyl)phenol	
Opium	B370	Inkl. Concentrate of poppy straw (CPS); CPS (M); CPS (T); CPS (O); CPS (C)	N I + III
Oripavin	B371	6,7,8,14-tetrahydro-4,5 <i>α</i> -epoxy-6-methoxy-17methylmorphinan-3-ol	N I
2-Oxo-PCE	B372	2-(ethylamino)-2-phenylcyclohexan-1-on	
2-Oxo-PCM	B373	2-(methylamino)-2-phenylcyclohexan-1-on	
Oxycodon INN	B374	14-hydroxydihydrocodeinon; 4,5 <i>α</i> -epoxy-14-hydroxy-3methoxy-17-methylmorphinan-6-on	N I
Oxymorphon INN	B375	14-hydroxydihydromorphinon; 4,5 <i>α</i> -epoxy-3,14-dihydroxy-17-methylmorphinan-6-on	N I
Para-fluorofentanyl	B376	<i>N</i> -(2-fluorophenyl)- <i>N</i> -[1-(2-phenylethyl)-4piperidinyl]propanamid <i>N</i> -(3-fluorophenyl)- <i>N</i> -[1-(2-phenylethyl)-4piperidinyl]propanamid <i>N</i> -(4-fluorophenyl)- <i>N</i> -[1-(2-phenylethyl)-4piperidinyl]propanamid	N I + IV
Parahexyl	B377	pyrahexyl, synhexyl; 3-hexyl-7,8,9,10-tetrahydro-6,6,9trimethyl-6 <i>H</i> -dibenzo[<i>b,d</i>]pyran-1-ol	P I
1-PEA	B378	1-phenylethan-1-amin	
PEPAP	B379	[4-phenyl-1-(2-phenylethyl)piperidin-4-yl]acetat	N I + IV
Pethidin INN	B380	meperidin; ethyl(1-methyl-4-phenylpiperidin-4-carboxylat)	N I
Pethidin-intermediat A	B381	1-methyl-4-phenylpiperidin-4-carbonitril	N I
Pethidin-intermediat B	B382	ethyl(4-phenylpiperidin-4-carboxylat)	N I
Pethidin-intermediat C	B383	1-methyl-4-phenylpiperidin-4-carboxylsyre	N I
<i>p</i> -FBT	B384	3-(<i>p</i> -fluorbenzoyl)tropan; (4-fluorophenyl)[6-methyl-8azabicyclo[3.2.1]-octan-3-yl]methanon	
Phenadoxon INN	B385	heptazon; morphodon; 6-(morpholin-4-yl)-4,4diphenylheptan-3-on	N I
Phenampromid INN	B386	<i>N</i> -[1-(piperidin-1-yl)propan-2-yl]- <i>N</i> -phenylpropanamid	N I

Navn	Nr.	Andre navne; IUPAC-navn	FN / EU
Phenazocin INN	B387	2'-hydroxy-5,9-dimethyl-2-(2-phenylethyl)-6,7-benzomorphan, 1,2,3,4,5,6-hexahydro-6,11-dimethyl-3-(2phenylethyl)-2,6-methano-3-benzazocin-8-ol	N I
Phencyclidin INN	B388	PCP; 1-(1-phenylcyclohexyl)piperidin	P II
Phendimetrazin INN	B389	(2 <i>S</i> ,3 <i>S</i>)-3,4-dimethyl-2-phenylmorpholin	P IV
Phenmetrazin INN	B390	phenmetralin NFN; 3-methyl-2-phenylmorpholin	P II
Phenomorphan INN	B391	3-hydroxy- <i>N</i> -phenethylmorphinan; 17-(2phenylethyl)morphinan-3-ol	N I
Phenoperidin INN	B392	ethyl[1-(3-hydroxy-3-phenylpropyl)-4-phenylpiperidin-4carboxylat]	N I
3-phenylpropanoylfentanyl	B393	<i>N</i> -phenyl- <i>N</i> -[1-(2-phenylethyl)piperidin-4-yl]-3-phenylpropanamid	
Piminodin INN	B394	ethyl[4-phenyl-1-[3-(phenylamino)propyl]piperidin-4carboxylat]	N I
Pipradrol INN	B395	diphenyl(piperidin-2-yl)methanol	P IV
Piritramid INN	B396	1-(3-cyan-3,3-diphenylpropyl)-4-(piperidin-1-yl)piperidin-4carboxamid	N I
1p-LSD	B397	1-propionyllysergid	
PMA	B398	4-methoxyamphetamin; 1-(4-methoxyphenyl)propan-2amin	P I
PMMA	B399	paramethoxymethylamphetamin; 1-(4-methoxyphenyl)- <i>N</i> methylpropan-2-amin	P I
PPP	B400	α -pyrrolidinopropiophenon; 1-phenyl-2-(pyrrolidin-1yl)propan-1-on	
Proheptazin INN	B401	(hexahydro-1,3-dimethyl-4-phenyl-1 <i>H</i> -azepin-4yl)propanoat	N I
Properidin INN	B402	isopropyl(1-methyl-4-phenylpiperidin-4-carboxylat)	N I
Propiram INN	B403	<i>N</i> -[1-(piperidin-1-yl)propan-2-yl]- <i>N</i> -(pyridin-2yl)propanamid	N II + III
Propylphenidat	B404	Propyl-phenyl(piperidin-2-yl)acetat	
Protonitazen	B405	<i>N,N</i> -Diethyl-2-[(4-propoxyphenyl)methyl]-5-nitro-1 <i>H</i> -benzimidazol-1-ethanamin	
Protonitazepyn	B406	5-nitro-2-(4-propoxyben- <i>zyl</i>)-1-(2-(pyrrolidin-1-yl)ethyl)-1 <i>H</i> -benzo[d]imidazole	
Psilocin	B407	Psilotsin; 3-[2-(dimethylamino)ethyl]-1 <i>H</i> -indol-4-ol	P I
Psilocybin INN	B408	[3-[2-(dimethylamino)ethyl]-1 <i>H</i> -indol-4yl]dihydrogenphosphat	P I
RCS-4 (alle isomererne, 2-, 3- og 4methoxyphenyl-(1-pentylindol-3yl)methanon)	B409	(2-methoxyphenyl)(1-pentyl-1 <i>H</i> -indol-3-yl)methanon (3-methoxyphenyl)(1-pentyl-1 <i>H</i> -indol-3-yl)methanon (4-methoxyphenyl)(1-pentyl-1 <i>H</i> -indol-3-yl)methanon	
Spirochlorphin	B410	(8-[1-(4-chlorophenyl)ethyl]-1-phenyl-1,3,8-triazaspiro[4.5]decan-4-on)	
Svampe og sporer af arterne Psilocybe semilanceata, Psilocybe cubensis eller andre svampe/sporer, som indeholder psilocin eller psilocybin, herunder bl.a. dyrkede, tørrede eller på anden vis bearbejdede svampe/sporer.	B411		
Racemethorphan INN	B412	(±)-3-methoxy-17-methylmorphinan	N I
Racemoramid INN	B413	(<i>RS</i>)-3-methyl-4-(morpholin-4-yl)-2,2-diphenyl-1-(pyrrolidin-1-yl)butan-1-on	N I
Racemorphan INN	B414	(±)-17-methylmorphinan-3-ol	N I
Remifentanyl INN	B415	remifentanyl; methyl[4-(methoxycarbonyl)-4-phenyl(propanoyl)amino]piperidin-1-yl]propanoat]	N I

Navn	Nr.	Andre navne; IUPAC-navn	FN / EU
Rolicyclidin INN	B416	PCPY; PHP; 1-(1-phenylcyclohexyl)pyrrolidin	P I
<i>Salvia divinorum</i>	B417		
Salvinorin A	B418	methyl[(2 <i>S</i> ,4 <i>aR</i> ,6 <i>aR</i> ,7 <i>R</i> ,9 <i>S</i> ,10 <i>aS</i> ,10 <i>bR</i>)-9-(acetyloxy)-2(furan-3-yl)-dodecahydro-6 <i>a</i> ,10 <i>b</i> -dimethyl-4,10-dioxo-2 <i>H</i> naphtho[2,1- <i>c</i>]pyran-7-carboxylat]	
SDB-001	B419	N-(1-adamantyl)-1-pentyl-1 <i>H</i> -indol-3-carboxamid	
SDB-005	B420	naphthalen-1-yl 1-pentyl-1 <i>H</i> -indazol-3-carboxylat	
Secobarbital INN	B421	5-allyl-5-(1-methylbutyl)barbitursyre; 5-(pentan-2-yl)-5-(prop-2-en-1-yl)-pyrimidin-2,4,6-(1 <i>H</i> ,3 <i>H</i> ,5 <i>H</i>)-trion	P II
STP	B422	DOM; 4-Methyl-2,5-dimethoxy-amphetamin; 2,5-dimethoxy- α ,4-dimethylphenethylamine	P I
STS-135	B423	N-(1-adamantyl)-1-(5-fluoropentyl)-1 <i>H</i> -indol-3-carboxamid	
Sufentanil INN	B424	N-[4-(methoxymethyl)-1-[2-(2-thiophen-2-yl)ethyl]piperidin-4-yl]-N-phenylpropanamid	N I
<i>Tabernanthe iboga</i>	B425		
Tapentadol INN	B426	3-[(2 <i>R</i> ,3 <i>R</i>)-1-(dimethylamino)-2-methylpentan-3-yl]phenol	
Tenamfetamin INN	B427	MDA; 1-(1,3-benzodioxol-5-yl)propan-2-amin	P I
Tenocyclidin INN	B428	TCP; 1-[1-(thiophen-2-yl)cyclohexyl]piperidin	P I
Tetrahydrocannabinol (alle isomere af tetrahydro-6,6,9-trimethyl-3-pentyl-6 <i>H</i> dibenzo(<i>b,d</i>)-pyran-1-ol).	B429	<i>Inkl.</i> Dronabinol ((6 <i>aR</i> ,10 <i>aR</i>)6 <i>a</i> ,7,8,10 <i>a</i> -tetrahydro-6,6,9-trimethyl-3-pentyl-6 <i>H</i> dibenzo[<i>b,d</i>]pyran-1-ol)	P I + P II
Tetrahydrofuranylfentanyl	B430	THF-F; N-phenyl-N-[1-(2-phenylethyl)piperidin-4-yl]tetrahydrofuran-2-carboxamid	N I
Tetramethylcyclopropylfentanyl	B431	N-phenyl-N-[1-(2-phenylethyl)piperidin-4-yl]-2,2,3,3-tetramethylcyclopropane-1-carboxamid	
TFMPP	B432	1-[(3-trifluormethyl)phenyl]piperazin	
THCP (tetrahydrocannabiphorol)	B433	(3-heptyl-6,6,9-trimethyl-6 <i>a</i> ,7,8,10 <i>a</i> -tetrahydro-6 <i>H</i> -dibenzo[<i>b,d</i>]pyran-1-ol samt de seks isomerer 3-heptyl-6,6,9-trimethyl-7,8,9,10-tetrahydro-6 <i>H</i> -dibenzo[<i>b,d</i>]pyran-1-ol, 3-heptyl-6,6,9-trimethyl-8,9,10,10 <i>a</i> -tetrahydro-6 <i>H</i> -dibenzo[<i>b,d</i>]pyran-1-ol, 3-heptyl-6,6,9-trimethyl-6 <i>a</i> ,9,10,10 <i>a</i> -tetrahydro-6 <i>H</i> -dibenzo[<i>b,d</i>]pyran-1-ol, 3-heptyl-6,6,9-trimethyl-6 <i>a</i> ,7,10,10 <i>a</i> -tetrahydro-6 <i>H</i> -dibenzo[<i>b,d</i>]pyran-1-ol, 3-heptyl-6,6,9-trimethyl-6 <i>a</i> ,7,8,9-tetrahydro-6 <i>H</i> -dibenzo[<i>b,d</i>]pyran-1-ol og 3-heptyl-6,6-dimethyl-9-methylene-6 <i>a</i> ,7,8,9,10,10 <i>a</i> -hexahydro-6 <i>H</i> -dibenzo[<i>b,d</i>]pyran-1-ol)	
Thebacon INN	B434	acetyldihydrocodeinon; (6,7-didehydro-4,5- \square -epoxy-3methoxy-17-methylmorphinan-6-yl)acetat	N I
Thebain	B435	6,7,8,14-tetradehydro-4,5 <i>a</i> -epoxy-3,6-dimethoxy-17methylmorphinan	N I
Thiofentanyl	B436	N-phenyl-N-[1-[2-(thiophen-2-yl)ethyl]piperidin-4-yl]propanamid	N I + IV
THJ-2201	B437	(1-(5-fluoropentyl)-1 <i>H</i> -indazol-3-yl)(naphthalen-1-yl)methanon	
Tilidin INN	B438	ethyl[<i>trans</i> -2-(dimethylamino)-1-phenylcyclohex-3-en-1carboxylat]	N I
TMA	B439	3,4,5-trimethoxyamphetamin; 1-(3,4,5trimethoxyphenyl)propan-2-amin	P I
TMA-2	B440	2,4,5-trimethoxyamphetamin; 1-(2,4,5trimethoxyphenyl)propan-2-amin	EU


Navn	Nr.	Andre navne; IUPAC-navn	FN / EU
TMA-6	B441	2,4,6-trimethoxyamphetamin; 1-(2,4,6-trimethoxyphenyl)propan-2-amin	
Tramadol	B442	2-[(dimethylamino)methyl]-1-(3-methoxyphenyl)cyclohexanol	
Trimeperidin INN	B443	[(2 <i>S</i> ,5 <i>R</i>)-1,2,5-trimethyl-4-phenylpiperidin-4-yl]propanoat	N I
3,4,5-Trimethoxybenzaldehyd	B444	3,4,5-trimethoxybenzaldehyd	
U-47700	B445	3,4-dichlor-N-(2-(dimethylamino)cyclohexyl)-N-methylbenzamid).	N I
UR-144	B446	(1-pentyl-1 <i>H</i> -indol-3-yl)(2,2,3,3-tetramethylcyclopropyl)methanon	P II
URB-597	B447	3'-carbamoylbiphenyl-3-yl cyclohexylcarbamate	
Valeryl-fentanyl	B448	N-phenyl-N-[1-(2-phenylethyl)-4-piperidyl]pentanamid	N I
1v-LSD	B449	4-pentanoyl-N,N-diethyl-7-methyl-4,6,6a,7,8,9-hexahydroindolo[4,3-fg]quinolin-9-carboxamid	
WIN 55,212-2	B450	[(<i>R</i>)-2,3-dihydro-5-methyl-3-[(morpholin-4yl)methyl]pyrrolo[1,2,3- <i>de</i>][1,4]benzoxazin-6yl](naphthalen-1-yl)methanon	
Zipeprol	B451	1-methoxy-3-[4-(2-methoxy-2-phenylethyl)piperazin-1-yl]-1-phenylpropan-2-ol	P II

Gruppevisse forbud omfattet af liste B

B452. Benzoylindol-gruppen

Enhver kemisk forbindelse som strukturelt er afledt af 1*H*-indol-3-yl(phenyl)methanon ved substitution af indolringens 1-position med en alkyl-, alkenyl-, cycloalkylmethyl-, cycloalkylethyl-, halogenalkyl- eller [2-(morpholin-4-yl)ethyl]-gruppe (R^1), uanset om der er yderligere substitution i benzen- eller indolringen (R^2 , R^3 , R^4).

Generel struktur af benzoylindol-afledte kemiske forbindelser.



R^1 = alkyl, alkenyl, cycloalkylmethyl, cycloalkylethyl, halogenalkyl eller 2-(morpholin-4-yl)ethyl.


R^2 , R^3 , R^4 = H (uden andre substituer) eller en eller flere vilkårlige substituer.

B453. Cathinon-gruppen

Enhver kemisk forbindelse, som strukturelt er afledt af 2-amino-1-phenylpropan-1-on ved en eller flere af følgende ændringer: a) substitution i hovedkædens 3-position med en alkylgruppe (R^1);

- b) substitution i aminogruppen med en eller to alkyl-, aryl- eller arylalkylgrupper (R^2 eller R^2 og R^3) eller ved inklusion af nitrogenatomet i en cyklisk struktur;
- c) substitution i benzenringen med en alkyl-, alkoxy-, alkandiylobis(oxy)-, halogenalkyl- eller halogen-grupper og eventuelt yderligere et antal monovalente substituer (R^4).

Generel struktur af cathinon-afledte kemiske forbindelser.



R^1 = H, alkyl.

R^2 = H, alkyl, aryl, arylalkyl.

R^3 = H, alkyl, dialkyl.


R^2R^3N - kan også stå for en nitrogenheterocycel.

R^4 = H (uden andre substituer på benzenringen) eller en eller flere alkyl, alkoxy, alkandiylobis(oxy), halogenalkyl eller halogen og eventuelt yderligere et antal monovalente substituer.

B454. Cyclohexylphenol-gruppen

Enhver kemisk forbindelse som strukturelt er afledt af 2-(3-hydroxycyclohexyl)phenol ved substitution i benzenringens 5-position med en alkyl-, alkenyl-, cycloalkylmethyl-, cycloalkylethyl-, halogenalkyl- eller 2-(morpholin-4-yl)ethyl-gruppe (R^1), uanset om der er yderligere substituentter i cyclohexanringen (R^2)_n.

Generel struktur af cyclohexylphenol-afledte kemiske forbindelser.




R^1 = alkyl, alkenyl, cycloalkylmethyl, cycloalkylethyl, halogenalkyl eller 2-(morpholin-4-yl)ethyl.
 R^2 = H (uden andre substituentter) eller en eller flere vilkårlige substituentter.

B455. Dibenzopyran-gruppen

Enhver kemisk forbindelse, som strukturelt er afledt af 6a,7,8,9,10,10a-hexahydro-6,6,9-trimethyl-6H-dibenzo[b,d]pyran-1-ol eller stereo-isomerer heraf ved en eller flere af følgende ændringer:

- Tilføjelse af en dobbeltbinding i Ring 1
- Substitution i 3-positionen i den aromatiske ring med en vilkårlig substituent (R_1)

Generel struktur af dibenzopyran-afledte kemiske forbindelser i dibenzopyran-gruppen:



Ring 1: Kan indeholde en dobbeltbinding

R_1 : H eller en vilkårlig substituent.


Følgende stoffer med dibenzopyran-afledte strukturer er undtaget fra dibenzopyran-gruppen og er opført som enkeltstående stoffer på liste B:

DMHP (1-Hydroxy-6, 6,9-trimethyl-3-(1,2-dimethylheptyl)-7,8,9,10-tetrahydro-6Hdibenzo[b,d]pyran)
 Hexahydrocannabinol (6,6,9-trimethyl-3-pentyl-6a,7,8,9,10,10a-hexahydro-6H-benzo[c]chromen-1-ol)
 HHCP (hexahydrocannabiphorol) (3-heptyl-6,6,9-trimethyl-6a,7,8,9,10,10a-hexahydro-6H-dibenzo[b,d]pyran-1-ol)
 Parahexyl (3-hexyl-1-hydroxy-6,6,9-trimethyl-7,8,9,10-tetrahydro-6H-dibenzo[b,d]pyran)
 Tetrahydrocannabinol (alle isomere af tetrahydro-6,6,9-trimethyl-3-pentyl-6H-dibenzo(b,d)-pyran-l-ol)
 THCP (tetrahydrocannabiphorol) (3-heptyl-6,6,9-trimethyl-6a,7,8,10a-tetrahydro-6H-dibenzo[b,d]pyran-1-ol samt de seks isomerer 3-heptyl-6,6,9-trimethyl-7,8,9,10-tetrahydro-6H-dibenzo[b,d]pyran-1-ol, 3-heptyl-6,6,9-trimethyl-8,9,10,10a-tetrahydro-6H-dibenzo[b,d]pyran-1-ol, 3-heptyl-6,6,9-trimethyl-6a,9,10,10a-tetrahydro-6H-dibenzo[b,d]pyran-1-ol, 3-heptyl-6,6,9-trimethyl-6a,7,10,10a-tetrahydro-6H-dibenzo[b,d]pyran-1-ol, 3-heptyl-6,6,9-trimethyl-6a,7,8,9-tetrahydro-6H-dibenzo[b,d]pyran-1-ol og 3-heptyl-6,6-dimethyl-9-methylene-6a,7,8,9,10,10a-hexahydro-6H-dibenzo[b,d]pyran-1-ol)

B456. Naphthoylindol-gruppen

Enhver kemisk forbindelse som strukturelt er afledt af 3-(1-naphthoyl)-1*H*-indol ved substitution med en alkyl-, alkenyl-, cycloalkylmethyl-, cycloalkylethyl-, halogenalkyl- eller 2-(morpholin-4-yl)ethyl-gruppe i 1- positionen (R^1), uanset om der er yderligere substitution i indol- eller naphthalenringen (R^2 , R^3 , R^4 , R^5).

Generel struktur af naphthoylindol-afledte kemiske forbindelser.




R^1 = alkyl, alkenyl, cycloalkylmethyl, cycloalkylethyl, halogenalkyl eller 2-(morpholin-4-yl)ethyl.

R^2 , R^3 , R^4 , R^5 = H (uden andre substituent) eller en eller flere vilkårlige substituent.

B457. Naphthoylpyrrol-gruppen

Enhver kemisk forbindelse som strukturelt er afledt af 3-(1-naphthoyl)-1*H*-pyrrol ved substitution af pyrrolsystemets 1-position med en alkyl-, alkenyl-, cycloalkylmethyl-, cycloalkylethyl-, halogenalkyl- eller 2-(morpholin-4-yl)ethyl-gruppe, (R^1), uanset om der er yderligere substitution i pyrrol- eller naphthalenringen (R^2 , R^3 , R^4).

Generel struktur af naphthoylpyrrol-afledte kemiske forbindelser.




R^1 = H, alkyl, alkenyl, cycloalkylmethyl, cycloalkylethyl, halogenalkyl eller 2-(morpholin-4-yl)ethyl.

R^2 , R^3 , R^4 = H (uden andre substituent) eller en eller flere vilkårlige substituent.

B458. Naphthylmethylinden-gruppen

Enhver kemisk forbindelse som strukturelt er afledt af 1-(1-naphthylmethyl)-1*H*-inden med substitution i indensystemets 3-position med en alkyl-, alkenyl-, cycloalkylmethyl-, cycloalkylethyl-, halogenalkyl- eller 2-(morpholin-4-yl)ethyl-gruppe (R^1), uanset om der er yderligere substitution i inden- eller i naphthalenringen (R^2 , R^3 , R^4 , R^5).

Generel struktur af naphthylmethylinden-afledte kemiske forbindelser.




R^1 = alkyl, alkenyl, cycloalkylmethyl, cycloalkylethyl, halogenalkyl eller 2-(morpholin-4-yl)ethyl.

R^2 , R^3 , R^4 , R^5 = H (uden andre substituent) eller en eller flere vilkårlige substituent.

B459. Naphthylmethylindol-gruppen

Enhver kemisk forbindelse som strukturelt er afledt af (1*H*-indol-3-yl)(1-naphthyl)methan ved substitution af indolsystemets 1position med en alkyl-, alkenyl-, cycloalkylmethyl-, cycloalkylethyl-, halogenalkyl- eller 2-(morpholin-4-yl)ethyl-gruppe (R^1), uanset om der er yderligere substitution i indol- eller naphthalenringen (R^2 , R^3 , R^4 , R^5).

Generel struktur af naphthylmethylindol-afledte kemiske forbindelser.




R^1 = alkyl, alkenyl, cycloalkylmethyl, cycloalkylethyl, halogenalkyl eller 2-(morpholin-4-yl)ethyl.

R^2 , R^3 , R^4 , R^5 = H (uden andre substituent) eller en eller flere vilkårlige substituent.

B460. Phenethylamin-gruppen

Enhver kemisk forbindelse som strukturelt er afledt af 2-phenylethan-1-amin, *N*-alkyl-2-phenylethan-1-amin, 1-phenylpropan-2-amin, *N*-alkyl-1-phenylpropan-2-amin, 1-phenylbutan-2-amin eller *N*-alkyl-1-phenylbutan-2-amin (R^1 , R^2) ved enhver substitution i ringen med alkyl-, alkoxy-, alkandiybis(oxy)- eller halogensubstituerter (R^3). Dette er gældende uanset om den kemiske forbindelse er yderligere ringsubstitueret med en eller flere monovalente grupper (R^3)_n.

Generel struktur af phenethylamin-afledte kemiske forbindelser.



R^1 = H, alkyl, methoxybenzyl


R^2 = H, methyl, ethyl

R^3 = en eller flere alkyl-, alkoxy-, alkandiybis(oxy)- eller halogensubstituerter og eventuelt yderligere et antal monovalente substituerter.

B461. Phenylacetylindol-gruppen

Enhver kemisk forbindelse som strukturelt er afledt af 3-(phenylacetyl)-1*H*-indol ved substitution af indolringens 1-position med en alkyl-, alkenyl-, cycloalkylmethyl-, cycloalkylethyl-, halogenalkyl- eller 2-(morpholin-4-yl)ethyl-gruppe (R^1), uanset om der er yderligere substitution i benzen- eller indolringen (R^2 , R^3 , R^4).

Generel struktur af phenylacetylindol-afledte kemiske forbindelser.



R^1 = alkyl, alkenyl, cycloalkylmethyl, cycloalkylethyl, halogenalkyl eller 2-(morpholin-4-yl)ethyl.


R^2 , R^3 , R^4 = H (uden andre substituerter) eller en eller flere vilkårlige substituerter.



B462. Tryptamin-gruppen

Enhver kemisk forbindelse som strukturelt er afledt af enten tryptamin eller tryptamin med en eller flere ringbundne hydroxygrupper ved substitution på sidekædens nitrogenatom med en eller flere alkylgrupper (R^1 , R^2).

Generel struktur af tryptamin-afledte kemiske forbindelser.



$R^1 = H, \text{ alkyl}$

$R^2 = \text{alkyl}$

$R^3 = H, \text{ eller en eller flere hydroxygrupper}$

Liste C

Navn	Nr.	Andre navne; IUPAC-navn	FN / EU
Acetyldihydrocodein	C001	(4,5 <i>a</i> -epoxy-3-methoxy-17-methylmorphinan-6 <i>a</i> -yl)acetat	N II + III
Codein	C002	3-methylmorphin; 7,8-didehydro-4,5 <i>a</i> -epoxy-3-methoxy-17-methylmorphinan-6 <i>a</i> -ol	N II + III
Dextromethorphan	C003	DXM; 3-methoxy-17-methyl-morphinan	
Dihydrocodein INN	C004	4,5 <i>a</i> -epoxy-3-methoxy-17-methylmorphinan-6 <i>a</i> -ol	N II + III
Ethylmorphin	C005	3-ethylmorphin; 7,8-didehydro-4,5 <i>a</i> -epoxy-3ethoxymorphinan-6 <i>a</i> -ol	N II + III
Nicocodin INN	C006	6-nicotinoylcodein; (7,8-didehydro-4,5 <i>a</i> -epoxy-3methoxy-17-methylmorphinan-6 <i>a</i> -yl)(pyridin-3carboxylat)	N II + III
Nicodicodin INN	C007	6-nicotinoyldihydrocodein; (4,5 <i>a</i> -epoxy-3-methoxy-17methylmorphinan-6 <i>a</i> -yl)(pyridin-3-carboxylat)	N II + III
Norcodein INN	C008	<i>N</i> -demethylcodein; 7,8-didehydro-4,5 <i>a</i> -epoxy-3methoxymorphinan-6 <i>a</i> -ol	N II + III
Pholcodin INN	C009	morpholinylethylmorphin: 7,8-didehydro-4,5 <i>a</i> -epoxy-17methyl-3-[2-(morpholin-4-yl)ethoxy]morphinan-6 <i>a</i> -ol	N II + III

Liste D

Navn	Nr.	Andre navne; IUPAC-navn	FN / EU
Amobarbital INN	D001	pentymal NFN; 5-ethyl-5-isopentylbarbitursyre; 5-ethyl-5(3-methylbutyl)pyrimidin-2,4,6-(1 <i>H</i> ,3 <i>H</i> ,5 <i>H</i>)-trion	P III
Buprenorfin INN	D002	2-[(<i>S</i>)-17-(cyclopropylmethyl)-4,5 <i>a</i> -epoxy-18,19-dihydro3-hydroxy-6-methoxy-6,14-ethenomorphinan-7 <i>a</i> -yl]-3,3dimethylbutan-2-ol	P III
Butalbital INN	D003	5-allyl-5-isobutylbarbitursyre; 5-(2-methylpropyl)-5-(prop-2-en-1-yl)pyrimidin-2,4,6-(1 <i>H</i> ,3 <i>H</i> ,5 <i>H</i>)-trion	P III
Cathin INN	D004	norpseudoephedrin; (+)-(<i>S</i>)- <i>a</i> -[(<i>S</i>)-1aminoethyl]benzylalkohol; (1 <i>S</i> ,2 <i>S</i>)-2-amino-1phenylpropan-1-ol	P III
Cyclobarbital INN	D005	hexemal NFN; 5-(1-cyclohexen-1-yl)-5-ethylbarbitursyre; 5-(cyclohex-1-en-1-yl)-5-ethylpyrimidin-2,4,6-(1 <i>H</i> ,3 <i>H</i> ,5 <i>H</i>)trion	P III
Flunitrazepam	D006	5-(2-fluorphenyl)-1,3-dihydro-1-methyl-7-nitro-2 <i>H</i> -1,4 benzodiazepin-2-on	P III
Glutethimid INN	D007	2-ethyl-2-phenylglutarimid; 3-ethyl-3-phenylpiperidin-2,6dion	P III
Pentazocin INN	D008	(2 <i>R</i> *,6 <i>R</i> *,11 <i>R</i> *)-1,2,3,4,5,6-hexahydro-6,11-dimethyl-3-(3methylbut-2-en-1-yl)-2,6-methano-3-benzazocin-8-ol	P III
Pentobarbital INN	D009	mebumal NFN; 5-ethyl-5-(pentan-2-yl)barbitursyre; 5ethyl-5-(pentan-2-yl)pyrimidin-2,4,6-(1 <i>H</i> ,3 <i>H</i> ,5 <i>H</i>)-trion	P III

Liste E

Navn	Nr.	Andre navne; IUPAC navn	FN / EU
Adinazolam	E001	1-(8-chloro-6-phenyl-4H-benzo[f][1,2,4]triazolo[4,3-a][1,4]diazepin-1-yl)-N,N-dimethylmethanamin	
Allobarbital INN	E002	5,5-diallylbarbitursyre; 5,5-di(prop-2-en-1-yl)pyrimidin-2,4,6-(1 <i>H</i> ,3 <i>H</i> ,5 <i>H</i>)-trion	P IV
Alprazolam INN	E003	8-chlor-1-methyl-6-phenyl-4 <i>H</i> -1,2,4-triazolo[4,3 <i>a</i>][1,4]27yridine27none27	P IV
Amfepramon INN	E004	diethylpropion; 2-(diethylamino)27yridine27none; 2(diethylamino)-1-phenylpropan-1-on	P IV
Aminorex INN	E005	2-amino-5-phenyl-2-oxazolin; 4,5-dihydro-5-phenyloxazol2-amin	P IV
Amylnitrit (alle isomerer af amygruppen)	E006	Poppers; (2-methylbutan-2-yl)nitrit (3-methylbutyl)nitrit (pentan-2-yl)nitrit (pentan-3-yl)nitrit pentylnitrit	
Barbital INN	E007	diemal NFN; 5,5-diethylbarbitursyre; 5,5-diethylpyrimidin2,4,6-(1 <i>H</i> ,3 <i>H</i> ,5 <i>H</i>)-trion	P IV
Benzfetamin INN	E008	benzphetamin; <i>N</i> -benzyl- <i>N</i> , <i>a</i> -dimethylphenethylamin; <i>N</i> benzyl- <i>N</i> -methyl-1-phenylpropan-2-amin	P IV
Bromazepam INN	E009	7-brom-1,3-dihydro-5-(27yridine-2-yl)-2 <i>H</i> -1,4benzodiazepin-2-on	P IV
Bromazolam	E010	8-bromo-1-methyl-6-phenyl-4 <i>H</i> -benzo[f][1,2,4]triazolo[4,3-a][1,4]diazepin	P IV
Brotizolam INN	E011	2-brom-4-(2-chlorphenyl)-9-methyl-6 <i>H</i> -thieno[3,2 <i>f</i>][1,2,4]triazolo[4,3-a][1,4]diazepin	P IV
Butobarbital INN	E012	5-butyl-5-ethylbarbitursyre; 5-butyl-5-ethylpyrimidin-2,4,6-(1 <i>H</i> ,3 <i>H</i> ,5 <i>H</i>)-trion	P IV
Camazepam INN	E013	[7-chlor-1,3-dihydro-1-methyl-2-oxo-5-phenyl-1 <i>H</i> -1,4benzodiazepin-3-yl]dimethylcarbamate	P IV
Carisoprodol INN	E014	[2-(carbamoyloxymethyl)-2-methylpentyl] N-propan-2-ylcarbamate	
Chlordiazepoxid INN	E015	[7-chlor- <i>N</i> -methyl-5-phenyl-3 <i>H</i> -1,4-benzodiazepin-2amin]-4-oxid	P IV
Clobazam INN	E016	7-chlor-1-methyl-5-phenyl-1 <i>H</i> -1,5-benzodiazepin-2,4(3 <i>H</i> ,5 <i>H</i>)-dion	P IV
Clonazepam INN	E017	5-(2-chlorphenyl)-1,3-dihydro-7-nitro-2 <i>H</i> -1,4benzodiazepin-2-on	P IV
Clonazolam	E018	6-(2-chlorophenyl)-1-methyl-8-nitro-4 <i>H</i> benzo[f][1,2,4]triazolo[4,3-a][1,4]diazepin	P IV
Clorazepat INN	E019	7-chlor-2,3-dihydro-2-oxo-5-phenyl-1 <i>H</i> -1,4benzodiazepin-3-carboxylsyre	P IV
Clotiazepam INN	E020	5-(2-chlorphenyl)-7-ethyl-1,3-dihydro-1-methyl-2 <i>H</i> thieno[2,3-e][1,4]diazepin-2-on	P IV
Cloxazolam INN	E021	10-chlor-11b-(2-chlorphenyl)-2,3,7,11b-tetrahydrooxazolo[3,2- <i>d</i>][1,4]benzodiazepin-6(5 <i>H</i>)-on	P IV
Delorazepam INN	E022	7-chlor-5-(2-chlorphenyl)-1,3-dihydro-2 <i>H</i> -1,4benzodiazepin-2-on	P IV
Desalkylgizepam	E023	7-bromo-5-phenyl-1,3-dihydro-2 <i>H</i> -benzo[e][1,4]diazepin-2-on	
Deschloroetizolam	E024	2-ethyl-9-methyl-4-phenyl-6 <i>H</i> -thieno[3,2 <i>f</i>][1,2,4]triazolo[4,3-a][1,4]diazepin	
Diazepam INN	E025	7-chlor-1,3-dihydro-1-methyl-5-phenyl-2 <i>H</i> -1,4benzodiazepin-2-on	P IV

Diclazepam	E026	7-chloro-5-(2-chlorophenyl)-1-methyl-1 <i>H</i> benzo[e][1,4]diazepin-2(3 <i>H</i>)-on	P IV
Estazolam INN	E027	8-chlor-6-phenyl-4 <i>H</i> -1,2,4-triazolo[4,3 <i>a</i>][1,4]benzodiazepin	P IV
Ethchlorvynol INN	E028	1-chlor-3-ethylpent-1-en-4-yn-3-ol	P IV
Ethinamat INN	E029	(1-ethynylcyclohexyl)carbamat	P IV
Ethylloflazepat INN	E030	ethyl [7-chlor-5-(2-fluorphenyl)-2,3-dihydro-2-oxo-1 <i>H</i> -1,4benzodiazepin-3-carboxylat]	P IV
Etilamfetamin INN	E031	<i>N</i> -ethyl- <i>a</i> -methylphenethylamin; <i>N</i> -ethyl-1phenylpropan-2-amin	P IV
Etizolam	E032	4-(2-chlorphenyl)-2-ethyl-9-methyl-6 <i>H</i> -thieno[3,2 <i>f</i>][1,2,4]triazolo[4,3- <i>a</i>][1,4]diazepin	P IV
Fenazepam	E033	7-brom-5-(2-chlorphenyl)-2,3-dihydro-1 <i>H</i> -1,4benzodiazepin-2-on	
Fencamfamin INN	E034	<i>N</i> -ethyl-3-phenyl-2-norbornanamin; <i>N</i> -ethyl-3phenylbicyclo[2.2.1]heptan-2-amin	P IV
Fenproporex INN	E035	(±)-3-[(<i>a</i> -methylphenylethyl)amino]propionitril; 3-[(2phenylpropan-2-yl)amino]propannitril	P IV
Flualprazolam	E036	8-chlor-6-(2-fluorphenyl)-1-methyl-4 <i>H</i> -[1,2,4]triazolo[4,3- <i>a</i>][1,4]benzodiazepine	P IV
Flubromazepam	E037	7-bromo-5-(2-fluorophenyl)-1 <i>H</i> -benzo[e][1,4]diazepin2(3 <i>H</i>)-on	
Flubromazolam	E038	8-bromo-6-(2-fluorophenyl)-1-methyl-4 <i>H</i> benzo[<i>f</i>][1,2,4]triazolo[4,3- <i>a</i>][1,4]diazepin	P IV
Flubrotizolam	E039	2-bromo-4-(2-fluorophenyl)-9-methyl-6 <i>H</i> -thieno[3,2- <i>f</i>][1,2,4]triazolo[4,3- <i>a</i>][1,4]diazepin	
Fluclozizolam	E040	4-(2-fluorphenyl)-2-chlor-9-methyl-6 <i>H</i> -thieno[3,2- <i>f</i>][1,2,4]triazolo[4,3- <i>a</i>][1,4]diazepin	
Fludiazepam INN	E041	7-chlor-5-(2-fluorphenyl)-1,3-dihydro-1-methyl-2 <i>H</i> -1,4benzodiazepin-2-on	P IV
Flunitrazolam	E042	6-(2-fluorphenyl)-1-methyl-8-nitro-4 <i>H</i> -benzo[<i>f</i>][1,2,4]triazolo[4,3- <i>a</i>][1,4]diazepin	
Flurazepam INN	E043	7-chlor-1-[2-(diethylamino)ethyl]-5-(2-fluorphenyl)-1,3dihydro-2 <i>H</i> -1,4-benzodiazepin-2-on	P IV
Halazepam INN	E044	7-chlor-1,3-dihydro-5-phenyl-1-(2,2,2-trifluorethyl)-2 <i>H</i> -1,4-benzodiazepin-2-on	P IV
Haloxazolam INN	E045	10-brom-11b-(2-fluorphenyl)-2,3,7,11b-tetrahydrooxazolo[3,2- <i>d</i>][1,4]benzodiazepin-6(5 <i>H</i>)-on	P IV
3-hydroxyphenazepam	E046	7-brom-5-(2-chlorphenyl)-1,3-dihydro-3-hydroxy-2 <i>H</i> -1,4-benzodiazepin-2-on	
Isobutylnitrit	E047	poppers; (2-methylpropyl)nitrit	
Ketazolam INN	E048	11-chlor-8,12b-dihydro-2,8-dimethyl-12b-phenyl-4 <i>H</i> -[1,3]oxazino[3,2- <i>d</i>][1,4]benzodiazepin-4,7(6 <i>H</i>)-dion	P IV
Lefetamin INN	E049	SPA; (-)- <i>N,N</i> -dimethyl-1,2-diphenylethylamin; (<i>R</i>)- <i>N,N</i> dimethyl-1,2-diphenylethan-1-amin	P IV
Loprazolam INN	E050	6-(2-chlorphenyl)-2,4-dihydro-2-[(4-methylpiperazin-1yl)methylen]-8-nitro-1 <i>H</i> -imidazo[1,2 <i>a</i>][1,4]benzodiazepin-1-on	P IV
Lorazepam INN	E051	7-chlor-5-(2-chlorphenyl)-1,3-dihydro-3-hydroxy-2 <i>H</i> -1,4benzodiazepin-2-on	P IV
Lormetazepam INN	E052	7-chlor-5-(2-chlorphenyl)-1,3-dihydro-3-hydroxy-1methyl-2 <i>H</i> -1,4-benzodiazepin-2-on	P IV
Mazindol INN	E053	5-(4-chlorphenyl)-2,5-dihydro-3 <i>H</i> -imidazo[2,1- <i>a</i>]isoindol5-ol	P IV

Meclonazepam	E054	5-(2-chlorophenyl)-3-methyl-7-nitro-1,3-dihydro-1,4-benzodiazepin-2-on	
Medazepam INN	E055	7-chlor-2,3-dihydro-1-methyl-5-phenyl-1 <i>H</i> -1,4benzodiazepin	P IV
Mefenorex INN	E056	<i>N</i> -(3-chlorpropyl)- <i>α</i> -methylphenethylamin; <i>N</i> -(3chlorpropyl)-1-phenylpropan-2-amin	P IV
Meprobumat INN	E057	(2-methyl-2-propylpropan-1,3-diyl)bis(carbumat); pentan-2,2-diylbis(methylen)bis(carbumat)	P IV
Mesocarb	E058	3-(<i>α</i> -methylphenethyl)- <i>N</i> -(phenylcarbamoil)sydnonimin; 5-(anilino-carbonylimino)-3-(1-phenylpropan-2-yl)-5 <i>H</i> 1,2,3-oxadiazol-3-ium-2-id	P IV
Methylphenobarbital INN	E059	enphenemal NFN; mephobarbital; 5-ethyl-1-methyl-5phenylbarbitursyre, 5-ethyl-1-methyl-5-phenylpyrimidin-2,4,6-(1 <i>H</i> ,3 <i>H</i> ,5 <i>H</i>)-trion	P IV
Methypylon INN	E060	3,3-diethyl-5-methylpiperidin-2,4-dion	P IV
Metizolam	E061	Desmethyletizolam; 4-(2-chlorophenyl)-2-ethyl-6 <i>H</i> thieno[3,2- <i>f</i>][1,2,4]triazolo[4,3- <i>a</i>][1,4]diazepin	
Midazolam INN	E062	8-chlor-6-(2-fluorophenyl)-1-methyl-4 <i>H</i> -imidazo[1,5 <i>a</i>][1,4]benzodiazepin	P IV
Nifoxipam	E063	5-(2-fluorophenyl)-3-hydroxy-7-nitro-1 <i>H</i> benzo[<i>e</i>][1,4]diazepin-2(3 <i>H</i>)-on	
Nimetazepam INN	E064	1,3-dihydro-1-methyl-7-nitro-5-phenyl-2 <i>H</i> -1,4benzodiazepin-2-on	P IV
Nitrazepam INN	E065	1,3-dihydro-7-nitro-5-phenyl-2 <i>H</i> -1,4-benzodiazepin-2-on	P IV
Nordazepam INN	E066	7-chlor-1,3-dihydro-5-phenyl-2 <i>H</i> -1,4-benzodiazepin-2-on	P IV
Norflurazepam	E067	7-chlor-5-(2-fluorophenyl)-1 <i>H</i> -benzo[<i>e</i>][1,4]diazepin-2(3 <i>H</i>)-on	
Oxazepam INN	E068	7-chlor-1,3-dihydro-3-hydroxy-5-phenyl-2 <i>H</i> -1,4benzodiazepin-2-on	P IV
Oxazolam INN	E069	10-chlor-2,3,7,11 <i>b</i> -tetrahydro-2-methyl-11 <i>b</i> phenyloxazolo[3,2- <i>d</i>][1,4]benzodiazepin-6(5 <i>H</i>)-on	P IV
Pemolin INN	E070	2-amino-5-phenyl-2-oxazolin-4(5 <i>H</i>)-on	P IV
Phenobarbital INN	E071	phenemal NFN; 5-ethyl-5-phenylbarbitursyre; 5-ethyl-5phenylpyrimidin-2,4,6-(1 <i>H</i> ,3 <i>H</i> ,5 <i>H</i>)-trion	P IV
Phentermin INN	E072	<i>α,α</i> -dimethylphenethylamin; 2-methyl-1-phenylpropan-2amin	P IV
Pinazepam INN	E073	7-chlor-1,3-dihydro-5-phenyl-1-(prop-2-yn-1-yl)-2 <i>H</i> -1,4benzodiazepin-2-on	P IV
Prazepam INN	E074	7-chlor-1-(cyclopropylmethyl)-1,3-dihydro-5-phenyl-2 <i>H</i> -1,4-benzodiazepin-2-on	P IV
Pyrazolam	E075	8-bromo-1-methyl-6-(pyridin-2-yl)-4 <i>H</i> benzo[<i>f</i>][1,2,4]triazolo[4,3- <i>a</i>][1,4]diazepin	
Pyrovaleron INN	E076	4'-methyl-2-(1-pyrrolidinyl)valerophenon; 1-(4methylphenyl)-2-(pyrrolidin-1-yl)pentan-1-on	P IV
Secbutabarbital INN	E077	5-sec-butyl-5-ethylbarbitursyre: 5-(butan-2-yl)-5ethylpyrimidin-2,4,6-(1 <i>H</i> ,3 <i>H</i> ,5 <i>H</i>)-trion	P IV
Temazepam INN	E078	7-chlor-1,3-dihydro-3-hydroxy-1-methyl-5-phenyl-2 <i>H</i> -1,4benzodiazepin-2-on	P IV
Tetrazepam INN	E079	7-chlor-5-(cyclohex-1-en-1-yl)-1,3-dihydro-1-methyl-2 <i>H</i> -1,4-benzodiazepin-2-on	P IV
Triazolam INN	E080	8-chlor-6-(2-chlorophenyl)-1-methyl-4 <i>H</i> -1,2,4-triazolo[4,3 <i>a</i>][1,4]benzodiazepin	P IV
Vinylbital INN	E081	5-(1-methylbutyl)-5-vinylbarbitursyre; 5-(pentan-2-yl)-5vinylpyrimidin-2,4,6-(1 <i>H</i> ,3 <i>H</i> ,5 <i>H</i>)-trion	P IV
Zolpidem INN	E082	[<i>N,N</i> ,6-trimethyl-2-(4-methylphenyl)imidazo[1,2 <i>a</i>]pyridin-3-yl]acetamid	P IV



Zopiclon INN	E083	[6-(5-chlorpyridin-2-yl)-6,7-dihydro-7-oxo-5 <i>H</i> -pyrrolo[3,4 <i>b</i>]pyrazin-5-yl](4-methylpiperazin-1-carboxylat)	
--------------	------	--	--

Eksempler på simple derivater af stoffer omfattet af bekendtgørelsen

Alle euforiserende stoffer på bilag 1, samt mulige salte og simple derivater, hvorved forstås estere og etherer, er omfattet af denne bekendtgørelse. I nedenstående tabel findes der eksempler på simple derivater som er omfattet af bekendtgørelse om euforiserende stoffer. Denne liste er ikke udtømmende.

Navn	Simpelt derivat af	Andre navne; IUPAC-navn
6-Acetylcodein	Codein (C002)	[(4R,4aR,7S,7aR,12bS)-9-methoxy-3-methyl-2,4,4a,7,7a,13-hexahydro-1H-4,12-methanobenzofuro[3,2-e]isoquinolin-7-yl] acetate
6-Acetylmorfin	Morphin (B339)	[(4R,4aR,7S,7aR,12bS)-9-hydroxy-3-methyl-2,4,4a,7,7a,13-hexahydro-1H-4,12-methanobenzofuro[3,2-e]isoquinolin-7-yl] acetate
Benzoyllecgonin	Ecgonin (B159)	(1R,2R,3S,5S)-3-benzoyloxy-8-methyl-8-azabicyclo[3.2.1]octane-2-carboxylic acid
Gamma-Butyrolacton	Gammahydroxybutansyre (B218)	GBL; γ -Butyrolactone; oxolan-2-one
Morphine-6-glucuronide	Morphin (B339)	(2S,3S,4S,5R,6R)-6-[[[(4R,4aR,7S,7aR,12bS)-9-hydroxy-3-methyl-2,4,4a,7,7a,13-hexahydro-1H-4,12-methanobenzofuro[3,2-e]isoquinolin-7-yl]oxy]-3,4,5-trihydroxyoxane-2-carboxylic acid
Hexahydrocannabinol-O-acetat	Hexahydrocannabinol (B219)	HHCO, HHC-O; 6,6,9-trimethyl-3-pentyl-6a,7,8,9,10,10a-hexahydro-6H-benzo[c]chromen-1-yl acetat

Eksempler på stoffer omfattet af de gruppevisse forbud på liste B

I nedenstående tabel findes der eksempler på stoffer omfattet af de gruppevisse forbud på liste B, som ikke er opført på listen med et enkeltstående nummer. Denne liste er ikke udtømmende.

Navn	Gruppe	Andre navne; IUPAC-navn
3-Chloromethcathinone	Cathinon (B453)	3-CMC; 3-Chloromethcathinone; 1-(3-chlorophenyl)-2-(methylamino)propan-1-one
4'-Chloro-alpha-pyrrolidinopropiophenone	Cathinon (B453)	4'-Chloro-alpha-PPP; 2-(3-chloropyrrolidin-1-yl)-1-phenylpropan-1-one
Bupropion	Cathinon (B453)	2-(tert-butylamino)-1-(3-chlorophenyl)propan-1-one
Methedrone	Cathinon (B453)	1-(4-methoxyphenyl)-2-(methylamino)propan-1-one
Methoxyphedrine	Cathinon (B453)	Methedrone; 1-(4-methoxyphenyl)-2-(methylamino)propan-1-one
Methylenedioxy-pyrrolidinohexiophenone	Cathinon (B453)	MDPHP; 1-(1,3-benzodioxol-5-yl)-2-pyrrolidin-1-ylhexan-1-one
Pentylone	Cathinon (B453)	bK-MBDP; 1-(1,3-benzodioxol-5-yl)-2-(methylamino)pentan-1-one
N-ethylpentedrone	Cathinon (B453)	α-EAPP; α-ethylaminopentiophenone; α-ethylaminovalerophenone
4-hydroxy-3-Methoxyamfetamine	Phenethylamin (B460)	HMA; 4-(2-aminopropyl)-2-methoxyphenol
4-hydroxy-3-Methoxymetamfetamine	Phenethylamin (B460)	HMMA; 2-methoxy-4-[2-(methylamino)propyl]phenol
4-hydroxymetamfetamine	Phenethylamin (B460)	Pholedrine; 4-[2-(methylamino)propyl]phenol
para-Chloroamfetamine	Phenethylamin (B460)	1-(4-chlorophenyl)propan-2-amine
2-fluorometamfetamine	Phenethylamin (B460)	2-FMA; 1-(2-fluorophenyl)-N-methylpropan-2-amine
4-fluorometamfetamine	Phenethylamin (B460)	4-FMA; 1-(4-fluorophenyl)-N-methylpropan-2-amine
Ortetamine	Phenethylamin (B460)	1-(2-methylphenyl)propan-2-amine
4-Hydroxy-N-methyl-N-ethyltryptamine	Tryptamin (B462)	4-HO-MET; 3-[2-[ethyl(methyl)amino]ethyl]-1H-indol-4-ol
4-hydroxy-N-ethyl-N-propyltryptamine	Tryptamin (B462)	4-HO-EPT; 3-[2-[ethyl(propyl)amino]ethyl]-1H-indol-4-ol
4-Hydroxy-N,N-diethyltryptamine	Tryptamin (B462)	4-HO-DET; 3-[2-(diethylamino)ethyl]-1H-indol-4-ol
4-Hydroxy-N-methyl-N-propyltryptamine	Tryptamin (B462)	4-HO-MPT; 3-[2-[methyl(propyl)amino]ethyl]-1H-indol-4-ol
4-Hydroxy-N-methyl-N-cyclopropyltryptamine	Tryptamin (B462)	4-HO-McPT; 3-[2-[cyclopropyl(methyl)amino]ethyl]-1H-indol-4-ol
4-hydroxy-N-methyl-N-isopropyltryptamine	Tryptamin (B462)	4-HO-MiPT; 3-[2-[methyl(propan-2-yl)amino]ethyl]-1H-indol-4-ol
5-Methoxy-N-methyl-N-isopropyltryptamine	Tryptamin (B462)	5-MeO-MiPT; N-[2-(5-methoxy-1H-indol-3-yl)ethyl]-N-methylpropan-2-amine
4-hydroxy-N,N,N-Trimethyltryptamine	Tryptamin (B462)	4-HO-TMT
4-(beta-D-glucosyl)-N,N-Dimethyl-Tryptamine	Tryptamin (B462)	
4-(beta-D-glucosyl)-N-ethyl-N-propyltryptamine	Tryptamin (B462)	
THCB (Tetrahydrocannabutol)	Dibenzopyran (B455)	(6aR,10aR)-3-butyl-6,6,9-trimethyl-6a,7,8,10a-tetrahydrobenzo[c]chromen-1-ol



THCJD (Tetrahydrocannabioctyl)	Dibenzopyran (B455)	(6aR,10aR)-6,6,9-trimethyl-3-octyl-6a,7,8,10a-tetrahydrobenzo[c]chromen-1-ol
THCH (Tetrahydrocannabihexol)	Dibenzopyran (B455)	(6aR,10aR)-3-hexyl-6,6,9-trimethyl-6a,7,8,10a-tetrahydrobenzo[c]chromen-1-ol
THCV (Tetrahydrocannabivarin)	Dibenzopyran (B455)	(6aR,10aR)-6,6,9-trimethyl-3-propyl-6a,7,8,10a-tetrahydro-6H-dibenzo[b,d]pyran-1-ol