

Samlet liste over euforiserende stoffer opført på bilag 1 til bekendtgørelsen om euforiserende stoffer nr. 2446 af 12. december 2021 og stoffer reguleret herefter via ændringsbekendtgørelser

Denne liste indeholder stoffer, der er opført på bilag 1 til [bekendtgørelsen om euforiserende stoffer nr. 2446 af 12. december 2021](#) samt de stoffer som er opført via følgende ændringsbekendtgørelser:

- [BEK nr 424 af 05/04/2022](#)
- [BEK nr 155 af 9/02/2023](#)
- [BEK nr 453 af 28/04/2023](#)
- [BEK nr 14 af 09/01/2024](#)
- [BEK nr 454 af 07/05/2024](#)
- [BEK nr 1012 af 03/09/2024](#)

Alle euforiserende stoffer på bilag 1, samt mulige salte og simple derivater, hvorved forstås estere og ethere, er omfattet af denne bekendtgørelse. For så vidt de anførte euforiserende stoffer kan omfatte flere stereoisomere former, er hver enkelt af disse former at betragte som optaget på listen.

Liste A omfatter stoffer, der ikke må forefindes her i landet, medmindre Lægemeddelstyrelsen under ganske særlige omstændigheder og på nærmere fastsatte vilkår meddeler tilladelse dertil.

Liste B, D og E omfatter stoffer, der kun må benyttes til medicinsk og videnskabelig brug.

Liste C omfatter stoffer, der i utilberedt stand falder ind under lovens § 2, men som i farmaceutiske præparater i almindelighed ikke er omfattet af loven, jf. bekendtgørelsens § 1, stk. 3, nr. 3.

Listerne A, B, C, D og E er opdelt i fire kolonner.

- Kolonne 1 angiver det euforiserende stofs navn. Tilføjelsen INN betyder, at det pågældende navn af WHO har været offentliggjort som *Proposed International Non-Proprietary Name* og eventuelt tillige som *Recommended International Non-Proprietary Name*. Tilføjelsen NFN betyder, at det pågældende navn er fastsat af Det Nordiske Farmakopénævn.
- Kolonne 2 angiver det nummer, det enkelte euforiserende stof har på bekendtgørelsens liste.
- Kolonne 3 angiver andre navne, herunder kaldenavne, trivialnavne og kemiske navne, som det euforiserende stof måtte have. Navnene er adskilt ved semikolon. Når bortses fra planter og droger er det sidste navn i hvert tilfælde et dansk systematisk kemisk navn konstrueret efter nomenklaturregler fastsat af *International Union of Pure and Applied Chemistry (IUPAC)*. For yderligere information om navne og strukturer for euforiserende stoffer henvises til "*Multilingual Dictionary of Narcotic Drugs and Psychotropic Substances under International Control*" på www.unodc.org.
- Kolonne 4 angiver baggrunden for at stoffet er opført på listen. Enten med henvisning til listerne i de to FN-konventioner eller med henvisning til at stoffet er optaget på baggrund af en afgørelse i Rådet. Henvisning til FN's Enkeltkonvention af 30. marts 1961 om kontrol med narkotiske midler angives med N og henvisning til FN's Konvention af 21. februar 1971 om psykotrope stoffer angives med P. Henvisning til Rådets afgørelse angives med EU.

Såfremt der må fremgå uoverensstemmelser mellem denne liste og bekendtgørelsen om euforiserende stoffer, er det til enhver tid bestemmelserne i bekendtgørelserne, der gælder.

Indhold

Liste A	2
Liste B	3
Gruppevise forbud omfattet af liste B	17
Liste C	23
Liste D	23
Liste E	24
Eksempler på simple derivater af stoffer omfattet af bekendtgørelsen	27
Eksempler på stoffer omfattet af de gruppevise forbud på liste B	28

Liste A

Navn	Nr.	Andre navne; IUPAC-navn	FN / EU
<i>Catha edulis</i> ¹⁾	A001	khat	
Diacetylmorfin	A002	heroin; [7,8-didehydro-4,5 α -epoxy-17-methylmorphinan-3,6 α -diyl]diacetat	N I + IV
Lysergid INN	A003	LSD; 9,10-didehydro- <i>N,N</i> -diethyl-6-methylergolin-8 β carboxamid	P I
Opium, præpareret ²⁾	A004		N I
Affald og residua, der bliver tilbage ved rygning af opium ³⁾	A005		N I
<i>Papaver somniferum</i> L. ⁴⁾	A006	opiumvalmue	

¹⁾ Herved forstås alle dele af planter tilhørende arten *Catha edulis*.

²⁾ Herved forstås ethvert produkt af råopium, som udvindes ved en række særlige operationer, navnlig opløsning, kogning, ristning og gæring, der har til formål at omdanne det til et ekstrakt, der egner sig til at nydes.

³⁾ Herved forstås opiumsaffald og residua, der bliver tilbage ved rygning.

⁴⁾ Herved forstås alle dele af planter tilhørende arten *Papaver somniferum* L. med undtagelse af frøene.

Liste B

Navn	Nr.	Andre navne; IUPAC-navn	FN / EU
AB-CHMINACA	B001	N-(1-aminocarbonyl-2-methylpropyl)-1-(cyclohexylmethyl)-1H-indazol-3-carboxamid	P II
AB-FUBINACA	B002	N-[1-amino-3-methyl-1-oxobutan-2-yl]-1-[(4-fluorophenyl)methyl]-1H-indazole-3-carboxamid	P II
AB-PINACA	B003	N-[(2S)-1-amino-3-methyl-1-oxobutan-2-yl]-1-pentyl-1H-indazole-3-carboxamide	P II
Acetorphin INN	B004	(R)-[4,5a-epoxy-7a-(2-hydroxypentan-2-yl)-6-methoxy-17methyl-6,14-endo-ethenomorphinan-3-yl]acetat	N I + IV
Acetyl- <i>alpha</i> -methylfentanyl	B005	<i>N</i> -phenyl- <i>N</i> -[1-(1-phenylpropan-2-yl)-piperidin-4yl]acetamid	N I + IV
Acetylfentanyl	B006	N-(1-Phenethylpiperidin-4-yl)-N-phenylacetamid	N I + IV
Acetylmethadol INN	B007	[6-(dimethylamino)-4,4-diphenylheptan-3-yl]acetat	N I
4-AcO-DIPT	B008	4-acetoxy-DIPT; [3-[2-(diisopropylamino)ethyl]-1 <i>H</i> -indol-4yl]acetat	
Acryloylfentanyl	B009	Acrylfentanyl; N-(1-phenethylpiperidin-4-yl)-N-phenylacrylamid	N I
3-(1-Adamantoyl)-1-pentylindol	B010	(adamantan-1-yl)(1-pentyl-1 <i>H</i> -indol-3-yl)methanon; (1pentyl-1 <i>H</i> -indol-3-yl)(tricyclo[3.3.1.1 ^{3,7}]decan-1yl)methanon	
ADB-BUTINACA	B010a	N-(1-amino-3,3-dimethyl-1-oxobutan-2-yl)-1-butyl-1H-indazol-3-carboxamid	
ADB-5Br-INACA	B010b	N-(1-amino-3,3-dimethyl-1-oxobutan-2-yl)-5-bromo-1H-indazol-3-carboxamid	
ADB-CHMINACA	B011	MAB-CHMINACA; N-[(2S)-1-amino-3,3-dimethyl-1-oxobutan-2-yl]-1-(cyclohexylmethyl)indazole-3-carboxamid; N-(1-amino-3,3-dimethyl-1-oxobutan-2-yl)-1-(cyclohexylmethyl)-1H-indazole-3-carboxamid	P II
ADB-FUBINACA	B012	<i>N</i> -[1-(aminocarbonyl)-2,2-dimethylpropyl]-1-[(4fluorophenyl)methyl]-1 <i>H</i> -indazol-3-carboxamid	P II
ADB-P-5Br-INACA	B012a	N-(1-amino-3,3-dimethyl-1-oxobutan-2-yl)-5-bromo-1-pentyl-1H-indazol-3-carboxamid	
AH-7921	B013	3,4-dichlor- <i>N</i> -[[1-(dimethylamino)cyclohexyl)methyl]benzamid	N I
ALD-52	B014	4-acetyl- <i>N,N</i> -diethyl-7-methyl-4,6,6a,7,8,9-hexahydroindolo[4,3- <i>fg</i>]quinolin-9-carboxamid	
Alfentanil INN	B015	<i>N</i> -[1-[2-(4-ethyl-4,5-dihydro-5-oxo-1 <i>H</i> -tetrazol-1-yl)ethyl]-4(methoxymethyl)piperidin-4-yl]- <i>N</i> -phenylpropanamid	N I
AL-LAD	B016	6-allylnorlysergid	
Allylprodin INN	B017	[1-methyl-4-phenyl-3-(prop-2-en-1-yl)piperidin-4yl]propanoat	N I
Alphacetylmethadol INN	B018	(3 <i>R</i> ,6 <i>R</i>)-[6-(dimethylamino)-4,4-diphenylheptan-3-yl]acetat	N I
Alphameprodin INN	B019	[(3 <i>R</i> *,4 <i>S</i> *)-3-ethyl-1-methyl-4-phenyl(piperidin-4yl)]propanoat	N I
Alphamethadol INN	B020	(3 <i>R</i> ,6 <i>R</i>)-6-(dimethylamino)-4,4-diphenylheptan-3-ol	N I
<i>Alpha</i> -methylfentanyl	B021	<i>N</i> -phenyl- <i>N</i> -[1-(1-phenylpropan-2-yl)piperidin-4yl]propanamid	N I + IV
<i>Alpha</i> -methylthiofentanyl	B022	<i>N</i> -phenyl- <i>N</i> -[1-[1-(thiophen-2-yl)propan-2-yl]piperidin-4yl]propanamid	N I + IV
<i>Alpha</i> -PHP	B023	1-phenyl-2-(pyrrolidine-1-yl)hexan-1-one	P II
<i>Alpha</i> -PiHP	B023a	4-Methyl-1-phenyl-2-(pyrrolidin-1-yl)pentan-1-on	

Alphaprodin INN	B024	[(3 <i>R</i> *,4 <i>S</i> *)-(1,3-dimethyl-4-phenylpiperidin-4-yl)]propanoat	N I
α -Pyrrolidinovalerophenone	B025	α -PVP	P II
AM-694	B026	[1-(5-fluorpentyl)-1 <i>H</i> -indol-3-yl](2-iodphenyl)methanon	
AM-2201	B027	[1-(5-fluorpentyl)-1 <i>H</i> -indol-3-yl](naphthalen-1-yl)methanon	P II
AM-2233	B028	(2-iodphenyl)[1-((1-methylpiperidin-2-yl)methyl)-1 <i>H</i> -indol-3-yl]methanon	
AMB-FUBINACA	B029	FUB-AMB; MMB-FUBINACA; N-(1-methoxycarbonyl-2-methylpropyl)-1-(<i>p</i> -fluorobenzyl)1 <i>H</i> -indazol-3-carboxamid	P II
Amfetamin INN	B030	amfetamin; 1-phenylpropan-2-amin	P II
Amphetaminil INN	B031	AN 1; aponeuron; 2-phenyl-2-[(1-phenylpropan-2-yl)amino]acetonitril	
Amineptin	B032	7-[(10,11-dihydro-5 <i>H</i> -dibenzo[<i>a,d</i>]cyclohepten-5-yl)amino]heptansyre	P II
2-Aminoindan	B033	2,3-dihydro-1 <i>H</i> -inden-2-amin	
AMT	B034	α MT; α -methyltryptamin; 1-(1 <i>H</i> -indol-3-yl)propan-2-amin	
Anileridin INN	B035	ethyl[1-[2-(4-aminophenyl)ethyl]-4-phenylpiperidin-4-carboxylat]	N I
6-APB samt isomererne 4- og 5-APB	B036	1-(1-benzofuran-6-yl)propan-2-amin samt "4-yl" og "5-yl" isomererne	
Apinaca	B037	<i>N</i> -(1-adamantyl)-1-pentyl-1 <i>H</i> -indazol-3-carboxamid	
BDB	B038	1-(1,3-benzodioxol-5-yl)butan-2-amin	
Benzethidin INN	B039	ethyl[1-[2-(benzyloxy)ethyl]-4-phenylpiperidin-4-carboxylat]	N I
Benzodioxole-fentanyl	B040	<i>N</i> -phenyl- <i>N</i> -[1-(2-phenylethyl)piperidin-4-yl]-2 <i>H</i> -1,3-benzodioxole-5-carboxamid	
Benzoylbenzylfentanyl	B041	<i>N</i> -(1-benzyl-4-piperidyl)- <i>N</i> -phenyl-benzamid	
Benzoylfentanyl	B042	<i>N</i> -phenyl- <i>N</i> -[1-(2-phenylethyl)piperidin-4-yl]-benzamid	
Benzylmorphin	B043	peronin; 3-benzyloxy-7,8-didehydro-4,5 <i>a</i> -epoxy-17methylmorphinan-6 <i>a</i> -ol	N I
Betacetylmethadol INN	B044	[(3 <i>S</i> ,6 <i>R</i> *)-6-(dimethylamino)-4,4-diphenylheptan-3-yl]acetat	N I
<i>Beta</i> -hydroxyfentanyl	B045	<i>N</i> -[1-(2-hydroxy-2-phenylethyl)piperidin-4-yl]- <i>N</i> phenylpropanamid	N I + IV
<i>Beta</i> -hydroxy-3-methylfentanyl	B046	ohmefentanyl; <i>N</i> -[1-(2-hydroxy-2-phenylethyl)-3methylpiperidin-4-yl]- <i>N</i> -phenylpropanamid	N I + IV
Betameprodin INN	B047	(3 <i>R</i> *,4 <i>R</i> *)-[(3-ethyl-1-methyl-4-phenylpiperidin-4-yl)]propanoat	N I
Betamethadol INN	B048	racemethadol; (3 <i>S</i> *,6 <i>R</i> *)-6-(dimethylamino)-4,4diphenylheptan-3-ol	N I
Betaprodin INN	B049	(3 <i>R</i> *,4 <i>R</i> *)-[(1,3-dimethyl-4-phenylpiperidin-4-yl)]propanoat	N I
Bezitramid INN	B050	4-[4-(2,3-dihydro-2-oxo-3-propanoyl-1 <i>H</i> -benzimidazol-1-yl)piperidin-1-yl]-2,2-diphenylbutannitril	N I
bk-MBDB	B051	butylon; 1-(1,3-benzodioxol-5-yl)-2-(methylamino)butan-1on	
1B-LSD	B052	4-butyryl- <i>N,N</i> -diethyl-7-methyl-4,6,6 <i>a</i> ,7,8,9-hexahydroindolo[4,3- <i>fg</i>]quinolin-9-carboxamid	
Brolamfetamin INN	B053	brom-DMA; DOB; 1-(4-brom-2,5-dimethoxyphenyl)propan-2-amin	P I
1-(8-bromobenzo[1,2- <i>b</i> ; 4,5- <i>b'</i>]difuran-4-yl)-2-aminopropane	B054	brombenzodifuranylisopropylamin; (<i>R</i>)-1-(4-bromfuro[2,3- <i>f</i>][1]benzofuran-8-yl)propan-2-amin	
Brorphin	B055	1-(1-(1-(4-bromophenyl)ethyl)piperidin-4-yl)-1,3-dihydro-2 <i>H</i> -benzo[<i>d</i>]imidazol-2-on	

Bufotenin	B056	5-OH-DMT; 3-[2-(dimethylamino)ethyl]-1 <i>H</i> -indol-5-ol	
Butonitazen	B056a	2-(2-(4-butoxybenzyl)-5-nitro-1 <i>H</i> -benzo[d]imidazol-1-yl)- <i>N,N</i> -diethylethan-1-amine	N I
Butyrylfentanyl	B057	Butyrfentanyl; <i>N</i> -phenyl- <i>N</i> -[1-(2-phenylethyl)-4-piperidinyl]-butanamid	N I
BZP	B058	1-benzylpiperazin; <i>N</i> -Benzylpiperazin	P II
Cannabis	B059	hash; marihuana	N I
5C-APINACA	B060	<i>N</i> -(1-adamantyl)-1-(5-chloropentyl)-1 <i>H</i> -indazol-3carboxamid	
Carfentanil	B061	4-((1-oxopropyl)-phenylamino)-1-(2-phenylethyl)-4piperidincarboxylsyremethylester	N I + IV
Cathinon INN	B062	benzoylethanamin; (<i>S</i>)-2-amino-1-phenylpropan-1-on	P I
2C-B	B063	2-(4-brom-2,5-dimethoxyphenyl)ethan-1-amin	P II
2C-D	B064	2-(2,5-dimethoxy-4-methylphenyl)ethan-1-amin	
2C-E	B065	2-(4-ethyl-2,5-dimethoxyphenyl)ethan-1-amin	
Chloro-isobutyrylfentanyl	B066	<i>N</i> -(2-chlorophenyl)- 2-methyl- <i>N</i> -[1-(2-phenylethyl)-4-piperidyl]propanamid <i>N</i> -(3-chlorophenyl)- 2-methyl- <i>N</i> -[1-(2-phenylethyl)-4-piperidyl]propanamid <i>N</i> -(4-chlorophenyl)- 2-methyl- <i>N</i> -[1-(2-phenylethyl)-4-piperidyl]propanamid	
3-chloromethcathinone	B066a	1-(3-chlorophenyl)-2-(methylamino)propan-1-on	P II
CH-PIACA	B066b	<i>N</i> -cyclohexyl-2-(1-pentyl-1 <i>H</i> -indol-3-yl)acetamid	
2C-I	B067	2-(4-iod-2,5-dimethoxyphenyl)ethan-1-amin	EU
Clonitazen INN	B068	2-[2-[(4-chlorphenyl)methyl]-5-nitro-1 <i>H</i> -benzimidazol-1-yl]- <i>N,N</i> -diethylethan-1-amin	N I
4-CMC	B069	1-(4-chlorophenyl)-2-(methylamino)propan-1-one	P II
Cocain	B070	Kokain; benzoylmethylecgonin; methyl[(1 <i>R</i> ,2 <i>R</i> ,3 <i>S</i> ,5 <i>S</i>)-3benzoyloxy-8-methyl-8-azabicyclo[3.2.1]octan-2-carboxylat]	N I + III
Codoxim INN	B071	dihydrocodeinon-6-carboxymethyloxim; [[(4,5 <i>a</i> -epoxy-3methoxy-17-methylmorphinan-6yliden]aminooxy]eddikesyre	N I
2C-P	B072	2-(2,5-dimethoxy-4-propylphenyl)ethan-1-amin	
CP 47,497	B073	2-[(1 <i>R</i> *,3 <i>S</i> *)-3-hydroxycyclohexyl]-5-(2-methyloctan-2yl)phenol samt homologerne 2-[(1 <i>R</i> *,3 <i>S</i> *)-3hydroxycyclohexyl]-5-(2-methylheptan-2-yl)phenol, 2[(1 <i>R</i> *,3 <i>S</i> *)-3-hydroxycyclohexyl]-5-(2-methylnonan-2yl)phenol og 2-[(1 <i>R</i> *,3 <i>S</i> *)-3-hydroxycyclohexyl]-5-(2methyldecan-2-yl)phenol	
CP 55,940	B074	2-[(1 <i>R</i> ,2 <i>R</i> ,5 <i>R</i>)-5-hydroxy-2-(3-hydroxypropyl)cyclohexyl]-5-(2-methyloctan-2-yl)phenol	
1-cP-AL-LAD	B075	7-allyl-4-(cyclopropancarbonyl)- <i>N,N</i> -diethyl-4,6,6 <i>a</i> ,7,8,9-hexahydroindolo[4,3- <i>fg</i>]quinolin-9-carboxamid	
1-cP-LSD	B076	4-(cyclopropancarbonyl)- <i>N,N</i> -diethyl-7-methyl-4,6,6 <i>a</i> ,7,8,9-hexahydroindolo[4,3- <i>fg</i>]quinolin-9-carboxamid	
CRA-13	B077	naphthalen-1-yl-[4-(pentyloxy)naphthalen-1-yl]methanon	
Crotonylfentanyl	B078	(2 <i>E</i>)- <i>N</i> -phenyl- <i>N</i> -[1-(2-phenylethyl)piperidin-4-yl]but-2-enamide	N I
2C-T-2	B079	2-[4-(ethylsulfanyl)-2,5-dimethoxyphenyl]ethan-1-amin	EU
2C-T-4	B080	2-[4-(isopropylsulfanyl)-2,5-dimethoxyphenyl]ethan-1-amin	

2C-T-7	B081	2-[2,5-dimethoxy-4-(propylsulfanyl)phenyl]ethan-1-amin	EU
Cumyl-CB-MeGaClone	B081a	5-(cyclobutylmethyl)-2-(2-phenylpropan-2-yl)-2,5-dihydro-1H-pyrido[4,3-b]indol-1-on	
CUMYL-4CN-BINACA	B082	N-(1-methyl-1-phenylethyl)-1-(4-cyanobutyl)-1H-indazol-3carboxamid	P II
CUMYL-5F-P7AICA	B083	N-(2-phenylpropan-2-yl)-1-(5-fluoropentyl)-7-azaindol-3carboxamid	
CUMYL-5F-PINACA	B084	N-(2-phenylpropan-2-yl)-1-(5-fluoropentyl)-1H-indazol-3carboxamid	
CUMYL-PEGACLONE	B085	5-pentyl-2-(2-phenylpropan-2-yl)-2,5-dihydro-1H-pyrido[4,3-b]indol-1-on	P II
Cyclopentylfentanyl	B086	N-phenyl-N-[1-(2-phenylethyl)-4-piperidyl]cyclopentanecarboxamid	
Cyclopropylfentanyl	B087	N-phenyl-N-[1-(2-phenylethyl)piperidin-4-yl]cyclopropanecarboxamid	N I
Desomorphin INN	B088	dihydrodeoxymorfin; 4,5 α -epoxy-17-methylmorphinan-3ol	N I + IV
Despropionylfluorofentanyl	B089	N-(2-Fluorophenyl)-1-(2-phenylethyl)piperidin-4-amin N-(3-Fluorophenyl)-1-(2-phenylethyl)piperidin-4-amin N-(4-Fluorophenyl)-1-(2-phenylethyl)piperidin-4-amin	
DET	B090	<i>N,N</i> -diethyltryptamin; <i>Diethyl-tryptamin</i> (3-(2-diethylaminoethyl)-indol)	P I
Dexamfetamin INN	B091	dextroamphetamin; dexamphetamin; (S)-1-phenylpropan-2amin	P II
Dextromoramid INN	B092	(S)-1[3-methyl-4-(morpholin-4-yl)-2,2diphenylbutanoyl]pyrrolidin	N I
Dextropropoxyphen INN	B093	[(2S,3R)-4-(dimethylamino)-3-methyl-1,2-diphenylbutan-2yl]propanoat	N II + III
Diampromid INN	B094	<i>N</i> -[2-[methyl(2-phenylethyl)amino]propyl]- <i>N</i> phenylpropanamid	N I
3,4-Dichlormethylphenidat	B095	Methyl- (3,4-dichlorphenyl)(piperidin-2-yl)acetat	
Diethylthiambuten INN	B096	themalon, thiambuten; <i>N,N</i> -diethyl-4,4-di(thiophen-2-yl)but-3-en-2-amin	N I
Difenoxin INN	B097	1-(3-cyan-3,3-diphenylpropyl)-4-phenylpiperidin-4carboxylsyre	N I + III
Dihydroetorfin	B098	18,19-dihydroetorfin; (5R,6R,7R,14R)-4,5-epoxy-7-[(R)-2hydroxypentan-2-yl]-6-methoxy-17-methyl-6,14ethanomorphinan-3-ol	N I
Dihydromorfin	B099	4,5 α -epoxy-17-methylmorphinan-3,6 α -diol	N I
Dimenoxadol INN	B100	[2-(dimethylamino)ethyl][ethoxydiphenylacetat]	N I
Dimepheptanol INN	B101	bimethadol NFN; 6-(dimethylamino)-4,4-diphenylheptan-3ol	N I
Dimethylthiambuten INN	B102	<i>N,N</i> -dimethyl-4,4-di(thiophen-2-yl)but-3-en-2-amin	N I
Dioxaphetylbutyrat INN	B103	ethyl[4-(morpholin-4-yl)-2,2-diphenylbutanoat]; ethyl-4-morpholino-2,2-diphenylbutyrat	N I
Dipentylone	B103a	(1-(benzo[d][1,3]dioxol-5-yl)-2-(di-methylamino)pentan-1-on)	P II
Diphenidin	B104	1-(1,2-diphenylethyl)piperidin	P II
Diphenoxylat INN	B105	ethyl[1-(3-cyan-3,3-diphenylpropyl)-4-phenylpiperidin-4carboxylat]	N I + III
Dipipanon INN	B106	4,4-diphenyl-6-(piperidin-1-yl)heptan-3-on	N I
DMA	B107	2,5-dimethoxyamphetamin; 1-(2,5dimethoxyphenyl)propan-2-amin	P I
4,4'-DMAR	B108	4-methyl-5-(4-methylphenyl)-4,5-dihydrooxazol-2-amin	P II

DMHP	B109	dimethylheptylpyran; 7,8,9,10-tetrahydro-6,6,9-trimethyl- 3-(3-methyloctan-2-yl)-6 <i>H</i> -dibenzo[<i>b,d</i>]pyran-1-ol	P I
DMT	B110	dimethyltryptamin; 2-(1 <i>H</i> -indol-3-yl)- <i>N,N</i> -dimethylethan-1amin	P I
DOC	B111	4-chlor-2,5-dimethoxyamphetamin; 1-(4-chlor-2,5dimethoxyphenyl)propan-2-amin	P I
DOET	B112	4-ethyl-2,5-dimethoxyamphetamin; 1-(4-ethyl-2,5dimethoxyphenyl)propan-2-amin	P I
DOI	B113	4-iod-2,5-dimethoxyamphetamin; 1-(4-iod-2,5dimethoxyphenyl)propan-2-amin	
DPT	B114	dipropyltryptamin; <i>N</i> -[2-(1 <i>H</i> -indol-3-yl)ethyl]- <i>N</i> propylpropan-1-amin	
Drotebanol INN	B115	oxymethebanol; 3,4-dimethoxy-17-methylmorphinan6β,14-diol	N I
Ecgonin	B116	3β-hydroxy-1 <i>aH</i> ,5 <i>aH</i> -tropan-2β-carboxylsyre; (1 <i>R</i> ,2 <i>R</i> ,3 <i>S</i> ,5 <i>S</i>)-3-hydroxy-8-methyl-8-azabicyclo[3.2.1]octan-2-carboxylsyre	N I
EDMB-PINACA	B116a	Ethyl 3,3-dimethyl-2-(1-pentyl-1 <i>H</i> -indazol-3-carboxamido)butanoat	
EG-018	B116b	Naphthalen-1-yl(9-pentyl-9 <i>H</i> -carbazol-3-yl)methanon	
Ephenidin	B117	<i>N</i> -ethyl-1,2-diphenylethylamin	
ETH-LAD	B118	<i>N,N</i> ,7-triethyl-4,6,6 <i>a</i> ,7,8,9-hexahydroindolo[4,3- <i>fg</i>]quinolin-9-carboxamid	
Ethylcathinon	B119	ethcathinon; <i>N</i> -ethylcathinon, ethylpropion; 2-(ethylamino)1-phenylpropan-1-on	
Ethyleneoxynitazen	B119a	2-(2-((2,3-dihydrobenzofuran-5-yl)methyl) -5-nitro-1 <i>H</i> -benzo[<i>d</i>]imidazol-1-yl)- <i>N,N</i> -diethylethan-1-amine	
Ethylmethylthiambuten INN	B120	<i>N</i> -ethyl- <i>N</i> -methyl-4,4-di(thiophen-2-yl)but-3-en-2-amin	N I
Ethyl-naphthidat	B121	HDEP-28) (Ethyl-(naphthalen-2-yl)(piperidin-2-yl)acetat	
Ethylon	B122	1-(benzo[<i>d</i>][1,3]dioxol-5-yl)-2-(ethylamino)propan-1-on	P II
Ethylphenidat	B123	ethyl[[2-phenyl-2-(piperidin-2-yl)]acetat]	P II
Eticyclidin INN	B124	PCE; <i>N</i> -ethyl-1-phenylcyclohexan-1-amin	P I
Etodesnitazen	B125	<i>N,N</i> -Diethyl-2-[(4-ethoxyphenyl)methyl]-1 <i>H</i> -benzimidazol-1-ethanamin	
Etomethazen	B125a	2-(2-(4-ethoxybenzyl)-5-methyl-1 <i>H</i> -benzo[<i>d</i>]imidazol-1-yl) - <i>N,N</i> -diethylethan-1-amine	
Etonitazen INN	B126	1-[2-(diethylamino)ethyl]-2-[(4-ethoxyphenyl)methyl]-5nitro-1 <i>H</i> -benzimidazol	N I
Etonitazepyne	B126a	2-(4-ethoxybenzyl)-5-nitro-1-(2-(pyrrolidin-1-yl)ethyl)-1 <i>H</i> -benzo[<i>d</i>]imidazol	
Etonitazepipne	B126b	2-(4-ethoxybenzyl)-5-nitro-1-(2-(piperidin-1-yl)ethyl)-1 <i>H</i> -benzo[<i>d</i>]imidazole	
Etorphin INN	B127	(5 <i>R</i> ,6 <i>R</i> ,7 <i>R</i> ,14 <i>R</i>)-4,5-epoxy-7-[(<i>R</i>)-2-hydroxypentan-2-yl]-6methoxy-17-methyl-6,14-ethenomorphinan-3-ol	N I + IV
Etoxeridin INN	B128	ethyl[1-[2-(2-hydroxyethoxy)ethyl]-4-phenylpiperidin-4carboxylat]	N I
Etryptamin	B129	AET, αET, Monase; 3-(2-aminobutyl)indole; 1-(1 <i>H</i> -indol-3-yl)butan-2-amin	P I
Eutylon	B129a	1-(1,3-benzodioxol-5-yl)-2-(ethylamino)butan-1-on	P II
5F-AB-PINACA	B130	<i>N</i> -(1-amino-3-methyl-1-oxobutan-2-yl)-1-(5-fluoropentyl)1 <i>H</i> -Indazol-3-carboxamid	
5F-AMB-PICA	B131	<i>N</i> -(1-methoxycarbonyl-2-methylpropyl)-1-(5-fluoropentyl)1 <i>H</i> -indol-3-carboxamid	
5F-AMB-PINACA	B132	5F-AMB, 5F-MMB-PINACA; methyl 2-{[1-(5-fluoropentyl)-1 <i>H</i> -indazole-3-carbonyl]amino}-3-methylbutanoate	P II

5F-Apinaca	B133	<i>N</i> -(1-adamantyl)-1-(5-fluoropentyl)-1 <i>H</i> -indazol-3carboxamid	P II
5F-BZO-POXIZID	B133a	(<i>Z</i>)- <i>N</i> '-(1-(5-fluoropentyl)-2-oxoindolin-3-yliden)benzohydrazid	
5F-EMB-PINACA (5F-AEB)	B133b	Ethyl (1-(5-fluoropentyl)-1 <i>H</i> -indazol-3-carbonyl)valinat	
5F-Cumyl-PeGaClone	B133c	5-(5-fluoropentyl)-2-(2-phenylpropan -2-yl)-2,5-dihydro-1 <i>H</i> -pyrido[4,3- <i>b</i>]indol-1-on	
Fenetyllin INN	B134	captagon; 1,3-dimethyl-7-[[2-(1-phenylpropan-2yl)amino]ethyl]-7 <i>H</i> -purin-2,6-dion	P II
Fentanyl INN	B135	fentanyl; <i>N</i> -phenyl- <i>N</i> -(1-(2-phenylethyl)piperidin-4yl)propanamid	N I
Flephedron	B136	4-fluormethcathinon; 1-(4-fluorphenyl)-2-(methylamino)propan-1-on	
Fluonitazen	B137	<i>N,N</i> -Diethyl-2-[(4-fluorophenyl)methyl]-5-nitro-1 <i>H</i> -benzimidazol-1-ethanamin	
Fluoramphetamin (alle isomererne, <i>o</i> -, <i>m</i> - og <i>p</i> fluoramfetamin)	B138	2-FA; 1-(2-fluorphenyl)propan-2-amin 3-FA; 1-(3-fluorphenyl)propan-2-amin 4-FA; 1-(4-fluorphenyl)propan-2-amin	P II
4-Fluorethylphenidat	B139	Ethyl-(4-fluorphenyl)(piperidin-2-yl)acetat	
4-Fluormethylphenidat (4F-MPH)	B140	Methyl-(4-fluorphenyl)(piperidin-2-yl)acetat	
Fluorobutyrylfentanyl	B141	<i>N</i> -(2-fluorophenyl)- <i>N</i> -[(1-(2-phenylethyl)-4piperidinyl)]butanamid <i>N</i> -(3-fluorophenyl)- <i>N</i> -[(1-(2-phenylethyl)-4piperidinyl)]butanamid <i>N</i> -(4-fluorophenyl)- <i>N</i> -[(1-(2-phenylethyl)-4piperidinyl)]butanamid	N I
2-fluorodeschloroketamin	B141a	2-FDCK) (2-(2-fluo-rophenyl)-2-(methylamino)cyclohexan-1-on	P II
Fluoro-isobutyrylfentanyl	B142	<i>N</i> -(2-fluorophenyl)- 2-methyl- <i>N</i> -[1-(2-phenylethyl)piperidin-4-yl]propanamid <i>N</i> -(3-fluorophenyl)- 2-methyl- <i>N</i> -[1-(2-phenylethyl)piperidin-4-yl]propanamid <i>N</i> -(4-fluorophenyl)- 2-methyl- <i>N</i> -[1-(2-phenylethyl)piperidin-4-yl]propanamid	N I
4F-MDMB-BICA	B143	<i>N</i> -(1-methoxycarbonyl-2,2-dimethylpropyl)-1-(4-fluorobutyl)-1 <i>H</i> -indol-3-carboxamid	
4-F-MDMB-BINACA	B144	methyl 2-{{1-(4-fluorobutyl)-1 <i>H</i> -indazole-3-carbonyl}amino}-3,3-dimethylbutanoate	P II
5F-MDMB-PICA	B145	<i>N</i> -(1-methoxycarbonyl-2,2-dimethylpropyl)-1-(5fluoropentyl)-1 <i>H</i> -indol-3-carboxamid	P II
5F-MDMB-PINACA	B146	5F-ADB; <i>N</i> -(1-methoxycarbonyl-2,2-dimethylpropyl)-1-(5fluoropentyl)-1 <i>H</i> -indazol-3-carboxamid	P II
2F-2-Oxo-PCM	B147	2-(2-fluorphenyl)-2-(methylamino)-cyclohexan-1-on	
5F-PB-22	B148	8-quinolinyl-1-(5-fluoropentyl)-1 <i>H</i> -indol-3-carboxylat	P II
5FUR-144 (XLR-11)	B149	[1-(5-fluorpentyl)-1 <i>H</i> -indol-3-yl](2,2,3,3tetramethylcyclopropyl)methanon	P II
Furanylfentanyl	B150	<i>N</i> -phenyl- <i>N</i> -[1-(2-phenylethyl)piperidin-4-yl]-furan-2carboxamid	N I
Furethidin INN	B151	ethyl[1-[2-[(oxolan-2-yl)methoxy]ethyl]-4-phenylpiperidin-4carboxylat]	N I
Gammahydroxybutansyre	B152	GHB; gamma-hydroxysmørsyre, 4-hydroxybutansyre	P II
Hexahydrocannabinol	B152a	HHC; 6,6,9-trimethyl-3-pentyl-6a,7,8,9,10,10a-hexahydro-6 <i>H</i> -benzo[<i>c</i>]chromen-1-ol	
H4-CBD (tetrahydrocannabinol)	B152b	(2-(2-isopropyl-5-methylcyclohexyl)-5-pentylbenzene-1,3-diol)	

HHCP (hexahydrocannabiphorol)	B152c	(3-heptyl-6,6,9-trimethyl-6a,7,8,9,10,10a-hexahydro-6H-dibenzo[b,d]pyran-1-ol)	
4-HO-DIPT	B153	4-hydroxy- <i>N,N</i> -diisopropyltryptamin; 3-[2-(diisopropylamino)ethyl]-1 <i>H</i> -indol-4-ol	
3-HO-PCE	B153a	3-Hydroxyeticyclidin; 3-(1-(ethylamino)cyclohexyl)phenol	
HU-210	B154	(6a <i>R</i>)- <i>trans</i> -3-(1,1-dimethylheptyl)-6a,7,10,10a-tetrahydro-1-hydroxy-6,6-dimethyl-6 <i>H</i> -dibenzo[b,d]pyran-9-methanol; (6a <i>R</i> ,10a <i>R</i>)-9-(hydroxymethyl)-6,6-dimethyl-3-(2-methyloctan-2-yl)-6a,7,10,10a-tetrahydrobenzo[c]chromen-1-ol	
HU-308	B155	(1 <i>R</i> ,2 <i>R</i> ,5 <i>R</i>)-2-[2,6-dimethoxy-7,7-dimethyl-4-(2methyloctan-2-yl)phenyl]-4-bicyclo[3.1.1]hept-3-en-1yl]methanol	
Hydrocodon INN	B156	dihydrocodeinon; 4,5 <i>a</i> -epoxy-3-methoxy-17methylmorphinan-6-on	N I
Hydromorphinol INN	B157	14-hydroxydihydromorphin; 4,5 <i>a</i> -epoxy-17methylmorphinan-3,6 <i>a</i> ,14-triol	N I
Hydromorphon INN	B158	dihydromorphinon; 4,5 <i>a</i> -epoxy-3-hydroxy-17methylmorphinan-6-on	N I
3-(4-Hydroxymethylbenzoyl)-1-pentylindol	B159	[4-(hydroxymethyl)phenyl](1-pentyl-1 <i>H</i> -indol-3yl)methanon	
7-Hydroxymitragynin	B160	methyl[2-[(2 <i>S</i> ,3 <i>S</i> ,7a <i>S</i> ,12b <i>S</i>)-3-ethyl-1,2,3,4,6,7,7a,12b-octahydro-7a-hydroxy-8-methoxyindolo[2,3- <i>a</i>]quinolizin-2-yl]-3-methoxyprop-2-enoat]	
Hydroxypethidin INN	B161	oxipethidin NFN; ethyl[4-(3-hydroxyphenyl)-1methylpiperidin-4-carboxylat]	N I
Ibogain	B162	12-methoxyibogamin	
Isomethadon INN	B163	5-methyl-6-(dimethylamino)-4,4-diphenylhexan-3-on	N I
Isopropylphenidat	B164	Propan- 2-yl -phenyl(piperidin-2-yl)acetat	
Isotonitazen	B165	<i>N,N</i> -Diethyl-2-[[4-(1-methylethoxy)phenyl]methyl]-5-nitro-1 <i>H</i> -benzimidazol-1-ethanamin	N I
5-IT	B166	1-(1 <i>H</i> -indol-5-yl)propan-2-amin	
JWH-007	B167	(2-methyl-1-pentyl-1 <i>H</i> -indol-3-yl)(naphthalen-1yl)methanon	
JWH-015	B168	(2-methyl-1-propyl-1 <i>H</i> -indol-3-yl)(naphthalen-1yl)methanon	
JWH-018	B169	(naphthalen-1-yl)(1-pentyl-1 <i>H</i> -indol-3-yl)methanon	P II
JWH-019	B170	(1-hexyl-1 <i>H</i> -indol-3-yl)(naphthalen-1-yl)methanon	
JWH-020	B171	(1-heptyl-1 <i>H</i> -indol-3-yl)(naphthalen-1-yl)methanon	
JWH-073	B172	(1-butyl-1 <i>H</i> -indol-3-yl)(naphthalen-1-yl)methanon	
JWH-081	B173	(4-methoxynaphthalen-1-yl)(1-pentyl-1 <i>H</i> -indol-3yl)methanon	
JWH-098	B174	(4-methoxynaphthalen-1-yl)(2-methyl-1-pentyl-1 <i>H</i> -indol-3yl)methanon	
JWH-122	B175	(4-methylnaphthalen-1-yl)(1-pentyl-1 <i>H</i> -indol-3-yl)methanon	
JWH-147	B176	(naphthalen-1-yl)(2-phenyl-1-hexylpyrrol-4-yl)methanon	
JWH-182	B177	(1-pentyl-1 <i>H</i> -indol-3-yl)(4-propylnaphthalen-1-yl)methanon	

JWH-200	B178	[1-[2-(morpholin-4-yl)ethyl]-1 <i>H</i> -indol-3-yl](naphthalen-1-yl)methanon	
JWH-203	B179	2-(2-chlorphenyl)-1-(1-pentyl-1 <i>H</i> -indol-3-yl)ethan-1-on	
JWH-210	B180	(4-ethylnaphthalen-1-yl)(1-pentyl-1 <i>H</i> -indol-3-yl)methanon	
JWH-250	B181	2-(2-methoxyphenyl)-1-(1-pentyl-1 <i>H</i> -indol-3-yl)ethan-1-on	
JWH-251	B182	2-(2-methylphenyl)-1-(1-pentyl-1 <i>H</i> -indol-3-yl)ethan-1-on	
JWH-398	B183	(4-chlornaphthalen-1-yl)(1-pentyl-1 <i>H</i> -indol-3-yl)methanon	
Kaktus og frø af arterne <i>Echinopsis pachanoi</i> og <i>Echinopsis peruviana</i> eller andre, der indeholder stoffet meskalin (3,4,5-trimethoxyphenethylamin)	B184		
Ketamin	B185	2-(2-chlorphenyl)-2-(methylamino)cyclohexan-1-on	
Ketobemidon INN	B186	1-[4-(3-hydroxyphenyl)-1-methylpiperidin-4-yl]propan-1-on	N I + IV
Kokablاد	B187	Cocae folium	N I
Kratom	B188	<i>Mitragyna speciosa</i>	
Levamfetamin INN	B189	<i>l</i> -amfetamin; (-)-(<i>R</i>)- <i>α</i> -methylphenethylamin, amfetamin(-)-isomer; (<i>R</i>)-1-phenylpropan-2-amin	P II
Levometamfetamin	B190	(-)- <i>N,α</i> -dimethylphenethylamin; (<i>R</i>)- <i>N</i> -methyl-1-phenylpropan-2-amin	P II
Levomethorphan INN	B191	(-)-3-methoxy- <i>N</i> -methylmorphinan; 3-methoxy-17methylmorphinan	N I
Levomoramid INN	B192	(<i>R</i>)-3-methyl-4-(morpholin-4-yl)-2,2-diphenyl-1-(pyrrolidin-1-yl)butan-1-on	N I
Levophenacilmorphan INN	B193	(-)-3-hydroxy- <i>N</i> -phenacilmorphinan; 2-(3hydroxymorphinan-17-yl)-1-phenylethan-1-on	N I
Levorphanol INN	B194	(-)-3-hydroxy- <i>N</i> -methylmorphinan; 17-methylmorphinan-3ol	N I
Lofentanil	B195	methyl (3 <i>S</i> ,4 <i>R</i>)-3-methyl-1-(2-phenylethyl)-4-[phenyl(propionyl)amino]piperidin-4-carboxylat	
LSZ	B196	8b-(2,4-dimethylazetidid-1-yl)carbonyl-9,10-didehydro-6methylergolin	
MBDB	B197	1-(1,3-benzodioxol-5-yl)- <i>N</i> -methylbutan-2-amin	
MDMB-CHMICA	B198	methyl-2-(1-(cyclohexylmethyl)-1 <i>H</i> -indol-3-carboxamido)3,3-dimethylbutanoat	P II
mCPP	B199	1-(3-chlorphenyl)piperazin	
MDAI	B200	5,6-methylenedioxy-2-aminoindan	
MDMA	B201	ecstasy; 3,4-methylendioxyamfetamin; 1-(1,3benzodioxol-5-yl)- <i>N</i> -methylpropan-2-amin	P I
MDMB-CHMCZCA	B201a	Methyl 2-(9-(cyclohexylmethyl)-9 <i>H</i> -carbazol-3-carboxamido)-3,3-dimethylbutanoat	
MDMB-4en-PINACA	B202	<i>N</i> -(1-methoxycarbonyl-2,2-dimethylpropyl)-1-(pent-4-enyl)-1 <i>H</i> -indazol-3-carboxamid	P II
MDPPP	B203	3,4-methylendioxy- <i>α</i> -pyrrolidinopropiophenon; 1-(1,3benzodioxol-5-yl)-2-(pyrrolidin-1-yl)propan-1-on	
MDPV	B204	methylendioxypropylvaleron; 1-(3,4-methylendioxyphenyl)-2pyrrolidin-1-yl-pentan-1-on; 1-(1,3-benzodioxol-5-yl)-2-(pyrrolidin-1-yl)pentan-1-on	P II

4-MEC (alle isomererne 2-, 3- og 4methyl-N-ethylcathinon)	B205	2-MEC; 2-(ethylamino)-1-(2-methylphenyl)propan-1-on 3-MEC; 2-(ethylamino)-1-(3-methylphenyl)propan-1-on 4-MEC; 2-(ethylamino)-1-(4-methylphenyl)propan-1-on	P II
Mecloqualon INN	B206	3-(2-chlorphenyl)-2-methylquinazolin-4(3H)-on	P II
5-MeO-DALT	B207	<i>N,N</i> -diallyl-5-methoxytryptamin	
MeO-diphenidin (omfattende isomererne 2-MeO-diphenidin (1-(1-(2-methoxyphenyl)-2-phenylethyl)piperidin), 3-MeO-diphenidin (1-(1-(3-methoxyphenyl)-2-phenylethyl)piperidin) og 4-MeOdiphenidin(1-(1-(4-methoxyphenyl)-2-phenylethyl)piperidin))	B208	1-(1-(2-methoxyphenyl)-2-phenylethyl)piperidin; 1-(1-(3-methoxyphenyl)-2-phenylethyl)piperidin; 1-(1-(4-methoxyphenyl)-2-phenylethyl)piperidin	
5-MeO-DIPT	B209	5-methoxy- <i>N,N</i> -diisopropyltryptamin; <i>N</i> -isopropyl- <i>N</i> -[(5methoxy-1 <i>H</i> -indol-3-yl)ethyl]propan-2-amin	
5-MeO-DMT	B210	5-methoxy- <i>N,N</i> -dimethyltryptamin; 2-(5-methoxy-1 <i>H</i> -indol-3-yl)- <i>N,N</i> -dimethylethan-1-amin	
3-MeO-PCE	B211	<i>N</i> -Ethyl-1-(3-methoxyphenyl)cyclohexan-1-amin	
3-MeO-PCMo	B212	4-(1-(3-Methoxyphenyl)cyclohexyl)morpholin	
MeO-PCP (omfattende isomererne 2-MeO-PCP (1-(1-(2-methoxyphenyl)cyclohexyl)piperidin),3-MeO-PCP (1-(1-(3-methoxyphenyl)cyclohexyl)piperidin) og 4-MeO-PCP (1-(1-(4-methoxyphenyl)cyclohexyl)piperidin))	B213	1-(1-(2-methoxyphenyl)cyclohexyl)piperidin; 1-(1-(3-methoxyphenyl)cyclohexyl)piperidin; 1-(1-(4-methoxyphenyl)cyclohexyl)piperidin	P II
MeOPP	B214	1-(4-methoxyphenyl)piperazin	
3-Me-2-oxo-PCE	B214a	Deoxymethoxetamin; 2-(ethylamino)-2-(<i>m</i> -tolyl)cyclohexan-1-on	
Mephedron	B215	4-MMC; 4-methylmethcathinon; 2-(methylamino)-1-(4methylphenyl)propan-1-on	P II
Meskalin	B216	mescaline; 3,4,5-trimethoxy-phenethylamin; 2-(3,4,5trimethoxyphenyl)ethan-1-amin	P I
Metamfepramon	B217	<i>N,N</i> -dimethylcathinon; 2-(dimethylamino)-1-phenylpropan-1-on	
Metamfetamin INN	B218	methamphetamin; (+)-(<i>S</i>)- <i>N</i> , <i>α</i> -dimethylphenethylamin; (<i>S</i>) <i>N</i> -methyl-1-phenylpropan-2-amin	P II
Metamfetamin, racemisk INN	B219	(±)- <i>N</i> , <i>α</i> -dimethylphenethylamin; (<i>RS</i>)- <i>N</i> -methyl-1phenylpropan-2-amin	P II
Metazocin INN	B220	2'-hydroxy-2,5,9-trimethyl-6,7-benzomorphan; 1,2,3,4,5,6hexahydro-3,6,11-trimethyl-2,6-methano-3-benzazocin-8-ol	N I
Methadon INN	B221	6-(dimethylamino)-4,4-diphenylheptan-3-on	N I
Methadon-intermediat	B222	2-(dimethylamino)-4-cyan-4,4-diphenylbutan; 4-(dimethylamino)-2,2-diphenylpentannitril	N I
Methaqualon INN	B223	2-methyl-3-(2-methylphenyl)quinazolin-4(3H)-on	P II
Methcathinon	B224	2-(methylamino)-1-phenylpropan-1-on	P I
Methoxyacetylfentanyl	B225	2-methoxy- <i>N</i> -phenyl- <i>N</i> -[1-(2-phenylethyl)piperidin-4-yl]acetamid	N I

Methoxybutyrylfentanyl	B226	N-(2-methoxyphenyl)-N-[1-(2-phenylethyl)piperidin-4yl]butanamid N-(3-methoxyphenyl)-N-[1-(2-phenylethyl)piperidin-4yl]butanamid N-(4-methoxyphenyl)-N-[1-(2-phenylethyl)piperidin-4yl]butanamid	
Methylamphetamin (omfattende isomererne 2-, 3- og 4methylamphetamin)	B227	1-(2-methylphenyl)propan-2-amin 1-(3-methylphenyl)propan-2-amin 1-(4-methylphenyl)propan-2-amin	
4-Methylaminorex	B228	(±)- <i>cis</i> -2-amino-4-methyl-5-phenyl-2-oxazolin; (±)- <i>cis</i> -2-amino-4,5-dihydro-4-methyl-5-phenyloxazol	P I
2-Methyl-AP-237	B228a	(1-(2-methyl-4-(3-phenylallyl)piperazin-1-yl)butan-1-on)	N I
Methyl-desorfin INN	B229	6-methyl- Δ^6 -deoxymorfin; 6,7-didehydro-4,5 α -epoxy-6,17-dimethylmorphinan-3-ol	N I
Methyldihydromorfin INN	B230	6-methyldihydromorfin; 4,5 α -epoxy-6 α -methoxy-17methylmorphinan-3-ol	N I
3-Methylfentanyl	B231	<i>N</i> -[3-methyl-1-(2-phenylethyl)piperidin-4-yl]- <i>N</i> phenylpropanamid	N I + IV
3-Methylmethcathinon	B213a	2-(methylamino)-1-(3-methylphenyl)propan-1-on	
4-Methylmethylphenidat (4Me-TMP)	B232	Methyl-(4-methylphenyl)(piperidin-2-yl)acetat	
Methylnaphthidat (HDMP-28)	B233	Methyl-(naphthalen-2-yl)(piperidin-2-yl)acetat	
Methylon	B234	3,4-methylendioxy-methcathinon; 2-(methylamino)-1-(1,3benzodioxol-5-yl)propan-1-on	P II
Methylphenidat INN	B235	methyl[phenyl(piperidin-2-yl)acetat]	P II
3-Methylthiofentanyl	B236	<i>N</i> -[3-methyl-1-[2-(thiophen-2-yl)ethyl]piperidin-4-yl]- <i>N</i> phenylpropanamid	N I + IV
Metodesnitazen	B237	<i>N,N</i> -Diethyl-2-[(4-methoxyphenyl)methyl]-1 <i>H</i> -benzimidazol-1-ethanamin	
Metonitazen	B238	<i>N,N</i> -Diethyl-2-[(4-methoxyphenyl)methyl]-5-nitro-1 <i>H</i> -benzimidazol-1-ethanamin	
Metonitazepyn	B238a	2-(4-methoxybenzyl)-5-nitro-1-(2-(pyrrolidin-1-yl)ethyl)-1 <i>H</i> -benzo[d]imidazole	
Metopon INN	B239	5-methyldihydromorfinon; 4,5 α -epoxy-3-hydroxy-5,17dimethylmorphinan-6-on	N I
Metoxetamin	B240	2-(ethylamino)-2(3-methoxyphenyl)cyclohexan-1-on)	P II
Mitragynin	B241	methyl[(<i>E</i>)-16,17-didehydro-9,17-dimethoxy-17,18-seco20 α -yohimban-16-carboxylat]	
MMDA	B242	5-methoxy-3,4-methylendioxyamphetamin; 1-(7-methoxy-1,3-benzodioxol-5-yl)propan-2-amin	P I
Moramid-intermediat	B243	2-methyl-3-(morpholin-4-yl)-1,1-diphenylpropansyre	N I
Morpheridin INN	B244	ethyl[1-[2-(morpholin-4-yl)ethyl]-4-phenylpiperidin-4carboxylat]	N I
Morfin	B245	morfinbase; 7,8-didehydro-4,5 α -epoxy-17methylmorphinan-3,6 α -diol	N I + III
Morfinmethylbromid (3,6dihydroxy- <i>N,N</i> -dimethyl-4,5epoxymorfinen-7-bromid) og andre morphinderivater med kvaternært nitrogen (herunder Codein- <i>N</i> -oxid)	B246	7,8-didehydro-4,5 α -epoxy-3,6 α -dihydroxy-17,17dimethylmorphinan-17-iumbromid	N I
Morfin- <i>N</i> -oxid	B247	7,8-didehydro-4,5 α -epoxy-3,6 α -dihydroxy-17methylmorphinan-17-oxid	N I
MPA	B248	<i>N</i> -methyl-1-(thiophen-2-yl)propan-2-amin	P II

MPPP (alle isomererne, 2-, 3- og 4-methyl- α -pyrrolidinopropiophenon)	B249	1-(2-methylphenyl)-2-(pyrrolidin-1-yl)propan-1-on; 1-(3-methylphenyl)-2-(pyrrolidin-1-yl)propan-1-on; 1-(4-methylphenyl)-2-(pyrrolidin-1-yl)propan-1-on	
MPPP (1-Methyl-4-phenyl-4-piperidinolpropionat(ester))	B250	Desmethylprodin; 1-methyl-4-phenyl-4-propionoxypiperidine	N I + IV
MT-45	B251	1-cyclohexyl-4-(1,2-diphenylethyl)-piperazin	N I
4-MTA	B252	4-methyltioamfetamin; 1-[4-(methylsulfanyl)phenyl]propan-2-amin	P I
MXiPr	B252a	Methoxisopropamin; 2-(isopropylamino)-2-(3-methoxyphenyl)cyclohexan-1-on	
MXPr	B252b	Methoxpropamin; 2-(3-methoxyphenyl)-2-(propylamino)cyclohexan-1-on	
Myrophin INN	B253	myristylbenzylmorphin; [7,8-didehydro-4,5 α -epoxy-17methyl-3-(phenylmethoxy)morphinan-6 α -yl]tetradecanoat	N I
N-desethyletonitazen	B253a	2-(2-(4-ethoxybenzyl)-5-nitro-1H-benzo[d]imidazol-1-yl)-N-ethylethan-1-amine	
N-desethylisotonitazen	B253b	N-ethyl-2-(2-(4-iso-propoxybenzyl)-5-nitro-1H-benzo[d]imidazol-1-yl)ethan-1-amine	
N-Ethyl MDA	B254	MDE; MDEA; N-ethyl- α -methyl-3,4-(methylenedioxy)phenethylamin; 1-(7-methoxy-1,3benzodioxol-5-yl)-N-ethylpropan-2-amin	P I
N-Ethylbuphedron	B255	NEB; 2-(ethylamino)-1-phenylbutan-1-on	
N-ethylhexedrone	B256	2-(ethylamino)-1-phenylhexan-1-one	P II
N-ethylnorpentylon	B257	Ephylone; 1-(2H-1,3-benzodioxol-5-yl)-2-(ethylamino)pentan-1-one	P II
N-Hydroxy MDA	B258	N-[α -methyl-3,4-(methylenedioxy)phenethyl]hydroxylamin; N-[1-(1,3-benzodioxol-5-yl)propan-2-yl]hydroxylamin	P I
Nicomorphin INN	B259	3,6-dinicotinoylmorphin; [7,8-didehydro-4,5 α -epoxy-17methylmorphinan-3,6 α -diyl]di(pyridin-3-carboxylat)	N I
N-Methyl-2-AI	B260	N-methyl-2-aminoindan	
Noracymethadol INN	B261	[(6-(methylamino)-4,4-diphenylheptan-3-yl]acetat	N I
Norlevorphanol INN	B262	morphinan-3-ol	N I
Normethadon INN	B263	6-(dimethylamino)-4,4-diphenylhexan-3-on	N I
Normorphin INN	B264	demethylmorphin; 7,8-didehydro-4,5 α -epoxymorphinan-3,6 α -diol	N I
Norpipanon INN	B265	4,4-diphenyl-6-(piperidin-1-yl)hexan-3-on	N I
Ocfentanil	B266	N-(2-fluorophenyl)-2-methoxy-N-(1-phenethylpiperidin-4yl)acetamid	N I
3-OH-PCP	B267	3-(1-(piperidin-1-yl)cyclohexyl)phenol	
Opium	B268	Inkl. Concentrate of poppy straw (CPS); CPS (M); CPS (T); CPS (O); CPS (C)	N I + III
Oripavin	B269	6,7,8,14-tetrahydro-4,5 α -epoxy-6-methoxy-17methylmorphinan-3-ol	N I
2-Oxo-PCE	B270	2-(ethylamino)-2-phenylcyclohexan-1-on	
2-Oxo-PCM	B271	2-(methylamino)-2-phenylcyclohexan-1-on	
Oxycodon INN	B272	14-hydroxydihydrocodeinon; 4,5 α -epoxy-14-hydroxy-3-methoxy-17-methylmorphinan-6-on	N I
Oxymorphon INN	B273	14-hydroxydihydromorphinon; 4,5 α -epoxy-3,14-dihydroxy-17-methylmorphinan-6-on	N I

Para-fluorofentanyl	B274	N-(2-fluorophenyl)-N-[1-(2-phenylethyl)-4piperidinyl]propanamid N-(3-fluorophenyl)-N-[1-(2-phenylethyl)-4piperidinyl]propanamid N-(4-fluorophenyl)-N-[1-(2-phenylethyl)-4piperidinyl]propanamid	N I + IV
Parahexyl	B275	pyrahexyl, synhexyl; 3-hexyl-7,8,9,10-tetrahydro-6,6,9trimethyl-6 <i>H</i> -dibenzo[<i>b,d</i>]pyran-1-ol	P I
1-PEA	B276	1-phenylethan-1-amin	
PEPAP	B277	[4-phenyl-1-(2-phenylethyl)piperidin-4-yl]acetat	N I + IV
Pethidin INN	B278	meperidin; ethyl(1-methyl-4-phenylpiperidin-4-carboxylat)	N I
Pethidin-intermediat A	B279	1-methyl-4-phenylpiperidin-4-carbonitril	N I
Pethidin-intermediat B	B280	ethyl(4-phenylpiperidin-4-carboxylat)	N I
Pethidin-intermediat C	B281	1-methyl-4-phenylpiperidin-4-carboxylsyre	N I
<i>p</i> -FBT	B282	3-(<i>p</i> -fluorbenzoyl)tropan; (4-fluorphenyl)[6-methyl-8azabicyclo[3.2.1]-octan-3-yl]methanon	
Phenadoxon INN	B283	heptazon; morphodon; 6-(morpholin-4-yl)-4,4diphenylheptan-3-on	N I
Phenampromid INN	B284	N-[1-(piperidin-1-yl)propan-2-yl]- <i>N</i> -phenylpropanamid	N I
Phenazocin INN	B285	2'-hydroxy-5,9-dimethyl-2-(2-phenylethyl)-6,7-benzomorphan, 1,2,3,4,5,6-hexahydro-6,11-dimethyl-3-(2phenylethyl)-2,6-methano-3-benzazocin-8-ol	N I
Phencyclidin INN	B286	PCP; 1-(1-phenylcyclohexyl)piperidin	P II
Phendimetrazin INN	B287	(2 <i>S</i> ,3 <i>S</i>)-3,4-dimethyl-2-phenylmorpholin	P IV
Phenmetrazin INN	B288	phenmetralin NFN; 3-methyl-2-phenylmorpholin	P II
Phenomorphan INN	B289	3-hydroxy- <i>N</i> -phenethylmorphinan; 17-(2phenylethyl)morphinan-3-ol	N I
Phenoperidin INN	B280	ethyl[1-(3-hydroxy-3-phenylpropyl)-4-phenylpiperidin-4carboxylat]	N I
3-phenylpropanoylfentanyl	B291	N-phenyl-N-[1-(2-phenylethyl)piperidin-4-yl]-3-phenylpropanamid	
Piminodin INN	B292	ethyl[4-phenyl-1-[3-(phenylamino)propyl]piperidin-4carboxylat]	N I
Pipradrol INN	B293	diphenyl(piperidin-2-yl)methanol	P IV
Piritramid INN	B294	1-(3-cyan-3,3-diphenylpropyl)-4-(piperidin-1-yl)piperidin-4carboxamid	N I
1 <i>p</i> -LSD	B295	1-propionyllysergid	
PMA	B296	4-methoxyamphetamin; 1-(4-methoxyphenyl)propan-2amin	P I
PMMA	B297	paramethoxymethylamphetamin; 1-(4-methoxyphenyl)- <i>N</i> methylpropan-2-amin	P I
PPP	B298	α -pyrrolidinopropiophenon; 1-phenyl-2-(pyrrolidin-1yl)propan-1-on	
Proheptazin INN	B299	(hexahydro-1,3-dimethyl-4-phenyl-1 <i>H</i> -azepin-4yl)propanoat	N I
Properidin INN	B300	isopropyl(1-methyl-4-phenylpiperidin-4-carboxylat)	N I
Propiram INN	B301	<i>N</i> -[1-(piperidin-1-yl)propan-2-yl]- <i>N</i> -(pyridin-2yl)propanamid	N II + III
Propylphenidat	B302	Propyl-phenyl(piperidin-2-yl)acetat	
Protonitazen	B303	N,N-Diethyl-2-[(4-propoxyphenyl)methyl]-5-nitro-1 <i>H</i> -benzimidazol-1-ethanamin	
Protonitazepyn	B303a	5-nitro-2-(4-propoxyben- <i>zyl</i>)-1-(2-(pyrrolidin-1-yl)ethyl)-1 <i>H</i> -benzo[<i>d</i>]imidazole	
Psilocin	B304	Psilotsin; 3-[2-(dimethylamino)ethyl]-1 <i>H</i> -indol-4-ol	P I

Psilocybin INN	B305	[3-[2-(dimethylamino)ethyl]-1 <i>H</i> -indol-4-yl]dihydrogenphosphat	P I
RCS-4 (alle isomererne, 2-, 3- og 4methoxyphenyl-(1-pentylindol-3yl)methanon)	B306	(2-methoxyphenyl)(1-pentyl-1 <i>H</i> -indol-3-yl)methanon (3-methoxyphenyl(1-pentyl-1 <i>H</i> -indol-3-yl)methanon (4-methoxyphenyl)(1-pentyl-1 <i>H</i> -indol-3-yl)methanon	
<i>Psilocybe semilanceata</i> , <i>Psilocybe cubensis</i> eller andre svampe/sporer, som indeholder psilocin eller psilocybin, herunder bl.a. dyrkede, tørrede eller på anden vis bearbejdede svampe/sporer	B307		
Racemethorphan INN	B308	(±)-3-methoxy-17-methylmorphinan	N I
Racemoramid INN	B309	(<i>RS</i>)-3-methyl-4-(morpholin-4-yl)-2,2-diphenyl-1-(pyrrolidin-1-yl)butan-1-on	N I
Racemorphan INN	B310	(±)-17-methylmorphinan-3-ol	N I
Remifentanil INN	B311	remifentanyl; methyl[4-(methoxycarbonyl)-4-[phenyl(propanoyl)amino]]piperidin-1-yl]propanoat]	N I
Rolicyclidin INN	B312	PCPY; PHP; 1-(1-phenylcyclohexyl)pyrrolidin	P I
<i>Salvia divinorum</i>	B313		
Salvinorin A	B314	methyl[(2 <i>S</i> ,4 <i>aR</i> ,6 <i>aR</i> ,7 <i>R</i> ,9 <i>S</i> ,10 <i>aS</i> ,10 <i>bR</i>)-9-(acetyloxy)-2(furan-3-yl)-dodecahydro-6 <i>a</i> ,10 <i>b</i> -dimethyl-4,10-dioxo-2 <i>H</i> naphtho[2,1- <i>c</i>]pyran-7-carboxylat]	
SDB-001	B315	<i>N</i> -(1-adamantyl)-1-pentyl-1 <i>H</i> -indol-3-carboxamid	
Secobarbital INN	B316	5-allyl-5-(1-methylbutyl)barbitursyre; 5-(pentan-2-yl)-5-(prop-2-en-1-yl)-pyrimidin-2,4,6-(1 <i>H</i> ,3 <i>H</i> ,5 <i>H</i>)-trion	P II
STP	B317	DOM; 4-Methyl-2,5-dimethoxy-amfetamin; 2,5-dimethoxy- α ,4-dimethylphenethylamine	P I
STS-135	B318	<i>N</i> -(1-adamantyl)-1-(5-fluoropentyl)-1 <i>H</i> -indol-3-carboxamid	
Sufentanil INN	B319	<i>N</i> -[4-(methoxymethyl)-1-[2-(2-thiophen-2-yl)ethyl]piperidin-4-yl]- <i>N</i> -phenylpropanamid	N I
<i>Tabernanthe iboga</i>	B320		
Tapentadol INN	B321	3-[(2 <i>R</i> ,3 <i>R</i>)-1-(dimethylamino)-2-methylpentan-3-yl]phenol	
Tenamfetamin INN	B322	MDA; 1-(1,3-benzodioxol-5-yl)propan-2-amin	P I
Tenocyclidin INN	B323	TCP; 1-[1-(thiophen-2-yl)cyclohexyl]piperidin	P I
Tetrahydrocannabinol (alle isomere af tetrahydro-6,6,9-trimethyl-3-pentyl-6 <i>H</i> dibenzo(<i>b,d</i>)-pyran-1-ol).	B324	<i>Inkl.</i> Dronabinol ((6 <i>aR</i> ,10 <i>aR</i>)6 <i>a</i> ,7,8,10 <i>a</i> -tetrahydro-6,6,9-trimethyl-3-pentyl-6 <i>H</i> dibenzo[<i>b,d</i>]pyran-1-ol)	P I + P II
Tetrahydrofuranylfentanyl	B325	THF-F; <i>N</i> -phenyl- <i>N</i> -[1-(2-phenylethyl)piperidin-4-yl]tetrahydrofuran-2-carboxamid	N I
Tetramethylcyclopropylfentanyl	B326	<i>N</i> -phenyl- <i>N</i> -[1-(2-phenylethyl)piperidin-4-yl]-2,2,3,3-tetramethylcyclopropane-1-carboxamid	
TFMPP	B327	1-[(3-trifluormethyl)phenyl]piperazin	
THCP (tetrahydrocannabiphorol)	B327a	(3-heptyl-6,6,9-trimethyl-6 <i>a</i> ,7,8,10 <i>a</i> -tetrahydro-6 <i>H</i> -dibenzo[<i>b,d</i>]pyran-1-ol samt de seks isomerer 3-heptyl-6,6,9-trimethyl-7,8,9,10-tetrahydro-6 <i>H</i> -dibenzo[<i>b,d</i>]pyran-1-ol, 3-heptyl-6,6,9-trimethyl-8,9,10,10 <i>a</i> -tetrahydro-6 <i>H</i> -dibenzo[<i>b,d</i>]pyran-1-ol, 3-heptyl-6,6,9-trimethyl-6 <i>a</i> ,9,10,10 <i>a</i> -tetrahydro-6 <i>H</i> -dibenzo[<i>b,d</i>]pyran-1-ol, 3-heptyl-6,6,9-trimethyl-6 <i>a</i> ,7,10,10 <i>a</i> -tetrahydro-6 <i>H</i> -dibenzo[<i>b,d</i>]pyran-1-ol, 3-heptyl-6,6,9-trimethyl-6 <i>a</i> ,7,8,9-tetrahydro-6 <i>H</i> -dibenzo[<i>b,d</i>]pyran-1-ol og 3-heptyl-6,6-dimethyl-9-methylene-6 <i>a</i> ,7,8,9,10,10 <i>a</i> -hexahydro-6 <i>H</i> -dibenzo[<i>b,d</i>]pyran-1-ol)	




Thebacon INN	B238	acetyldihydrocodeinon; (6,7-didehydro-4,5-epoxy-3-methoxy-17-methylmorphinan-6-yl)acetat	N I
Thebain	B329	6,7,8,14-tetrahydro-4,5 α -epoxy-3,6-dimethoxy-17methylmorphinan	N I
Thiofentanyl	B330	<i>N</i> -phenyl- <i>N</i> -[1-[2-(thiophen-2-yl)ethyl]piperidin-4yl]propanamid	N I + IV
THJ-2201	B331	(1-(5-fluoropentyl)-1 <i>H</i> -indazol-3-yl)(naphthalen-1yl)methanon	
Tilidin INN	B332	ethyl[<i>trans</i> -2-(dimethylamino)-1-phenylcyclohex-3-en-1carboxylat]	N I
TMA	B333	3,4,5-trimethoxyamphetamin; 1-(3,4,5trimethoxyphenyl)propan-2-amin	P I
TMA-2	B334	2,4,5-trimethoxyamphetamin; 1-(2,4,5trimethoxyphenyl)propan-2-amin	EU
TMA-6	B335	2,4,6-trimethoxyamphetamin; 1-(2,4,6trimethoxyphenyl)propan-2-amin	
Tramadol	B335a	2-[(dimethylamino)methyl]-1-(3-methoxyphenyl)cyclohexanol	
Trimeperidin INN	B336	[(2 <i>S</i> ,5 <i>R</i>)-1,2,5-trimethyl-4-phenylpiperidin-4-yl]propanoat	N I
3,4,5-Trimethoxybenzaldehyd	B337	3,4,5-trimethoxybenzaldehyd	
U-47700	B338	3,4-dichlor- <i>N</i> -(2-(dimethylamino)cyclohexyl)- <i>N</i> methylbenzamid).	N I
UR-144	B339	(1-pentyl-1 <i>H</i> -indol-3-yl)(2,2,3,3tetramethylcyclopropyl)methanon	P II
Valerylentanyl	B340	<i>N</i> -phenyl- <i>N</i> -[1-(2-phenylethyl)-4-piperidyl]pentanamid	N I
1v-LSD	B341	4-pentanoyl- <i>N,N</i> -diethyl-7-methyl-4,6,6a,7,8,9-hexahydroindolo[4,3- <i>fg</i>]quinolin-9-carboxamid	
WIN 55,212-2	B342	[(<i>R</i>)-2,3-dihydro-5-methyl-3-[(morpholin-4yl)methyl]pyrrolo[1,2,3- <i>de</i>][1,4]benzoxazin-6yl)(naphthalen-1-yl)methanon	
Zipeprol	B343	1-methoxy-3-[4-(2-methoxy-2-phenylethyl)piperazin-1-yl]-1phenylpropan-2-ol	P II

Gruppevisse forbud omfattet af liste B

B344. Benzoylindol-gruppen

Enhver kemisk forbindelse som strukturelt er afledt af 1*H*-indol-3-yl(phenyl)methanon ved substitution af indolringens 1-position med en alkyl-, alkenyl-, cycloalkylmethyl-, cycloalkylethyl-, halogenalkyl- eller [2-(morpholin-4-yl)ethyl]-gruppe (R^1), uanset om der er yderligere substitution i benzen- eller indolringen (R^2 , R^3 , R^4).

Generel struktur af benzoylindol-afledte kemiske forbindelser.



R^1 = alkyl, alkenyl, cycloalkylmethyl, cycloalkylethyl, halogenalkyl eller 2-(morpholin-4-yl)ethyl.


R^2 , R^3 , R^4 = H (uden andre substituer) eller en eller flere vilkårlige substituer.

B345. Cathinon-gruppen

Enhver kemisk forbindelse, som strukturelt er afledt af 2-amino-1-phenylpropan-1-on ved en eller flere af følgende ændringer:

- substitution i hovedkædens 3-position med en alkylgruppe (R^1);
- substitution i aminogruppen med en eller to alkyl-, aryl- eller arylalkylgrupper (R^2 eller R^2 og R^3) eller ved inklusion af nitrogenatomet i en cyklisk struktur;
- substitution i benzenringen med en alkyl-, alkoxy-, alkandiylobis(oxy)-, halogenalkyl- eller halogen-grupper og eventuelt yderligere et antal monovalente substituer (R^4).

Generel struktur af cathinon-afledte kemiske forbindelser.



R^1 = H, alkyl.

R^2 = H, alkyl, aryl, arylalkyl.

R^3 = H, alkyl, dialkyl.


R^2R^3N - kan også stå for en nitrogenheterocyclel.

R^4 = H (uden andre substituer på benzenringen) eller en eller flere alkyl, alkoxy, alkandiylobis(oxy), halogenalkyl eller halogen og eventuelt yderligere et antal monovalente substituer.

B346. Cyclohexylphenol-gruppen

Enhver kemisk forbindelse som strukturelt er afledt af 2-(3-hydroxycyclohexyl)phenol ved substitution i benzenringens 5-position med en alkyl-, alkenyl-, cycloalkylmethyl-, cycloalkylethyl-, halogenalkyl- eller 2-(morpholin-4-yl)ethyl-gruppe (R^1), uanset om der er yderligere substituentter i cyclohexanringen (R^2)_n.

Generel struktur af cyclohexylphenol-afledte kemiske forbindelser.



R^1 = alkyl, alkenyl, cycloalkylmethyl, cycloalkylethyl, halogenalkyl eller 2-(morpholin-4-yl)ethyl.


R^2 = H (uden andre substituentter) eller en eller flere vilkårlige substituentter.

B346a. Dibenzopyran-gruppen

Enhver kemisk forbindelse, som strukturelt er afledt af 6a,7,8,9,10,10a-hexahydro-6,6,9-trimethyl-6H-dibenzo[b,d]pyran-1-ol eller stereo-isomerer heraf ved en eller flere af følgende ændringer:

- Tilføjelse af en dobbeltbinding i Ring 1
- Substitution i 3-positionen i den aromatiske ring med en vilkårlig substituent (R_1)

Generel struktur af dibenzopyran-afledte kemiske forbindelser i dibenzopyran-gruppen:



Ring 1: Kan indeholde en dobbeltbinding

R_1 : H eller en vilkårlig substituent.

Følgende stoffer med dibenzopyran-afledte strukturer er undtaget fra dibenzopyran-gruppen og er opført som enkeltstående stoffer på liste B:

DMHP (1-Hydroxy-6, 6,9-trimethyl-3-(1,2-dimethylheptyl)-7,8,9,10-tetrahydro-6Hdibenzo[b,d]pyran)

Hexahydrocannabinol (6,6,9-trimethyl-3-pentyl-6a,7,8,9,10,10a-hexahydro-6H-benzo[c]chromen-1-ol)

HHCP (hexahydrocannabiphorol) (3-heptyl-6,6,9-trimethyl-6a,7,8,9,10,10a-hexahydro-6H-dibenzo[b,d]pyran-1-ol)

Parahexyl (3-hexyl-1-hydroxy-6,6,9-trimethyl-7,8,9,10-tetrahydro-6H-dibenzo[b,d]pyran)


Tetrahydrocannabinol (alle isomere af tetrahydro-6,6,9-trimethyl-3-pentyl-6H-dibenzo(b,d)-pyran-l-ol)

THCP (tetrahydrocannabiphorol) (3-heptyl-6,6,9-trimethyl-6a,7,8,10a-tetrahydro-6H-dibenzo[b,d]pyran-1-ol samt de seks isomerer 3-heptyl-6,6,9-trimethyl-7,8,9,10-tetrahydro-6H-dibenzo[b,d]pyran-1-ol, 3-heptyl-6,6,9-trimethyl-8,9,10,10a-tetrahydro-6H-dibenzo[b,d]pyran-1-ol, 3-heptyl-6,6,9-trimethyl-6a,9,10,10a-tetrahydro-6H-dibenzo[b,d]pyran-1-ol, 3-heptyl-6,6,9-trimethyl-6a,7,10,10a-tetrahydro-6H-dibenzo[b,d]pyran-1-ol, 3-heptyl-6,6,9-trimethyl-6a,7,8,9-tetrahydro-6H-dibenzo[b,d]pyran-1-ol og 3-heptyl-6,6-dimethyl-9-methylene-6a,7,8,9,10,10a-hexahydro-6H-dibenzo[b,d]pyran-1-ol)

B347. Naphthoylindol-gruppen

Enhver kemisk forbindelse som strukturelt er afledt af 3-(1-naphthoyl)-1*H*-indol ved substitution med en alkyl-, alkenyl-, cycloalkylmethyl-, cycloalkylethyl-, halogenalkyl- eller 2-(morpholin-4-yl)ethyl-gruppe i 1- positionen (R^1), uanset om der er yderligere substitution i indol- eller naphthalenringen (R^2 , R^3 , R^4 , R^5).

Generel struktur af naphthoylindol-afledte kemiske forbindelser.




R^1 = alkyl, alkenyl, cycloalkylmethyl, cycloalkylethyl, halogenalkyl eller 2-(morpholin-4-yl)ethyl.

R^2 , R^3 , R^4 , R^5 = H (uden andre substituent) eller en eller flere vilkårlige substituent.

B348. Naphthoylpyrrol-gruppen

Enhver kemisk forbindelse som strukturelt er afledt af 3-(1-naphthoyl)-1*H*-pyrrol ved substitution af pyrrolsystemets 1-position med en alkyl-, alkenyl-, cycloalkylmethyl-, cycloalkylethyl-, halogenalkyl- eller 2-(morpholin-4-yl)ethyl-gruppe, (R^1), uanset om der er yderligere substitution i pyrrol- eller naphthalenringen (R^2 , R^3 , R^4).

Generel struktur af naphthoylpyrrol-afledte kemiske forbindelser.




R^1 = H, alkyl, alkenyl, cycloalkylmethyl, cycloalkylethyl, halogenalkyl eller 2-(morpholin-4-yl)ethyl.

R^2 , R^3 , R^4 = H (uden andre substituent) eller en eller flere vilkårlige substituent.

B349. Naphthylmethylinden-gruppen

Enhver kemisk forbindelse som strukturelt er afledt af 1-(1-naphthylmethyl)-1*H*-inden med substitution i indensystemets 3-position med en alkyl-, alkenyl-, cycloalkylmethyl-, cycloalkylethyl-, halogenalkyl- eller 2-(morpholin-4-yl)ethyl-gruppe (R^1), uanset om der er yderligere substitution i inden- eller i naphthalenringen (R^2 , R^3 , R^4 , R^5).

Generel struktur af naphthylmethylinden-afledte kemiske forbindelser.




R^1 = alkyl, alkenyl, cycloalkylmethyl, cycloalkylethyl, halogenalkyl eller 2-(morpholin-4-yl)ethyl.

R^2 , R^3 , R^4 , R^5 = H (uden andre substituenten) eller en eller flere vilkårlige substituenten.

B350. Naphthylmethylindol-gruppen

Enhver kemisk forbindelse som strukturelt er afledt af (1*H*-indol-3-yl)(1-naphthyl)methan ved substitution af indolsystemets 1position med en alkyl-, alkenyl-, cycloalkylmethyl-, cycloalkylethyl-, halogenalkyl- eller 2-(morpholin-4-yl)ethyl-gruppe (R^1), uanset om der er yderligere substitution i indol- eller naphthalenringen (R^2 , R^3 , R^4 , R^5).

Generel struktur af naphthylmethylindol-afledte kemiske forbindelser.




R^1 = alkyl, alkenyl, cycloalkylmethyl, cycloalkylethyl, halogenalkyl eller 2-(morpholin-4-yl)ethyl.

R^2 , R^3 , R^4 , R^5 = H (uden andre substituenten) eller en eller flere vilkårlige substituenten.

B351. Phenethylamin-gruppen

Enhver kemisk forbindelse som strukturelt er afledt af 2-phenylethan-1-amin, *N*-alkyl-2-phenylethan-1-amin, 1-phenylpropan-2-amin, *N*-alkyl-1-phenylpropan-2-amin, 1-phenylbutan-2-amin eller *N*-alkyl-1-phenylbutan-2-amin (R^1 , R^2) ved enhver substitution i ringen med alkyl-, alkoxy-, alkandiybis(oxy)- eller halogensubstituerter (R^3). Dette er gældende uanset om den kemiske forbindelse er yderligere ringsubstitueret med en eller flere monovalente grupper (R^3)_n.

Generel struktur af phenethylamin-afledte kemiske forbindelser.



R^1 = H, alkyl, methoxybenzyl


R^2 = H, methyl, ethyl

R^3 = en eller flere alkyl-, alkoxy-, alkandiybis(oxy)- eller halogensubstituerter og eventuelt yderligere et antal monovalente substituerter.

B352. Phenylacetylindol-gruppen

Enhver kemisk forbindelse som strukturelt er afledt af 3-(phenylacetyl)-1*H*-indol ved substitution af indolringens 1-position med en alkyl-, alkenyl-, cycloalkylmethyl-, cycloalkylethyl-, halogenalkyl- eller 2-(morpholin-4-yl)ethyl-gruppe (R^1), uanset om der er yderligere substitution i benzen- eller indolringene (R^2 , R^3 , R^4).

Generel struktur af phenylacetylindol-afledte kemiske forbindelser.



R^1 = alkyl, alkenyl, cycloalkylmethyl, cycloalkylethyl, halogenalkyl eller 2-(morpholin-4-yl)ethyl.


R^2 , R^3 , R^4 = H (uden andre substituerter) eller en eller flere vilkårlige substituerter.



B353. Tryptamin-gruppen

Enhver kemisk forbindelse som strukturelt er afledt af enten tryptamin eller tryptamin med en eller flere ringbundne hydroxygrupper ved substitution på sidekædens nitrogenatom med en eller flere alkylgrupper (R^1 , R^2).

Generel struktur af tryptamin-afledte kemiske forbindelser.



$R^1 = H$, alkyl

$R^2 =$ alkyl

$R^3 = H$, eller en eller flere hydroxygrupper

Liste C

Navn	Nr.	Andre navne; IUPAC-navn	FN / EU
Acetyldihydrocodein	C001	(4,5 <i>a</i> -epoxy-3-methoxy-17-methylmorphinan-6 <i>a</i> -yl)acetat	N II + III
Codein	C002	3-methylmorphin; 7,8-didehydro-4,5 <i>a</i> -epoxy-3-methoxy-17-methylmorphinan-6 <i>a</i> -ol	N II + III
Dextromethorphan	C003	DXM; 3-methoxy-17-methyl-morphinan	
Dihydrocodein INN	C004	4,5 <i>a</i> -epoxy-3-methoxy-17-methylmorphinan-6 <i>a</i> -ol	N II + III
Ethylmorphin	C005	3-ethylmorphin; 7,8-didehydro-4,5 <i>a</i> -epoxy-3ethoxymorphinan-6 <i>a</i> -ol	N II + III
Nicocodin INN	C006	6-nicotinoylcodein; (7,8-didehydro-4,5 <i>a</i> -epoxy-3methoxy-17-methylmorphinan-6 <i>a</i> -yl)(pyridin-3carboxylat)	N II + III
Nicodicodin INN	C007	6-nicotinoyldihydrocodein; (4,5 <i>a</i> -epoxy-3-methoxy-17methylmorphinan-6 <i>a</i> -yl)(pyridin-3-carboxylat)	N II + III
Norcodein INN	C008	<i>N</i> -demethylcodein; 7,8-didehydro-4,5 <i>a</i> -epoxy-3methoxymorphinan-6 <i>a</i> -ol	N II + III
Pholcodin INN	C009	morpholinylethylmorphin: 7,8-didehydro-4,5 <i>a</i> -epoxy-17methyl-3-[2-(morpholin-4-yl)ethoxy]morphinan-6 <i>a</i> -ol	N II + III

Liste D

Navn	Nr.	Andre navne; IUPAC-navn	FN / EU
Amobarbital INN	D001	pentymal NFN; 5-ethyl-5-isopentylbarbitursyre; 5-ethyl-5(3-methylbutyl)pyrimidin-2,4,6-(1 <i>H</i> ,3 <i>H</i> ,5 <i>H</i>)-trion	P III
Buprenorfin INN	D002	2-[(<i>S</i>)-17-(cyclopropylmethyl)-4,5 <i>a</i> -epoxy-18,19-dihydro3-hydroxy-6-methoxy-6,14-ethenomorphinan-7 <i>a</i> -yl]-3,3dimethylbutan-2-ol	P III
Butalbital INN	D003	5-allyl-5-isobutylbarbitursyre; 5-(2-methylpropyl)-5-(prop-2-en-1-yl)pyrimidin-2,4,6-(1 <i>H</i> ,3 <i>H</i> ,5 <i>H</i>)-trion	P III
Cathin INN	D004	norpseudoephedrin; (+)-(<i>S</i>)- <i>a</i> -[(<i>S</i>)-1aminoethyl]benzylalkohol; (1 <i>S</i> ,2 <i>S</i>)-2-amino-1phenylpropan-1-ol	P III
Cyclobarbital INN	D005	hexemal NFN; 5-(1-cyclohexen-1-yl)-5-ethylbarbitursyre; 5-(cyclohex-1-en-1-yl)-5-ethylpyrimidin-2,4,6-(1 <i>H</i> ,3 <i>H</i> ,5 <i>H</i>)trion	P III
Flunitrazepam	D006	5-(2-fluorphenyl)-1,3-dihydro-1-methyl-7-nitro-2 <i>H</i> -1,4 benzodiazepin-2-on	P III
Glutethimid INN	D007	2-ethyl-2-phenylglutarimid; 3-ethyl-3-phenylpiperidin-2,6dion	P III
Pentazocin INN	D008	(2 <i>R</i> *,6 <i>R</i> *,11 <i>R</i> *)-1,2,3,4,5,6-hexahydro-6,11-dimethyl-3-(3methylbut-2-en-1-yl)-2,6-methano-3-benzazocin-8-ol	P III
Pentobarbital INN	D009	mebumal NFN; 5-ethyl-5-(pentan-2-yl)barbitursyre; 5ethyl-5-(pentan-2-yl)pyrimidin-2,4,6-(1 <i>H</i> ,3 <i>H</i> ,5 <i>H</i>)-trion	P III

Liste E

Navn	Nr.	Andre navne; IUPAC navn	FN / EU
Adinazolam	E000	1-(8-chloro-6-phenyl-4H-benzo[f][1,2,4]triazolo[4,3-a][1,4]diazepin-1-yl)-N,N-dimethylmethanamin	
Allobarbital INN	E001	5,5-diallylbarbitursyre; 5,5-di(prop-2-en-1-yl)pyrimidin-2,4,6-(1 <i>H</i> ,3 <i>H</i> ,5 <i>H</i>)-trion	P IV
Alprazolam INN	E002	8-chlor-1-methyl-6-phenyl-4 <i>H</i> -1,2,4-triazolo[4,3 <i>a</i>][1,4]2 <i>yridine</i> 24 <i>none</i> 24	P IV
Amfepramon INN	E003	diethylpropion; 2-(diethylamino)2 <i>yridine</i> 24 <i>none</i> ; 2(diethylamino)-1-phenylpropan-1-on	P IV
Aminorex INN	E004	2-amino-5-phenyl-2-oxazolin; 4,5-dihydro-5-phenyloxazol2-amin	P IV
Amylnitrit (alle isomerer af amygruppen)	E005	Poppers; (2-methylbutan-2-yl)nitrit (3-methylbutyl)nitrit (pentan-2-yl)nitrit (pentan-3-yl)nitrit pentylnitrit	
Barbital INN	E006	diemal NFN; 5,5-diethylbarbitursyre; 5,5-diethylpyrimidin2,4,6-(1 <i>H</i> ,3 <i>H</i> ,5 <i>H</i>)-trion	P IV
Benzfetamin INN	E007	benzphetamin; <i>N</i> -benzyl- <i>N</i> , <i>a</i> -dimethylphenethylamin; <i>N</i> benzyl- <i>N</i> -methyl-1-phenylpropan-2-amin	P IV
Bromazepam INN	E008	7-brom-1,3-dihydro-5-(2 <i>yridine</i> -2-yl)-2 <i>H</i> -1,4benzodiazepin-2-on	P IV
Bromazolam	E008a	8-bromo-1-methyl-6-phenyl-4 <i>H</i> -benzo[f][1,2,4]triazolo[4,3-a][1,4]diazepin	P IV
Brotizolam INN	E009	2-brom-4-(2-chlorphenyl)-9-methyl-6 <i>H</i> -thieno[3,2 <i>f</i>][1,2,4]triazolo[4,3-a][1,4]diazepin	P IV
Butobarbital INN	E010	5-butyl-5-ethylbarbitursyre; 5-butyl-5-ethylpyrimidin-2,4,6-(1 <i>H</i> ,3 <i>H</i> ,5 <i>H</i>)-trion	P IV
Camazepam INN	E011	[7-chlor-1,3-dihydro-1-methyl-2-oxo-5-phenyl-1 <i>H</i> -1,4benzodiazepin-3-yl]dimethylcarbammat	P IV
Chlordiazepoxid INN	E012	[7-chlor- <i>N</i> -methyl-5-phenyl-3 <i>H</i> -1,4-benzodiazepin-2amin]-4-oxid	P IV
Clobazam INN	E013	7-chlor-1-methyl-5-phenyl-1 <i>H</i> -1,5-benzodiazepin-2,4(3 <i>H</i> ,5 <i>H</i>)-dion	P IV
Clonazepam INN	E014	5-(2-chlorphenyl)-1,3-dihydro-7-nitro-2 <i>H</i> -1,4benzodiazepin-2-on	P IV
Clonazolam	E015	6-(2-chlorophenyl)-1-methyl-8-nitro-4 <i>H</i> benzo[f][1,2,4]triazolo[4,3-a][1,4]diazepin	P IV
Clorazepat INN	E016	7-chlor-2,3-dihydro-2-oxo-5-phenyl-1 <i>H</i> -1,4benzodiazepin-3-carboxylsyre	P IV
Clotiazepam INN	E017	5-(2-chlorphenyl)-7-ethyl-1,3-dihydro-1-methyl-2 <i>H</i> thieno[2,3-e][1,4]diazepin-2-on	P IV
Cloxazolam INN	E018	10-chlor-11 <i>b</i> -(2-chlorphenyl)-2,3,7,11 <i>b</i> -tetrahydrooxazolo[3,2- <i>d</i>][1,4]benzodiazepin-6(5 <i>H</i>)-on	P IV
Delorazepam INN	E019	7-chlor-5-(2-chlorphenyl)-1,3-dihydro-2 <i>H</i> -1,4benzodiazepin-2-on	P IV
Desalkylgizazepam	E019a	7-bromo-5-phenyl-1,3-dihydro-2 <i>H</i> -benzo[e][1,4]diazepin-2-on	
Deschloroetizolam	E020	2-ethyl-9-methyl-4-phenyl-6 <i>H</i> -thieno[3,2 <i>f</i>][1,2,4]triazolo[4,3-a][1,4]diazepin	
Diazepam INN	E021	7-chlor-1,3-dihydro-1-methyl-5-phenyl-2 <i>H</i> -1,4benzodiazepin-2-on	P IV
Diclazepam	E022	7-chloro-5-(2-chlorophenyl)-1-methyl-1 <i>H</i> benzo[e][1,4]diazepin-2(3 <i>H</i>)-on	P IV

Estazolam INN	E023	8-chlor-6-phenyl-4 <i>H</i> -1,2,4-triazolo[4,3 <i>a</i>][1,4]benzodiazepin	P IV
Ethchlorvynol INN	E024	1-chlor-3-ethylpent-1-en-4-yn-3-ol	P IV
Ethinamat INN	E025	(1-ethynylcyclohexyl)carbamat	P IV
Ethylloflazepat INN	E026	ethyl [7-chlor-5-(2-fluorphenyl)-2,3-dihydro-2-oxo-1 <i>H</i> -1,4benzodiazepin-3-carboxylat]	P IV
Etilamfetamin INN	E027	<i>N</i> -ethyl- <i>a</i> -methylphenethylamin; <i>N</i> -ethyl-1phenylpropan-2-amin	P IV
Etizolam	E028	4-(2-chlorphenyl)-2-ethyl-9-methyl-6 <i>H</i> -thieno[3,2 <i>f</i>][1,2,4]triazolo[4,3- <i>a</i>][1,4]diazepin	P IV
Fenazepam	E029	7-brom-5-(2-chlorphenyl)-2,3-dihydro-1 <i>H</i> -1,4benzodiazepin-2-on	
Fencamfamin INN	E030	<i>N</i> -ethyl-3-phenyl-2-norbornanamin; <i>N</i> -ethyl-3phenylbicyclo[2.2.1]heptan-2-amin	P IV
Fenproporex INN	E031	(±)-3-[(<i>a</i> -methylphenylethyl)amino]propionitril; 3-[(2phenylpropan-2-yl)amino]propannitril	P IV
Flualprazolam	E032	8-chlor-6-(2-fluorphenyl)-1-methyl-4 <i>H</i> -[1,2,4]triazolo[4,3- <i>a</i>][1,4]benzodiazepine	P IV
Flubromazepam	E033	7-bromo-5-(2-fluorophenyl)-1 <i>H</i> -benzo[<i>e</i>][1,4]diazepin2(3 <i>H</i>)-on	
Flubromazolam	E034	8-bromo-6-(2-fluorophenyl)-1-methyl-4 <i>H</i> benzo[<i>f</i>][1,2,4]triazolo[4,3- <i>a</i>][1,4]diazepin	P IV
Flubrotizolam	E034a	2-bromo-4-(2-fluorophenyl)-9-methyl-6 <i>H</i> -thieno[3,2- <i>f</i>][1,2,4]triazolo[4,3- <i>a</i>][1,4]diazepin	
Fluclozizolam	E035	4-(2-fluorphenyl)-2-chlor-9-methyl-6 <i>H</i> -thieno[3,2- <i>f</i>][1,2,4]triazolo[4,3- <i>a</i>][1,4]diazepin	
Fludiazepam INN	E036	7-chlor-5-(2-fluorphenyl)-1,3-dihydro-1-methyl-2 <i>H</i> -1,4benzodiazepin-2-on	P IV
Flunitrazolam	E037	6-(2-fluorphenyl)-1-methyl-8-nitro-4 <i>H</i> -benzo[<i>f</i>][1,2,4]triazolo[4,3- <i>a</i>][1,4]diazepin	
Flurazepam INN	E038	7-chlor-1-[2-(diethylamino)ethyl]-5-(2-fluorphenyl)-1,3dihydro-2 <i>H</i> -1,4-benzodiazepin-2-on	P IV
Halazepam INN	E039	7-chlor-1,3-dihydro-5-phenyl-1-(2,2,2-trifluorethyl)-2 <i>H</i> -1,4-benzodiazepin-2-on	P IV
Haloxazolam INN	E040	10-brom-11b-(2-fluorphenyl)-2,3,7,11b-tetrahydrooxazolo[3,2- <i>d</i>][1,4]benzodiazepin-6(5 <i>H</i>)-on	P IV
3-hydroxyphenazepam	E041	7-brom-5-(2-chlorphenyl)-1,3-dihydro-3-hydroxy-2 <i>H</i> -1,4-benzodiazepin-2-on	
Isobutylnitrit	E042	poppers; (2-methylpropyl)nitrit	
Ketazolam INN	E043	11-chlor-8,12b-dihydro-2,8-dimethyl-12b-phenyl-4 <i>H</i> -[1,3]oxazino[3,2- <i>d</i>][1,4]benzodiazepin-4,7(6 <i>H</i>)-dion	P IV
Lefetamin INN	E044	SPA; (-)- <i>N,N</i> -dimethyl-1,2-diphenylethylamin; (<i>R</i>)- <i>N,N</i> dimethyl-1,2-diphenylethan-1-amin	P IV
Loprazolam INN	E045	6-(2-chlorphenyl)-2,4-dihydro-2-[(4-methylpiperazin-1yl)methylen]-8-nitro-1 <i>H</i> -imidazo[1,2 <i>a</i>][1,4]benzodiazepin-1-on	P IV
Lorazepam INN	E046	7-chlor-5-(2-chlorphenyl)-1,3-dihydro-3-hydroxy-2 <i>H</i> -1,4benzodiazepin-2-on	P IV
Lormetazepam INN	E047	7-chlor-5-(2-chlorphenyl)-1,3-dihydro-3-hydroxy-1methyl-2 <i>H</i> -1,4-benzodiazepin-2-on	P IV
Mazindol INN	E048	5-(4-chlorphenyl)-2,5-dihydro-3 <i>H</i> -imidazo[2,1- <i>a</i>]isoindol5-ol	P IV
Meclonazepam	E049	5-(2-chlorphenyl)-3-methyl-7-nitro-1,3-dihydro-1,4-benzodiazepin-2-on	

Medazepam INN	E050	7-chlor-2,3-dihydro-1-methyl-5-phenyl-1 <i>H</i> -1,4benzodiazepin	P IV
Mefenorex INN	E051	<i>N</i> -(3-chlorpropyl)- <i>α</i> -methylphenethylamin; <i>N</i> -(3chlorpropyl)-1-phenylpropan-2-amin	P IV
Meprobumat INN	E052	(2-methyl-2-propylpropan-1,3-diyl)bis(carbumat); pentan-2,2-diylbis(methylen)bis(carbumat)	P IV
Mesocarb	E053	3-(<i>α</i> -methylphenethyl)- <i>N</i> -(phenylcarbamoil)sydonimin; 5-(anilino-carbonylimino)-3-(1-phenylpropan-2-yl)-5 <i>H</i> 1,2,3-oxadiazol-3-ium-2-id	P IV
Methylphenobarbital INN	E054	enphenemal NFN; mephobarbital; 5-ethyl-1-methyl-5-phenylbarbitursyre, 5-ethyl-1-methyl-5-phenylpyrimidin-2,4,6-(1 <i>H</i> ,3 <i>H</i> ,5 <i>H</i>)-trion	P IV
Methypylon INN	E055	3,3-diethyl-5-methylpiperidin-2,4-dion	P IV
Metizolam	E056	Desmethyletizolam; 4-(2-chlorophenyl)-2-ethyl-6 <i>H</i> thieno[3,2- <i>f</i>][1,2,4]triazolo[4,3- <i>a</i>][1,4]diazepin	
Midazolam INN	E057	8-chlor-6-(2-fluorphenyl)-1-methyl-4 <i>H</i> -imidazo[1,5 <i>a</i>][1,4]benzodiazepin	P IV
Nifoxipam	E058	5-(2-fluorphenyl)-3-hydroxy-7-nitro-1 <i>H</i> benzo[<i>e</i>][1,4]diazepin-2(3 <i>H</i>)-on	
Nimetazepam INN	E059	1,3-dihydro-1-methyl-7-nitro-5-phenyl-2 <i>H</i> -1,4benzodiazepin-2-on	P IV
Nitrazepam INN	E060	1,3-dihydro-7-nitro-5-phenyl-2 <i>H</i> -1,4-benzodiazepin-2-on	P IV
Nordazepam INN	E061	7-chlor-1,3-dihydro-5-phenyl-2 <i>H</i> -1,4-benzodiazepin-2-on	P IV
Norflurazepam	E062	7-chlor-5-(2-fluorphenyl)-1 <i>H</i> -benzo[<i>e</i>][1,4]diazepin-2(3 <i>H</i>)-on	
Oxazepam INN	E063	7-chlor-1,3-dihydro-3-hydroxy-5-phenyl-2 <i>H</i> -1,4benzodiazepin-2-on	P IV
Oxazolam INN	E064	10-chlor-2,3,7,11 <i>b</i> -tetrahydro-2-methyl-11 <i>b</i> phenyloxazolo[3,2- <i>d</i>][1,4]benzodiazepin-6(5 <i>H</i>)-on	P IV
Pemolin INN	E065	2-amino-5-phenyl-2-oxazolin-4(5 <i>H</i>)-on	P IV
Phenobarbital INN	E066	phenemal NFN; 5-ethyl-5-phenylbarbitursyre; 5-ethyl-5-phenylpyrimidin-2,4,6-(1 <i>H</i> ,3 <i>H</i> ,5 <i>H</i>)-trion	P IV
Phentermin INN	E067	<i>α,α</i> -dimethylphenethylamin; 2-methyl-1-phenylpropan-2amin	P IV
Pinazepam INN	E068	7-chlor-1,3-dihydro-5-phenyl-1-(prop-2-yn-1-yl)-2 <i>H</i> -1,4benzodiazepin-2-on	P IV
Prazepam INN	E069	7-chlor-1-(cyclopropylmethyl)-1,3-dihydro-5-phenyl-2 <i>H</i> -1,4-benzodiazepin-2-on	P IV
Pyrazolam	E070	8-bromo-1-methyl-6-(pyridin-2-yl)-4 <i>H</i> benzo[<i>f</i>][1,2,4]triazolo[4,3- <i>a</i>][1,4]diazepin	
Pyrovaleron INN	E071	4'-methyl-2-(1-pyrrolidinyl)valerophenon; 1-(4methylphenyl)-2-(pyrrolidin-1-yl)pentan-1-on	P IV
Secbutabarbital INN	E072	5-sec-butyl-5-ethylbarbitursyre: 5-(butan-2-yl)-5ethylpyrimidin-2,4,6-(1 <i>H</i> ,3 <i>H</i> ,5 <i>H</i>)-trion	P IV
Temazepam INN	E073	7-chlor-1,3-dihydro-3-hydroxy-1-methyl-5-phenyl-2 <i>H</i> -1,4benzodiazepin-2-on	P IV
Tetrazepam INN	E074	7-chlor-5-(cyclohex-1-en-1-yl)-1,3-dihydro-1-methyl-2 <i>H</i> -1,4-benzodiazepin-2-on	P IV
Triazolam INN	E075	8-chlor-6-(2-chlorophenyl)-1-methyl-4 <i>H</i> -1,2,4-triazolo[4,3 <i>a</i>][1,4]benzodiazepin	P IV
Vinylbital INN	E076	5-(1-methylbutyl)-5-vinylbarbitursyre; 5-(pentan-2-yl)-5vinylpyrimidin-2,4,6-(1 <i>H</i> ,3 <i>H</i> ,5 <i>H</i>)-trion	P IV
Zolpidem INN	E077	[<i>N,N</i> ,6-trimethyl-2-(4-methylphenyl)imidazo[1,2 <i>a</i>]pyridin-3-yl]acetamid	P IV
Zopiclon INN	E078	[6-(5-chlorpyridin-2-yl)-6,7-dihydro-7-oxo-5 <i>H</i> -pyrrolo[3,4 <i>b</i>]pyrazin-5-yl](4-methylpiperazin-1-carboxylat)	

Eksempler på simple derivater af stoffer omfattet af bekendtgørelsen

Alle euforiserende stoffer på bilag 1, samt mulige salte og simple derivater, hvorved forstås estere og etherer, er omfattet af denne bekendtgørelse. I nedenstående tabel findes der eksempler på simple derivater som er omfattet af bekendtgørelse om euforiserende stoffer. Denne liste er ikke udtømmende.

Navn	Simpelt derivat af	Andre navne; IUPAC-navn
6-Acetylcodein	Codein (C002)	[(4R,4aR,7S,7aR,12bS)-9-methoxy-3-methyl-2,4,4a,7,7a,13-hexahydro-1H-4,12-methanobenzofuro[3,2-e]isoquinolin-7-yl] acetate
6-Acetylmorfin	Morphin (B245)	[(4R,4aR,7S,7aR,12bS)-9-hydroxy-3-methyl-2,4,4a,7,7a,13-hexahydro-1H-4,12-methanobenzofuro[3,2-e]isoquinolin-7-yl] acetate
Benzoylecgonin	Ecgonin (B116)	(1R,2R,3S,5S)-3-benzoyloxy-8-methyl-8-azabicyclo[3.2.1]octane-2-carboxylic acid
Gamma-Butyrolacton	Gammahydroxybutansyre (B152)	GBL; γ -Butyrolactone; oxolan-2-one
Morphine-6-glucuronide	Morphin (B245)	(2S,3S,4S,5R,6R)-6-[[[(4R,4aR,7S,7aR,12bS)-9-hydroxy-3-methyl-2,4,4a,7,7a,13-hexahydro-1H-4,12-methanobenzofuro[3,2-e]isoquinolin-7-yl]oxy]-3,4,5-trihydroxyoxane-2-carboxylic acid
Hexahydrocannabinol-O-acetat	Hexahydrocannabinol (B152a)	HHCO, HHC-O; 6,6,9-trimethyl-3-pentyl-6a,7,8,9,10,10a-hexahydro-6H-benzo[c]chromen-1-yl acetat

Eksempler på stoffer omfattet af de gruppevise forbud på liste B

I nedenstående tabel findes der eksempler på stoffer omfattet af de gruppevise forbud på liste B, som ikke er opført på listen med et enkeltstående nummer. Denne liste er ikke udtømmende.

Navn	Gruppe	Andre navne; IUPAC-navn
3-Chloromethcathinone	Cathinon (B345)	3-CMC; 3-Chloromethcathinone; 1-(3-chlorophenyl)-2-(methylamino)propan-1-one
4'-Chloro-alpha-pyrrolidinopropiophenone	Cathinon (B345)	4'-Chloro-alpha-PPP; 2-(3-chloropyrrolidin-1-yl)-1-phenylpropan-1-one
Bupropion	Cathinon (B345)	2-(tert-butylamino)-1-(3-chlorophenyl)propan-1-one
Methedrone	Cathinon (B345)	1-(4-methoxyphenyl)-2-(methylamino)propan-1-one
Methoxyphedrine	Cathinon (B345)	Methedrone; 1-(4-methoxyphenyl)-2-(methylamino)propan-1-one
Methylenedioxy pyrrolidinohexiophenone	Cathinon (B345)	MDPHP; 1-(1,3-benzodioxol-5-yl)-2-pyrrolidin-1-ylhexan-1-one
Pentylone	Cathinon (B345)	bK-MBDP; 1-(1,3-benzodioxol-5-yl)-2-(methylamino)pentan-1-one
N-ethylpentedrone	Cathinon (B345)	α-EAPP; α-ethylaminopentiophenone; α-ethylaminovalerophenone
4-hydroxy-3-Methoxyamphetamine	Phenethylamin (B351)	HMA; 4-(2-aminopropyl)-2-methoxyphenol
4-hydroxy-3-Methoxymethamphetamine	Phenethylamin (B351)	HMMA; 2-methoxy-4-[2-(methylamino)propyl]phenol
4-hydroxymethamphetamine	Phenethylamin (B351)	Pholedrine; 4-[2-(methylamino)propyl]phenol
para-Chloroamphetamine	Phenethylamin (B351)	1-(4-chlorophenyl)propan-2-amine
2-fluoromethamphetamine	Phenethylamin (B351)	2-FMA; 1-(2-fluorophenyl)-N-methylpropan-2-amine
4-fluoromethamphetamine	Phenethylamin (B351)	4-FMA; 1-(4-fluorophenyl)-N-methylpropan-2-amine
Ortetamine	Phenethylamin (B351)	1-(2-methylphenyl)propan-2-amine
4-Hydroxy-N-methyl-N-ethyltryptamine	Tryptamin (B353)	4-HO-MET; 3-[2-[ethyl(methyl)amino]ethyl]-1H-indol-4-ol
4-hydroxy-N-ethyl-N-propyltryptamine	Tryptamin (B353)	4-HO-EPT; 3-[2-[ethyl(propyl)amino]ethyl]-1H-indol-4-ol
4-Hydroxy-N,N-diethyltryptamine	Tryptamin (B353)	4-HO-DET; 3-[2-(diethylamino)ethyl]-1H-indol-4-ol
4-Hydroxy-N-methyl-N-propyltryptamine	Tryptamin (B353)	4-HO-MPT; 3-[2-[methyl(propyl)amino]ethyl]-1H-indol-4-ol
4-Hydroxy-N-methyl-N-cyclopropyltryptamine	Tryptamin (B353)	4-HO-McPT; 3-[2-[cyclopropyl(methyl)amino]ethyl]-1H-indol-4-ol
4-hydroxy-N-methyl-N-isopropyltryptamine	Tryptamin (B353)	4-HO-MiPT; 3-[2-[methyl(propan-2-yl)amino]ethyl]-1H-indol-4-ol
5-Methoxy-N-methyl-N-isopropyltryptamine	Tryptamin (B353)	5-MeO-MiPT; N-[2-(5-methoxy-1H-indol-3-yl)ethyl]-N-methylpropan-2-amine
4-hydroxy-N,N,N-Trimethyltryptamine	Tryptamin (B353)	4-HO-TMT
4-(beta-D-glucosyl)-N,N-Dimethyl-Tryptamine	Tryptamin (B353)	
4-(beta-D-glucosyl)-N-ethyl-N-propyltryptamine	Tryptamin (B353)	
THCB (Tetrahydrocannabutol)	Dibenzopyran (B46a)	(6aR,10aR)-3-butyl-6,6,9-trimethyl-6a,7,8,10a-tetrahydrobenzo[c]chromen-1-ol



THCJD (Tetrahydrocannabioctyl)	Dibenzopyran (B46a)	(6aR,10aR)-6,6,9-trimethyl-3-octyl-6a,7,8,10a-tetrahydrobenzo[c]chromen-1-ol
THCH (Tetrahydrocannabihexol)	Dibenzopyran (B46a)	(6aR,10aR)-3-hexyl-6,6,9-trimethyl-6a,7,8,10a-tetrahydrobenzo[c]chromen-1-ol
THCV (Tetrahydrocannabivarin)	Dibenzopyran (B46a)	(6aR,10aR)-6,6,9-trimethyl-3-propyl-6a,7,8,10a-tetrahydro-6H-dibenzo[b,d]pyran-1-ol