

**Part VI: Summary of the risk management plan****Summary of risk management plan for Paroxetine Accord 10 mg, 20 mg, 30 mg, 40 mg film-coated tablets (Paroxetine)**

This is a summary of the risk management plan (RMP) for Paroxetine Accord 10 mg, 20 mg, 30 mg, 40 mg film-coated tablets. The RMP details important risks of Paroxetine Accord 10 mg, 20 mg, 30 mg, 40 mg film-coated tablets, how these risks can be minimised, and how more information will be obtained about Paroxetine Accord 10 mg, 20 mg, 30 mg, 40 mg film-coated tablets' risks and uncertainties (missing information).

Paroxetine Accord 10 mg, 20 mg, 30 mg, 40 mg film-coated tablets' summary of product characteristics (SmPC) and its package leaflet give essential information to healthcare professionals and patients on how Paroxetine Accord 10 mg, 20 mg, 30 mg, 40 mg film-coated tablets should be used.

Important new concerns or changes to the current ones will be included in updates of Paroxetine Accord 10 mg, 20 mg, 30 mg, 40 mg film-coated tablets' RMP.

**I. The medicine and what it is used for**

Paroxetine Accord 10 mg, 20 mg, 30 mg, 40 mg film-coated tablets are indicated for the treatment of:

- Major Depressive Episode
- Obsessive Compulsive Disorder
- Panic Disorder with and without agoraphobia
- Social Anxiety Disorders/Social phobia
- Generalised Anxiety Disorder
- Post-traumatic Stress Disorder

It contains paroxetine as the active substance and it is given by oral route.

## II. Risks associated with the medicine and activities to minimise or further characterise the risks

Important risks of Paroxetine Accord 10 mg, 20 mg, 30 mg, 40 mg film-coated tablets, together with measures to minimise such risks and the proposed studies for learning more about Paroxetine Accord 10 mg, 20 mg, 30 mg, 40 mg film-coated tablets risks, are outlined below.

Measures to minimise the risks identified for medicinal products can be:

- Specific information, such as warnings, precautions, and advice on correct use, in the package leaflet and SmPC addressed to patients and healthcare professionals;
- Important advice on the medicine's packaging;
- The authorised pack size — the amount of medicine in a pack is chosen so to ensure that the medicine is used correctly;
- The medicine's legal status — the way a medicine is supplied to the patient (e.g. with or without prescription) can help to minimise its risks.

Together, these measures constitute *routine risk minimisation* measures.

In addition to these measures, information about adverse reactions is collected continuously and regularly analysed, including PSUR assessment, so that immediate action can be taken as necessary. These measures constitute *routine pharmacovigilance activities*.

### II.A List of important risks and missing information

Important risks of Paroxetine Accord 10 mg, 20 mg, 30 mg, 40 mg film-coated tablets are risks that need special risk management activities to further investigate or minimise the risk, so that the medicinal product can be safely taken. Important risks can be regarded as identified or potential. Identified risks are concerns for which there is sufficient proof of a link with the use of Paroxetine Accord 10 mg, 20 mg, 30 mg, 40 mg film-coated tablets. Potential risks are concerns for which an association with the use of this medicine is possible based on available data, but this association has not been established yet and needs further evaluation. Missing information refers to information on the safety of the medicinal product that is currently missing and needs to be collected (e.g. on the long-term use of the medicine);

The data and conclusions included in this report are confidential and proprietary information of Marketing Authorisation Holder.

Important identified risks	<ul style="list-style-type: none"><li>• None</li></ul>
Important potential risks	<ul style="list-style-type: none"><li>• None</li></ul>
Missing Information	<ul style="list-style-type: none"><li>• None</li></ul>

## **II.B Summary of important risks**

The safety information in the proposed product information is aligned to the reference medicinal product.

## **II.C Post-authorisation development plan**

### **II.C.1 Studies which are conditions of the marketing authorisation**

There are no studies which are conditions of the marketing authorization or specific obligation of Paroxetine Accord 10 mg, 20 mg, 30 mg, 40 mg film-coated tablets.

### **II.C.2 Other studies in post-authorisation development plan**

There are no studies required for Paroxetine Accord 10 mg, 20 mg, 30 mg, 40 mg film-coated tablets.