

## Part VI: Summary of the risk management plan

### Summary of risk management plan for Fulvestrant Orion (fulvestrant)

This is a summary of the risk management plan (RMP) for Fulvestrant Orion. The RMP details important risks of Fulvestrant Orion, how these risks can be minimised, and how more information will be obtained about Fulvestrant Orion 's risks and uncertainties (missing information).

Fulvestrant Orion 's summary of product characteristics (SmPC) and its package leaflet give essential information to healthcare professionals and patients on how Fulvestrant Orion should be used.

Important new concerns or changes to the current ones will be included in updates of <invented name>'s RMP.

#### I. The medicine and what it is used for

Fulvestrant Orion is authorised:

- as monotherapy for the treatment of estrogen receptor positive, locally advanced or metastatic breast cancer in postmenopausal women:
  - not previously treated with endocrine therapy, or
  - with disease relapse on or after adjuvant antiestrogen therapy, or disease progression on antiestrogen therapy.
- in combination with palbociclib for the treatment of hormone receptor (HR)-positive, human epidermal growth factor receptor 2 (HER2)-negative locally advanced or metastatic breast cancer in women who have received prior endocrine therapy.

In pre- or perimenopausal women, the combination treatment with palbociclib should be combined with a luteinizing hormone releasing hormone (LHRH) agonist (see SmPC for the full indication).

Fulvestrant Orion contains fulvestrant as the active substance and it is given by injection via pre-filled syringe.

#### II. Risks associated with the medicine and activities to minimise or further characterise the risks

Important risks of Fulvestrant Orion, together with measures to minimise such risks and the proposed studies for learning more about Fulvestrant Orion 's risks, are outlined below.

Measures to minimise the risks identified for medicinal products can be:

- Specific information, such as warnings, precautions, and advice on correct use, in the package leaflet and SmPC addressed to patients and healthcare professionals;
- Important advice on the medicine's packaging;
- The authorised pack size — the amount of medicine in a pack is chosen so to ensure that the medicine is used correctly;
- The medicine's legal status — the way a medicine is supplied to the patient (e.g. with or without prescription) can help to minimise its risks.

Together, these measures constitute *routine risk minimisation* measures.

In addition to these measures, information about adverse reactions is collected continuously and regularly analysed so that immediate action can be taken as necessary. These measures constitute *routine pharmacovigilance activities*.

If important information that may affect the safe use of Fulvestrant Orion is not yet available, it is listed under 'missing information' below.

## **II.A List of important risks and missing information**

Important risks of Fulvestrant Orion are risks that need special risk management activities to further investigate or minimise the risk, so that the medicinal product can be safely administered. Important risks can be regarded as identified or potential. Identified risks are concerns for which there is sufficient proof of a link with the use of fulvestrant. Potential risks are concerns for which an association with the use of this medicine is possible based on available data, but this association has not been established yet and needs further evaluation. Missing information refers to information on the safety of the medicinal product that is currently missing and needs to be collected (e.g. on the long-term use of the medicine);

<b>List of important risks and missing information</b>	
Important identified risks	None
Important potential risks	None
Missing information	None

## **II.B Summary of important risks**

The safety information in the proposed Product Information is aligned to the reference medicinal product.

## **II.C Post-authorisation development plan**

### **II.C.1 Studies which are conditions of the marketing authorisation**

There are no studies required for Fulvestrant Orion.